

Figure 1

	Atom				X	Y	Z	OCC	B	MOL
	Type	Res.								
ATOM	1	C	GLY	1	69.326	51.394	17.320	1.00	31.75	CPS1
ATOM	2	O	GLY	1	69.833	51.813	16.277	1.00	31.77	CPS1
ATOM	3	N	GLY	1	70.959	52.760	18.620	1.00	35.87	CPS1
ATOM	4	CA	GLY	1	70.031	51.571	18.653	1.00	32.48	CPS1
ATOM	5	N	ILE	2	68.153	50.776	17.347	1.00	28.47	CPS1
ATOM	6	CA	ILE	2	67.404	50.567	16.121	1.00	26.25	CPS1
ATOM	7	CB	ILE	2	66.717	49.195	16.134	1.00	25.38	CPS1
ATOM	8	CG2	ILE	2	65.743	49.071	14.958	1.00	25.20	CPS1
ATOM	9	CG1	ILE	2	67.788	48.104	16.055	1.00	28.68	CPS1
ATOM	10	CD1	ILE	2	67.235	46.714	16.136	1.00	29.70	CPS1
ATOM	11	C	ILE	2	66.379	51.671	15.959	1.00	24.77	CPS1
ATOM	12	O	ILE	2	65.635	51.988	16.893	1.00	24.24	CPS1
ATOM	13	N	TYR	3	66.358	52.282	14.781	1.00	23.49	CPS1
ATOM	14	CA	TYR	3	65.407	53.355	14.515	1.00	23.75	CPS1
ATOM	15	CB	TYR	3	65.923	54.291	13.420	1.00	25.80	CPS1
ATOM	16	CG	TYR	3	64.952	55.408	13.087	1.00	28.36	CPS1
ATOM	17	CD1	TYR	3	64.870	56.552	13.887	1.00	30.78	CPS1
ATOM	18	CE1	TYR	3	63.950	57.569	13.608	1.00	33.13	CPS1
ATOM	19	CD2	TYR	3	64.090	55.307	11.999	1.00	29.71	CPS1
ATOM	20	CE2	TYR	3	63.166	56.313	11.709	1.00	32.64	CPS1
ATOM	21	CZ	TYR	3	63.102	57.444	12.517	1.00	34.23	CPS1
ATOM	22	OH	TYR	3	62.204	58.454	12.225	1.00	36.12	CPS1
ATOM	23	C	TYR	3	64.075	52.766	14.068	1.00	23.33	CPS1
ATOM	24	O	TYR	3	63.022	53.193	14.517	1.00	24.16	CPS1
ATOM	25	N	GLY	4	64.130	51.792	13.166	1.00	21.11	CPS1
ATOM	26	CA	GLY	4	62.909	51.182	12.672	1.00	20.13	CPS1
ATOM	27	C	GLY	4	63.216	49.984	11.799	1.00	19.67	CPS1
ATOM	28	O	GLY	4	64.354	49.800	11.371	1.00	18.21	CPS1
ATOM	29	N	ILE	5	62.211	49.145	11.562	1.00	18.70	CPS1
ATOM	30	CA	ILE	5	62.402	47.985	10.704	1.00	17.69	CPS1
ATOM	31	CB	ILE	5	62.470	46.666	11.510	1.00	18.45	CPS1
ATOM	32	CG2	ILE	5	63.538	46.799	12.610	1.00	17.74	CPS1
ATOM	33	CG1	ILE	5	61.103	46.329	12.127	1.00	17.47	CPS1
ATOM	34	CD1	ILE	5	61.097	44.956	12.830	1.00	18.74	CPS1
ATOM	35	C	ILE	5	61.225	47.936	9.736	1.00	17.16	CPS1
ATOM	36	O	ILE	5	60.170	48.525	10.001	1.00	16.88	CPS1
ATOM	37	N	GLY	6	61.414	47.248	8.616	1.00	16.81	CPS1
ATOM	38	CA	GLY	6	60.353	47.163	7.632	1.00	16.27	CPS1
ATOM	39	C	GLY	6	60.398	45.846	6.893	1.00	17.21	CPS1
ATOM	40	O	GLY	6	61.468	45.303	6.623	1.00	17.76	CPS1
ATOM	41	N	LEU	7	59.220	45.345	6.555	1.00	17.08	CPS1
ATOM	42	CA	LEU	7	59.085	44.080	5.858	1.00	18.22	CPS1
ATOM	43	CB	LEU	7	58.631	43.006	6.857	1.00	18.52	CPS1
ATOM	44	CG	LEU	7	58.266	41.643	6.270	1.00	18.46	CPS1
ATOM	45	CD1	LEU	7	59.552	40.921	5.800	1.00	18.60	CPS1
ATOM	46	CD2	LEU	7	57.546	40.825	7.342	1.00	19.42	CPS1
ATOM	47	C	LEU	7	58.025	44.246	4.780	1.00	18.80	CPS1
ATOM	48	O	LEU	7	57.036	44.935	4.988	1.00	19.60	CPS1
ATOM	49	N	ASP	8	58.240	43.632	3.623	1.00	18.18	CPS1
ATOM	50	CA	ASP	8	57.256	43.693	2.558	1.00	18.85	CPS1
ATOM	51	CB	ASP	8	57.514	44.898	1.629	1.00	20.11	CPS1
ATOM	52	CG	ASP	8	56.550	44.927	0.447	1.00	21.89	CPS1
ATOM	53	OD1	ASP	8	56.853	44.324	-0.600	1.00	24.47	CPS1
ATOM	54	OD2	ASP	8	55.471	45.524	0.585	1.00	25.95	CPS1
ATOM	55	C	ASP	8	57.293	42.422	1.723	1.00	18.97	CPS1
ATOM	56	O	ASP	8	58.353	41.856	1.486	1.00	19.21	CPS1

Atom Type Res. X Y Z OCC B MOL

ATOM	57	N	ILE	9	56.124	41.944	1.328	1.00	19.03	CPS1
ATOM	58	CA	ILE	9	56.051	40.795	0.444	1.00	19.29	CPS1
ATOM	59	CB	ILE	9	55.393	39.567	1.093	1.00	21.16	CPS1
ATOM	60	CG2	ILE	9	55.354	38.416	0.080	1.00	20.76	CPS1
ATOM	61	CG1	ILE	9	56.198	39.115	2.308	1.00	19.57	CPS1
ATOM	62	CD1	ILE	9	55.560	37.946	3.081	1.00	21.48	CPS1
ATOM	63	C	ILE	9	55.161	41.304	-0.683	1.00	20.60	CPS1
ATOM	64	O	ILE	9	54.102	41.904	-0.431	1.00	18.57	CPS1
ATOM	65	N	THR	10	55.601	41.100	-1.916	1.00	20.85	CPS1
ATOM	66	CA	THR	10	54.828	41.556	-3.064	1.00	22.77	CPS1
ATOM	67	CB	THR	10	55.555	42.710	-3.789	1.00	25.32	CPS1
ATOM	68	OG1	THR	10	55.699	43.816	-2.889	1.00	26.50	CPS1
ATOM	69	CG2	THR	10	54.758	43.168	-5.014	1.00	26.33	CPS1
ATOM	70	C	THR	10	54.598	40.400	-4.028	1.00	22.74	CPS1
ATOM	71	O	THR	10	55.506	39.633	-4.314	1.00	21.67	CPS1
ATOM	72	N	GLU	11	53.359	40.270	-4.495	1.00	24.96	CPS1
ATOM	73	CA	GLU	11	52.993	39.223	-5.445	1.00	25.76	CPS1
ATOM	74	CB	GLU	11	51.475	38.995	-5.394	1.00	28.49	CPS1
ATOM	75	CG	GLU	11	50.969	37.968	-6.383	1.00	31.23	CPS1
ATOM	76	CD	GLU	11	49.445	37.895	-6.440	1.00	34.90	CPS1
ATOM	77	OE1	GLU	11	48.773	38.865	-6.019	1.00	33.91	CPS1
ATOM	78	OE2	GLU	11	48.923	36.867	-6.926	1.00	35.55	CPS1
ATOM	79	C	GLU	11	53.420	39.693	-6.842	1.00	25.44	CPS1
ATOM	80	O	GLU	11	53.000	40.761	-7.293	1.00	24.85	CPS1
ATOM	81	N	LEU	12	54.252	38.912	-7.525	1.00	26.00	CPS1
ATOM	82	CA	LEU	12	54.715	39.316	-8.857	1.00	27.71	CPS1
ATOM	83	CB	LEU	12	55.599	38.242	-9.488	1.00	28.64	CPS1
ATOM	84	CG	LEU	12	56.860	37.729	-8.793	1.00	31.06	CPS1
ATOM	85	CD1	LEU	12	57.721	37.022	-9.836	1.00	31.75	CPS1
ATOM	86	CD2	LEU	12	57.643	38.862	-8.157	1.00	31.13	CPS1
ATOM	87	C	LEU	12	53.557	39.608	-9.810	1.00	28.75	CPS1
ATOM	88	O	LEU	12	53.630	40.526	-10.631	1.00	28.32	CPS1
ATOM	89	N	ALA	13	52.498	38.813	-9.708	1.00	29.63	CPS1
ATOM	90	CA	ALA	13	51.330	38.987	-10.565	1.00	32.09	CPS1
ATOM	91	CB	ALA	13	50.281	37.918	-10.238	1.00	32.02	CPS1
ATOM	92	C	ALA	13	50.732	40.379	-10.397	1.00	33.63	CPS1
ATOM	93	O	ALA	13	50.280	41.000	-11.369	1.00	33.79	CPS1
ATOM	94	N	ARG	14	50.732	40.864	-9.160	1.00	34.46	CPS1
ATOM	95	CA	ARG	14	50.188	42.178	-8.846	1.00	35.63	CPS1
ATOM	96	CB	ARG	14	50.170	42.380	-7.330	1.00	38.10	CPS1
ATOM	97	CG	ARG	14	48.818	42.770	-6.772	1.00	41.02	CPS1
ATOM	98	CD	ARG	14	48.815	44.197	-6.276	1.00	42.88	CPS1
ATOM	99	NE	ARG	14	49.762	44.395	-5.183	1.00	43.99	CPS1
ATOM	100	CZ	ARG	14	50.030					

ATOM	114	CA	ALA	16	52.336	42.887	-13.564	1.00	44.64	CPS1
ATOM	115	CB	ALA	16	52.211	41.436	-14.018	1.00	44.42	CPS1
ATOM	116	C	ALA	16	51.016	43.629	-13.784	1.00	46.09	CPS1
ATOM	117	O	ALA	16	50.869	44.377	-14.746	1.00	47.05	CPS1
ATOM	118	N	SER	17	50.064	43.425	-12.877	1.00	49.05	CPS1
ATOM	119	CA	SER	17	48.752	44.076	-12.959	1.00	51.73	CPS1
ATOM	120	CB	SER	17	47.823	43.567	-11.851	1.00	51.91	CPS1
ATOM	121	OG	SER	17	47.472	42.208	-12.048	1.00	53.45	CPS1
ATOM	122	C	SER	17	48.851	45.594	-12.854	1.00	53.68	CPS1
ATOM	123	O	SER	17	48.310	46.316	-13.691	1.00	54.03	CPS1
ATOM	124	N	MET	18	49.530	46.075	-11.816	1.00	55.71	CPS1
ATOM	125	CA	MET	18	49.697	47.511	-11.611	1.00	57.69	CPS1
ATOM	126	CB	MET	18	50.429	47.787	-10.293	1.00	58.63	CPS1
ATOM	127	CG	MET	18	49.679	47.357	-9.046	1.00	60.86	CPS1
ATOM	128	SD	MET	18	50.678	47.547	-7.546	1.00	64.39	CPS1
ATOM	129	CE	MET	18	50.115	49.133	-6.944	1.00	63.23	CPS1
ATOM	130	C	MET	18	50.489	48.126	-12.758	1.00	58.14	CPS1
ATOM	131	O	MET	18	50.147	49.200	-13.253	1.00	58.47	CPS1
ATOM	132	N	ALA	19	51.545	47.440	-13.178	1.00	58.63	CPS1
ATOM	133	CA	ALA	19	52.393	47.930	-14.257	1.00	59.73	CPS1
ATOM	134	CB	ALA	19	53.432	46.881	-14.626	1.00	58.94	CPS1
ATOM	135	C	ALA	19	51.593	48.320	-15.490	1.00	61.14	CPS1
ATOM	136	O	ALA	19	51.267	49.491	-15.679	1.00	61.35	CPS1
ATOM	137	N	GLY	20	51.282	47.329	-16.322	1.00	62.81	CPS1
ATOM	138	CA	GLY	20	50.537	47.568	-17.549	1.00	64.34	CPS1
ATOM	139	C	GLY	20	49.331	48.486	-17.438	1.00	65.24	CPS1
ATOM	140	O	GLY	20	49.010	49.210	-18.382	1.00	65.67	CPS1
ATOM	141	N	ARG	21	48.660	48.459	-16.292	1.00	65.86	CPS1
ATOM	142	CA	ARG	21	47.485	49.295	-16.081	1.00	66.76	CPS1
ATOM	143	CB	ARG	21	46.595	48.672	-14.996	1.00	68.01	CPS1
ATOM	144	CG	ARG	21	45.294	49.417	-14.698	1.00	70.30	CPS1
ATOM	145	CD	ARG	21	44.482	49.731	-15.959	1.00	72.22	CPS1
ATOM	146	NE	ARG	21	44.987	50.908	-16.671	1.00	73.68	CPS1
ATOM	147	CZ	ARG	21	44.415	51.435	-17.750	1.00	74.14	CPS1
ATOM	148	NH1	ARG	21	43.314	50.891	-18.253	1.00	74.30	CPS1
ATOM	149	NH2	ARG	21	44.941	52.510	-18.324	1.00	74.39	CPS1
ATOM	150	C	ARG	21	47.862	50.728	-15.703	1.00	66.35	CPS1
ATOM	151	O	ARG	21	47.312	51.296	-14.759	1.00	66.83	CPS1
ATOM	152	N	GLN	22	48.803	51.304	-16.450	1.00	65.49	CPS1
ATOM	153	CA	GLN	22	49.263	52.676	-16.219	1.00	64.27	CPS1
ATOM	154	CB	GLN	22	50.068	52.755	-14.913	1.00	64.78	CPS1
ATOM	155	CG	GLN	22	49.187	52.941	-13.675	1.00	66.23	CPS1
ATOM	156	CD	GLN	22	49.924	52.717	-12.368	1.		





ATOM	228	N	THR	31	64.830	54.451	-10.224	1.00	24.75	CPS1
ATOM	229	CA	THR	31	65.643	55.636	-10.461	1.00	25.03	CPS1
ATOM	230	CB	THR	31	66.787	55.749	-9.457	1.00	26.35	CPS1
ATOM	231	OG1	THR	31	67.725	54.692	-9.695	1.00	26.00	CPS1
ATOM	232	CG2	THR	31	66.261	55.671	-8.031	1.00	26.75	CPS1
ATOM	233	C	THR	31	66.271	55.469	-11.832	1.00	24.44	CPS1
ATOM	234	O	THR	31	66.163	54.416	-12.441	1.00	22.68	CPS1
ATOM	235	N	ARG	32	66.963	56.503	-12.293	1.00	25.91	CPS1
ATOM	236	CA	ARG	32	67.607	56.458	-13.603	1.00	26.68	CPS1
ATOM	237	CB	ARG	32	68.342	57.780	-13.848	1.00	26.75	CPS1
ATOM	238	CG	ARG	32	68.970	57.939	-15.236	1.00	29.21	CPS1
ATOM	239	CD	ARG	32	69.551	59.348	-15.344	1.00	29.81	CPS1
ATOM	240	NE	ARG	32	70.015	59.707	-16.684	1.00	32.75	CPS1
ATOM	241	CZ	ARG	32	71.129	59.256	-17.254	1.00	34.02	CPS1
ATOM	242	NH1	ARG	32	71.916	58.404	-16.606	1.00	33.55	CPS1
ATOM	243	NH2	ARG	32	71.476	59.692	-18.464	1.00	31.94	CPS1
ATOM	244	C	ARG	32	68.572	55.276	-13.728	1.00	26.02	CPS1
ATOM	245	O	ARG	32	68.539	54.542	-14.721	1.00	25.46	CPS1
ATOM	246	N	SER	33	69.422	55.088	-12.721	1.00	26.77	CPS1
ATOM	247	CA	SER	33	70.390	53.990	-12.725	1.00	28.08	CPS1
ATOM	248	CB	SER	33	71.277	54.037	-11.473	1.00	31.22	CPS1
ATOM	249	OG	SER	33	72.112	55.182	-11.481	1.00	38.13	CPS1
ATOM	250	C	SER	33	69.686	52.645	-12.772	1.00	27.50	CPS1
ATOM	251	O	SER	33	70.113	51.738	-13.487	1.00	28.27	CPS1
ATOM	252	N	GLU	34	68.613	52.510	-11.998	1.00	25.55	CPS1
ATOM	253	CA	GLU	34	67.857	51.262	-11.970	1.00	25.24	CPS1
ATOM	254	CB	GLU	34	66.842	51.298	-10.822	1.00	25.04	CPS1
ATOM	255	CG	GLU	34	67.531	51.247	-9.455	1.00	24.32	CPS1
ATOM	256	CD	GLU	34	66.575	51.424	-8.280	1.00	26.32	CPS1
ATOM	257	OE1	GLU	34	66.860	50.849	-7.202	1.00	24.86	CPS1
ATOM	258	OE2	GLU	34	65.557	52.145	-8.423	1.00	25.42	CPS1
ATOM	259	C	GLU	34	67.167	50.997	-13.302	1.00	25.57	CPS1
ATOM	260	O	GLU	34	67.113	49.852	-13.767	1.00	26.12	CPS1
ATOM	261	N	LEU	35	66.649	52.056	-13.919	1.00	25.65	CPS1
ATOM	262	CA	LEU	35	65.978	51.931	-15.209	1.00	25.43	CPS1
ATOM	263	CB	LEU	35	65.362	53.269	-15.626	1.00	24.81	CPS1
ATOM	264	CG	LEU	35	64.044	53.625	-14.936	1.00	25.80	CPS1
ATOM	265	CD1	LEU	35	63.598	55.028	-15.354	1.00	24.72	CPS1
ATOM	266	CD2	LEU	35	62.980	52.592	-15.320	1.00	24.55	CPS1
ATOM	267	C	LEU	35	66.961	51.465	-16.278	1.00	25.60	CPS1
ATOM	268	O	LEU	35	66.608	50.663	-17.139	1.00	25.96	CPS1
ATOM	269	N	ASP	36	68.189	51.968	-16.213	1.00	26.39	CPS1
ATOM	270	CA	ASP	36	69.221	51.586	-1			

ATOM	285	O	GLN	37	68.183	46.328	-17.012	1.00	27.75	CPS1
ATOM	286	N	TYR	38	67.031	47.885	-15.858	1.00	26.28	CPS1
ATOM	287	CA	TYR	38	65.705	47.352	-16.167	1.00	25.28	CPS1
ATOM	288	CB	TYR	38	64.657	48.251	-15.500	1.00	25.99	CPS1
ATOM	289	CG	TYR	38	63.213	47.908	-15.772	1.00	26.20	CPS1
ATOM	290	CD1	TYR	38	62.468	48.648	-16.688	1.00	26.19	CPS1
ATOM	291	CE1	TYR	38	61.121	48.385	-16.903	1.00	26.29	CPS1
ATOM	292	CD2	TYR	38	62.567	46.881	-15.074	1.00	26.31	CPS1
ATOM	293	CE2	TYR	38	61.219	46.611	-15.280	1.00	25.67	CPS1
ATOM	294	CZ	TYR	38	60.501	47.370	-16.200	1.00	28.03	CPS1
ATOM	295	OH	TYR	38	59.166	47.120	-16.428	1.00	27.03	CPS1
ATOM	296	C	TYR	38	65.420	47.208	-17.668	1.00	26.52	CPS1
ATOM	297	O	TYR	38	64.912	46.175	-18.122	1.00	23.95	CPS1
ATOM	298	N	TYR	39	65.756	48.235	-18.440	1.00	26.98	CPS1
ATOM	299	CA	TYR	39	65.502	48.193	-19.880	1.00	29.18	CPS1
ATOM	300	CB	TYR	39	65.757	49.579	-20.488	1.00	28.06	CPS1
ATOM	301	CG	TYR	39	64.725	50.615	-20.060	1.00	27.09	CPS1
ATOM	302	CD1	TYR	39	63.365	50.313	-20.080	1.00	26.88	CPS1
ATOM	303	CE1	TYR	39	62.402	51.252	-19.691	1.00	26.96	CPS1
ATOM	304	CD2	TYR	39	65.109	51.890	-19.641	1.00	26.42	CPS1
ATOM	305	CE2	TYR	39	64.154	52.841	-19.245	1.00	27.05	CPS1
ATOM	306	CZ	TYR	39	62.806	52.510	-19.274	1.00	26.67	CPS1
ATOM	307	OH	TYR	39	61.856	53.426	-18.876	1.00	27.91	CPS1
ATOM	308	C	TYR	39	66.279	47.108	-20.641	1.00	31.26	CPS1
ATOM	309	O	TYR	39	65.899	46.727	-21.750	1.00	32.43	CPS1
ATOM	310	N	GLU	40	67.351	46.597	-20.046	1.00	32.52	CPS1
ATOM	311	CA	GLU	40	68.150	45.555	-20.690	1.00	33.92	CPS1
ATOM	312	CB	GLU	40	69.602	45.621	-20.207	1.00	35.68	CPS1
ATOM	313	CG	GLU	40	70.340	46.890	-20.579	1.00	38.76	CPS1
ATOM	314	CD	GLU	40	70.370	47.130	-22.079	1.00	41.13	CPS1
ATOM	315	OE1	GLU	40	70.557	46.153	-22.835	1.00	43.88	CPS1
ATOM	316	OE2	GLU	40	70.220	48.297	-22.501	1.00	41.69	CPS1
ATOM	317	C	GLU	40	67.616	44.147	-20.419	1.00	34.35	CPS1
ATOM	318	O	GLU	40	68.089	43.177	-21.008	1.00	33.76	CPS1
ATOM	319	N	LEU	41	66.626	44.036	-19.541	1.00	33.60	CPS1
ATOM	320	CA	LEU	41	66.080	42.733	-19.176	1.00	34.81	CPS1
ATOM	321	CB	LEU	41	65.658	42.757	-17.702	1.00	33.78	CPS1
ATOM	322	CG	LEU	41	66.725	43.183	-16.690	1.00	33.47	CPS1
ATOM	323	CD1	LEU	41	66.084	43.291	-15.309	1.00	33.49	CPS1
ATOM	324	CD2	LEU	41	67.879	42.188	-16.678	1.00	33.26	CPS1
ATOM	325	C	LEU	41	64.910	42.221	-20.013	1.00	35.00	CPS1
ATOM	326	O	LEU	41	64.199	42.992	-20.654	1.00	34.86	CPS1
ATOM	327	N								

ATOM	342	N	LYS	44	60.223	38.743	-18.567	1.00	37.89	CPS1
ATOM	343	CA	LYS	44	60.176	37.985	-17.318	1.00	38.86	CPS1
ATOM	344	CB	LYS	44	60.566	36.525	-17.562	1.00	40.32	CPS1
ATOM	345	CG	LYS	44	60.777	35.706	-16.292	1.00	43.45	CPS1
ATOM	346	CD	LYS	44	60.766	34.214	-16.594	1.00	46.17	CPS1
ATOM	347	CE	LYS	44	61.613	33.425	-15.603	1.00	47.94	CPS1
ATOM	348	NZ	LYS	44	63.073	33.691	-15.805	1.00	50.56	CPS1
ATOM	349	C	LYS	44	61.086	38.587	-16.257	1.00	37.33	CPS1
ATOM	350	O	LYS	44	60.661	38.823	-15.127	1.00	36.33	CPS1
ATOM	351	N	ARG	45	62.338	38.835	-16.625	1.00	36.56	CPS1
ATOM	352	CA	ARG	45	63.310	39.403	-15.695	1.00	35.88	CPS1
ATOM	353	CB	ARG	45	64.700	39.412	-16.333	1.00	37.23	CPS1
ATOM	354	CG	ARG	45	65.356	38.041	-16.385	1.00	39.66	CPS1
ATOM	355	CD	ARG	45	65.840	37.633	-15.008	1.00	42.70	CPS1
ATOM	356	NE	ARG	45	66.842	38.569	-14.498	1.00	45.11	CPS1
ATOM	357	CZ	ARG	45	66.700	39.307	-13.399	1.00	46.10	CPS1
ATOM	358	NH1	ARG	45	65.593	39.226	-12.672	1.00	45.56	CPS1
ATOM	359	NH2	ARG	45	67.666	40.140	-13.033	1.00	47.39	CPS1
ATOM	360	C	ARG	45	62.920	40.807	-15.254	1.00	34.51	CPS1
ATOM	361	O	ARG	45	63.182	41.200	-14.120	1.00	33.99	CPS1
ATOM	362	N	LYS	46	62.294	41.565	-16.148	1.00	32.94	CPS1
ATOM	363	CA	LYS	46	61.857	42.911	-15.802	1.00	32.28	CPS1
ATOM	364	CB	LYS	46	61.165	43.580	-16.990	1.00	32.34	CPS1
ATOM	365	CG	LYS	46	62.109	44.110	-18.051	1.00	32.52	CPS1
ATOM	366	CD	LYS	46	61.327	44.905	-19.113	1.00	33.61	CPS1
ATOM	367	CE	LYS	46	62.262	45.515	-20.151	1.00	34.98	CPS1
ATOM	368	NZ	LYS	46	61.505	46.250	-21.211	1.00	36.94	CPS1
ATOM	369	C	LYS	46	60.888	42.868	-14.621	1.00	31.45	CPS1
ATOM	370	O	LYS	46	61.002	43.655	-13.684	1.00	30.01	CPS1
ATOM	371	N	ASN	47	59.937	41.942	-14.672	1.00	30.18	CPS1
ATOM	372	CA	ASN	47	58.951	41.806	-13.606	1.00	30.39	CPS1
ATOM	373	CB	ASN	47	57.886	40.773	-14.012	1.00	32.50	CPS1
ATOM	374	CG	ASN	47	56.914	40.449	-12.885	1.00	35.59	CPS1
ATOM	375	OD1	ASN	47	57.020	39.401	-12.246	1.00	39.44	CPS1
ATOM	376	ND2	ASN	47	55.969	41.346	-12.635	1.00	35.35	CPS1
ATOM	377	C	ASN	47	59.608	41.424	-12.273	1.00	28.81	CPS1
ATOM	378	O	ASN	47	59.252	41.971	-11.230	1.00	27.56	CPS1
ATOM	379	N	GLU	48	60.568	40.503	-12.308	1.00	27.77	CPS1
ATOM	380	CA	GLU	48	61.265	40.064	-11.093	1.00	26.38	CPS1
ATOM	381	CB	GLU	48	62.172	38.870	-11.417	1.00	30.74	CPS1
ATOM	382	CG	GLU	48	61.417	37.675	-12.004	1.00	34.10	CPS1
ATOM	383	CD	GLU	48	62.338	36.589	-12.553	1.00	37.43	CPS1
ATOM	384	OE1	GLU	48	61.815					

ATOM	399	N	LEU	50	61.672	44.476	-11.029	1.00	22.90	CPS1
ATOM	400	CA	LEU	50	60.795	45.534	-10.557	1.00	23.71	CPS1
ATOM	401	CB	LEU	50	59.732	45.836	-11.617	1.00	24.35	CPS1
ATOM	402	CG	LEU	50	58.714	46.928	-11.325	1.00	25.33	CPS1
ATOM	403	CD1	LEU	50	59.403	48.253	-11.010	1.00	24.88	CPS1
ATOM	404	CD2	LEU	50	57.805	47.055	-12.536	1.00	25.38	CPS1
ATOM	405	C	LEU	50	60.132	45.138	-9.236	1.00	23.44	CPS1
ATOM	406	O	LEU	50	60.011	45.957	-8.322	1.00	22.54	CPS1
ATOM	407	N	ALA	51	59.698	43.884	-9.148	1.00	22.99	CPS1
ATOM	408	CA	ALA	51	59.056	43.399	-7.929	1.00	23.20	CPS1
ATOM	409	CB	ALA	51	58.581	41.959	-8.123	1.00	23.60	CPS1
ATOM	410	C	ALA	51	60.034	43.476	-6.754	1.00	21.98	CPS1
ATOM	411	O	ALA	51	59.655	43.884	-5.653	1.00	23.47	CPS1
ATOM	412	N	GLY	52	61.284	43.089	-6.998	1.00	21.48	CPS1
ATOM	413	CA	GLY	52	62.297	43.120	-5.951	1.00	22.37	CPS1
ATOM	414	C	GLY	52	62.585	44.523	-5.460	1.00	22.17	CPS1
ATOM	415	O	GLY	52	62.715	44.764	-4.256	1.00	21.91	CPS1
ATOM	416	N	ARG	53	62.675	45.461	-6.402	1.00	23.24	CPS1
ATOM	417	CA	ARG	53	62.933	46.862	-6.076	1.00	23.63	CPS1
ATOM	418	CB	ARG	53	63.169	47.654	-7.364	1.00	25.69	CPS1
ATOM	419	CG	ARG	53	64.546	48.242	-7.490	1.00	29.63	CPS1
ATOM	420	CD	ARG	53	65.618	47.212	-7.338	1.00	28.33	CPS1
ATOM	421	NE	ARG	53	66.937	47.751	-7.675	1.00	29.58	CPS1
ATOM	422	CZ	ARG	53	67.976	46.986	-7.980	1.00	29.37	CPS1
ATOM	423	NH1	ARG	53	67.821	45.670	-7.978	1.00	29.23	CPS1
ATOM	424	NH2	ARG	53	69.153	47.525	-8.299	1.00	26.48	CPS1
ATOM	425	C	ARG	53	61.752	47.468	-5.336	1.00	23.34	CPS1
ATOM	426	O	ARG	53	61.921	48.237	-4.389	1.00	22.79	CPS1
ATOM	427	N	PHE	54	60.551	47.146	-5.801	1.00	22.67	CPS1
ATOM	428	CA	PHE	54	59.335	47.638	-5.181	1.00	22.96	CPS1
ATOM	429	CB	PHE	54	58.114	47.106	-5.947	1.00	22.72	CPS1
ATOM	430	CG	PHE	54	56.807	47.619	-5.429	1.00	24.49	CPS1
ATOM	431	CD1	PHE	54	56.074	46.882	-4.506	1.00	24.85	CPS1
ATOM	432	CD2	PHE	54	56.329	48.865	-5.828	1.00	24.29	CPS1
ATOM	433	CE1	PHE	54	54.883	47.376	-3.983	1.00	25.96	CPS1
ATOM	434	CE2	PHE	54	55.143	49.370	-5.316	1.00	25.86	CPS1
ATOM	435	CZ	PHE	54	54.414	48.624	-4.387	1.00	26.67	CPS1
ATOM	436	C	PHE	54	59.285	47.177	-3.724	1.00	22.66	CPS1
ATOM	437	O	PHE	54	59.018	47.970	-2.808	1.00	21.27	CPS1
ATOM	438	N	ALA	55	59.556	45.896	-3.508	1.00	20.95	CPS1
ATOM	439	CA	ALA	55	59.524	45.349	-2.147	1.00	20.91	CPS1
ATOM	440	CB	ALA	55	59.733	43.846	-2.191	1.00	20.44	CPS1
ATOM	441	C	ALA	55	60.568	45.990	-1.234	1.00	20.32	CPS1
ATOM	442	O	ALA	55	60.288	46.295	-0.075	1.00	18.66	CPS1
ATOM	443	N	ALA	56	61.779	46.172	-1.751	1.00	18.74	CPS1
ATOM	444	CA	ALA	56	62.861	46.761	-0.971	1.00	19.35	CPS1
ATOM	445	CB	ALA	56	64.180	46.698	-1.762	1.00	19.52	CPS1
ATOM	446	C	ALA	56	62.543	48.201	-0.593	1.00	20.45	CPS1
ATOM	447	O	ALA	56	62.773	48.617	0.543	1.00	18.52	CPS1
ATOM	448	N	LYS	57	62.015	48.969	-1.545	1.00	18.95	CPS1
ATOM	449	CA	LYS	57	61.677	50.352	-1.270	1.00	19.87	CPS1
ATOM	450	CB	LYS	57	61.427	51.107	-2.583	1.00	19.77	CPS1
ATOM	451	CG	LYS	57	62.707	51.225	-3.393	1.00	20.64	CPS1
ATOM	452	CD	LYS	57	62.533	52.055	-4.679	1.00	21.45	CPS1
ATOM	453	CE	LYS	57	63.801	51.995	-5.512	1.00	22.31	CPS1
ATOM	454	NZ	LYS	57	63.888	53.112	-6.510	1.00	22.70	CPS1
ATOM	455	C	LYS	57	60.487	50.461	-0.329	1.00	19.95	CPS1



ATOM	513	N	GLY	65	59.388	54.735	8.751	1.00	27.22	CPS1
ATOM	514	CA	GLY	65	58.229	55.102	9.554	1.00	28.06	CPS1
ATOM	515	C	GLY	65	57.135	55.940	8.923	1.00	29.26	CPS1
ATOM	516	O	GLY	65	56.143	56.260	9.577	1.00	29.04	CPS1
ATOM	517	N	THR	66	57.299	56.279	7.650	1.00	29.45	CPS1
ATOM	518	CA	THR	66	56.333	57.119	6.951	1.00	30.32	CPS1
ATOM	519	CB	THR	66	57.033	58.351	6.391	1.00	30.19	CPS1
ATOM	520	OG1	THR	66	57.997	57.922	5.424	1.00	31.68	CPS1
ATOM	521	CG2	THR	66	57.751	59.114	7.489	1.00	31.63	CPS1
ATOM	522	C	THR	66	55.640	56.453	5.764	1.00	30.61	CPS1
ATOM	523	O	THR	66	54.548	56.862	5.365	1.00	30.50	CPS1
ATOM	524	N	GLY	67	56.280	55.443	5.188	1.00	30.12	CPS1
ATOM	525	CA	GLY	67	55.713	54.809	4.011	1.00	30.43	CPS1
ATOM	526	C	GLY	67	56.020	55.750	2.852	1.00	31.44	CPS1
ATOM	527	O	GLY	67	56.622	56.806	3.058	1.00	30.31	CPS1
ATOM	528	N	ILE	68	55.626	55.383	1.639	1.00	31.40	CPS1
ATOM	529	CA	ILE	68	55.886	56.239	0.486	1.00	32.28	CPS1
ATOM	530	CB	ILE	68	55.869	55.429	-0.844	1.00	31.80	CPS1
ATOM	531	CG2	ILE	68	56.083	56.375	-2.048	1.00	32.06	CPS1
ATOM	532	CG1	ILE	68	56.975	54.364	-0.826	1.00	29.99	CPS1
ATOM	533	CD1	ILE	68	58.391	54.924	-0.821	1.00	29.70	CPS1
ATOM	534	C	ILE	68	54.812	57.315	0.429	1.00	33.69	CPS1
ATOM	535	O	ILE	68	53.623	57.028	0.556	1.00	34.51	CPS1
ATOM	536	N	GLY	69	55.233	58.558	0.248	1.00	35.19	CPS1
ATOM	537	CA	GLY	69	54.281	59.649	0.187	1.00	36.88	CPS1
ATOM	538	C	GLY	69	54.989	60.985	0.167	1.00	37.34	CPS1
ATOM	539	O	GLY	69	56.065	61.115	-0.413	1.00	37.87	CPS1
ATOM	540	N	ALA	70	54.394	61.977	0.821	1.00	38.19	CPS1
ATOM	541	CA	ALA	70	54.964	63.314	0.866	1.00	38.33	CPS1
ATOM	542	CB	ALA	70	54.010	64.252	1.609	1.00	39.53	CPS1
ATOM	543	C	ALA	70	56.352	63.383	1.493	1.00	38.24	CPS1
ATOM	544	O	ALA	70	57.188	64.171	1.067	1.00	39.11	CPS1
ATOM	545	N	GLN	71	56.612	62.547	2.494	1.00	38.21	CPS1
ATOM	546	CA	GLN	71	57.901	62.578	3.177	1.00	37.58	CPS1
ATOM	547	CB	GLN	71	57.704	62.177	4.642	1.00	40.14	CPS1
ATOM	548	CG	GLN	71	56.511	62.867	5.297	1.00	44.12	CPS1
ATOM	549	CD	GLN	71	56.276	62.410	6.724	1.00	45.82	CPS1
ATOM	550	OE1	GLN	71	57.140	62.570	7.587	1.00	46.65	CPS1
ATOM	551	NE2	GLN	71	55.101	61.838	6.980	1.00	46.84	CPS1
ATOM	552	C	GLN	71	58.997	61.706	2.557	1.00	35.81	CPS1
ATOM	553	O	GLN	71	60.175	61.854	2.885	1.00	35.04	CPS1
ATOM	554	N	LEU	72	58.619	60.805	1.662	1.00	33.50	CPS1
ATOM	555	CA	LEU	72	59.602	59.917	1.053	1.00	31.98	CPS1







[illegible]

ATOM	684	C	PRO	87	72.300	45.486	-0.933	1.00	24.14	CPS1
ATOM	685	O	PRO	87	72.355	45.061	0.222	1.00	23.36	CPS1
ATOM	686	N	TYR	88	72.383	46.775	-1.223	1.00	23.09	CPS1
ATOM	687	CA	TYR	88	72.456	47.775	-0.170	1.00	22.80	CPS1
ATOM	688	CB	TYR	88	73.903	48.132	0.169	1.00	23.97	CPS1
ATOM	689	CG	TYR	88	74.662	48.796	-0.948	1.00	23.15	CPS1
ATOM	690	CD1	TYR	88	74.617	50.176	-1.121	1.00	23.81	CPS1
ATOM	691	CE1	TYR	88	75.334	50.803	-2.148	1.00	24.04	CPS1
ATOM	692	CD2	TYR	88	75.438	48.042	-1.823	1.00	23.00	CPS1
ATOM	693	CE2	TYR	88	76.163	48.653	-2.853	1.00	23.00	CPS1
ATOM	694	CZ	TYR	88	76.106	50.031	-3.007	1.00	24.59	CPS1
ATOM	695	OH	TYR	88	76.807	50.635	-4.029	1.00	23.69	CPS1
ATOM	696	C	TYR	88	71.697	48.978	-0.676	1.00	24.07	CPS1
ATOM	697	O	TYR	88	71.492	49.131	-1.882	1.00	24.63	CPS1
ATOM	698	N	ILE	89	71.265	49.821	0.247	1.00	23.90	CPS1
ATOM	699	CA	ILE	89	70.486	50.992	-0.096	1.00	24.96	CPS1
ATOM	700	CB	ILE	89	69.183	51.038	0.763	1.00	25.43	CPS1
ATOM	701	CG2	ILE	89	68.580	52.445	0.773	1.00	23.76	CPS1
ATOM	702	CG1	ILE	89	68.179	50.007	0.237	1.00	25.76	CPS1
ATOM	703	CD1	ILE	89	66.920	49.857	1.102	1.00	25.48	CPS1
ATOM	704	C	ILE	89	71.230	52.304	0.086	1.00	26.98	CPS1
ATOM	705	O	ILE	89	72.018	52.470	1.020	1.00	27.02	CPS1
ATOM	706	N	ILE	90	70.984	53.227	-0.840	1.00	28.88	CPS1
ATOM	707	CA	ILE	90	71.543	54.567	-0.750	1.00	31.89	CPS1
ATOM	708	CB	ILE	90	72.383	54.968	-1.983	1.00	34.52	CPS1
ATOM	709	CG2	ILE	90	72.685	56.465	-1.930	1.00	35.39	CPS1
ATOM	710	CG1	ILE	90	73.692	54.176	-2.020	1.00	34.95	CPS1
ATOM	711	CD1	ILE	90	74.585	54.381	-0.812	1.00	36.25	CPS1
ATOM	712	C	ILE	90	70.299	55.433	-0.715	1.00	32.42	CPS1
ATOM	713	O	ILE	90	69.450	55.342	-1.599	1.00	32.97	CPS1
ATOM	714	N	CYS	91	70.165	56.246	0.320	1.00	32.73	CPS1
ATOM	715	CA	CYS	91	69.002	57.106	0.433	1.00	34.96	CPS1
ATOM	716	CB	CYS	91	68.008	56.543	1.463	1.00	32.49	CPS1
ATOM	717	SG	CYS	91	66.523	57.557	1.657	1.00	29.59	CPS1
ATOM	718	C	CYS	91	69.452	58.494	0.848	1.00	38.10	CPS1
ATOM	719	O	CYS	91	70.079	58.666	1.893	1.00	40.46	CPS1
ATOM	720	N	THR	92	69.124	59.476	0.014	1.00	42.14	CPS1
ATOM	721	CA	THR	92	69.489	60.870	0.246	1.00	45.56	CPS1
ATOM	722	CB	THR	92	68.964	61.772	-0.898	1.00	46.93	CPS1
ATOM	723	OG1	THR	92	67.552	61.562	-1.069	1.00	48.39	CPS1
ATOM	724	CG2	THR	92	69.686	61.454	-2.205	1.00	47.93	CPS1
ATOM	725	C	THR	92	69.001	61.457	1.571	1.00	46.35	CPS1
ATOM	726	O	THR	92	69.345	62.592	1.901	1.00	47.51	CPS1
ATOM	727	N	LYS	93	68.211	60.703	2.332	1.00	46.09	CPS1
ATOM	728	CA	LYS	93	67.714	61.218	3.602	1.00	46.14	CPS1
ATOM	729	CB	LYS	93	66.214	60.944	3.725	1.00	46.87	CPS1
ATOM	730	CG	LYS	93	65.395	61.870	2.837	1.00	48.42	CPS1
ATOM	731	CD	LYS	93	63.903	61.704	3.034	1.00	49.49	CPS1
ATOM	732	CE	LYS	93	63.148	62.908	2.482	1.00	50.63	CPS1
ATOM	733	NZ	LYS	93	63.471	63.177	1.054	1.00	52.22	CPS1
ATOM	734	C	LYS	93	68.452	60.733	4.844	1.00	45.50	CPS1
ATOM	735	O	LYS	93	68.167	61.182	5.954	1.00	45.52	CPS1
ATOM	736	N	LEU	94	69.408	59.829	4.657	1.00	44.83	CPS1
ATOM	737	CA	LEU	94	70.200	59.313	5.770	1.00	44.48	CPS1
ATOM	738	CB	LEU	94	69.376	58.330	6.611	1.00	44.44	CPS1
ATOM	739	CG	LEU	94	68.488	57.283	5.928	1.00	44.15	CPS1
ATOM	740	CD1	LEU	94	69.258	56.498	4.886	1.00	42.30	CPS1

ATOM	741	CD2	LEU	94	67.934	56.361	6.997	1.00	43.28	CPS1
ATOM	742	C	LEU	94	71.486	58.641	5.307	1.00	44.30	CPS1
ATOM	743	O	LEU	94	71.692	58.432	4.111	1.00	44.84	CPS1
ATOM	744	N	SER	95	72.353	58.308	6.257	1.00	43.56	CPS1
ATOM	745	CA	SER	95	73.612	57.655	5.934	1.00	44.17	CPS1
ATOM	746	CB	SER	95	74.583	57.748	7.107	1.00	44.85	CPS1
ATOM	747	OG	SER	95	75.803	57.098	6.784	1.00	47.82	CPS1
ATOM	748	C	SER	95	73.408	56.184	5.577	1.00	43.59	CPS1
ATOM	749	O	SER	95	72.676	55.462	6.258	1.00	43.06	CPS1
ATOM	750	N	PRO	96	74.065	55.720	4.503	1.00	42.46	CPS1
ATOM	751	CD	PRO	96	75.025	56.444	3.650	1.00	42.90	CPS1
ATOM	752	CA	PRO	96	73.939	54.325	4.079	1.00	41.30	CPS1
ATOM	753	CB	PRO	96	74.757	54.286	2.788	1.00	42.08	CPS1
ATOM	754	CG	PRO	96	75.821	55.316	3.045	1.00	42.41	CPS1
ATOM	755	C	PRO	96	74.473	53.379	5.153	1.00	39.30	CPS1
ATOM	756	O	PRO	96	74.098	52.210	5.206	1.00	38.17	CPS1
ATOM	757	N	ALA	97	75.348	53.901	6.008	1.00	37.86	CPS1
ATOM	758	CA	ALA	97	75.929	53.117	7.095	1.00	36.05	CPS1
ATOM	759	CB	ALA	97	76.982	53.940	7.819	1.00	37.73	CPS1
ATOM	760	C	ALA	97	74.857	52.681	8.090	1.00	35.10	CPS1
ATOM	761	O	ALA	97	74.992	51.662	8.770	1.00	35.38	CPS1
ATOM	762	N	ALA	98	73.789	53.460	8.173	1.00	33.38	CPS1
ATOM	763	CA	ALA	98	72.717	53.160	9.107	1.00	31.76	CPS1
ATOM	764	CB	ALA	98	72.057	54.454	9.546	1.00	33.83	CPS1
ATOM	765	C	ALA	98	71.657	52.220	8.537	1.00	30.24	CPS1
ATOM	766	O	ALA	98	70.734	51.849	9.255	1.00	31.14	CPS1
ATOM	767	N	VAL	99	71.796	51.831	7.269	1.00	26.77	CPS1
ATOM	768	CA	VAL	99	70.803	50.980	6.607	1.00	25.25	CPS1
ATOM	769	CB	VAL	99	70.258	51.695	5.331	1.00	24.54	CPS1
ATOM	770	CG1	VAL	99	69.091	50.920	4.731	1.00	24.61	CPS1
ATOM	771	CG2	VAL	99	69.829	53.107	5.676	1.00	26.14	CPS1
ATOM	772	C	VAL	99	71.272	49.576	6.207	1.00	23.74	CPS1
ATOM	773	O	VAL	99	72.390	49.393	5.720	1.00	23.55	CPS1
ATOM	774	N	HIS	100	70.395	48.595	6.422	1.00	22.48	CPS1
ATOM	775	CA	HIS	100	70.640	47.195	6.075	1.00	21.75	CPS1
ATOM	776	CB	HIS	100	70.873	46.360	7.334	1.00	23.99	CPS1
ATOM	777	CG	HIS	100	72.020	46.846	8.160	1.00	27.42	CPS1
ATOM	778	CD2	HIS	100	72.060	47.696	9.212	1.00	28.79	CPS1
ATOM	779	ND1	HIS	100	73.329	46.542	7.859	1.00	28.14	CPS1
ATOM	780	CE1	HIS	100	74.128	47.190	8.689	1.00	30.71	CPS1
ATOM	781	NE2	HIS	100	73.383	47.898	9.519	1.00	30.58	CPS1
ATOM	782	C	HIS	100	69.394	46.686	5.357	1.00	20.99	CPS1
ATOM	783	O	HIS	100	68.270	47.007	5.752	1.00	20.00	CPS1
ATOM										



ATOM	855	N	ALA	110	58.097	38.347	-4.292	1.00	20.81	CPS1
ATOM	856	CA	ALA	110	59.344	39.074	-4.057	1.00	20.89	CPS1
ATOM	857	CB	ALA	110	59.483	40.256	-5.013	1.00	21.11	CPS1
ATOM	858	C	ALA	110	59.155	39.574	-2.617	1.00	19.96	CPS1
ATOM	859	O	ALA	110	58.043	39.941	-2.238	1.00	21.37	CPS1
ATOM	860	N	ALA	111	60.209	39.576	-1.805	1.00	18.57	CPS1
ATOM	861	CA	ALA	111	60.074	40.062	-0.435	1.00	17.40	CPS1
ATOM	862	CB	ALA	111	59.780	38.896	0.509	1.00	16.67	CPS1
ATOM	863	C	ALA	111	61.362	40.756	-0.023	1.00	17.97	CPS1
ATOM	864	O	ALA	111	62.411	40.476	-0.580	1.00	17.28	CPS1
ATOM	865	N	ALA	112	61.275	41.676	0.931	1.00	16.46	CPS1
ATOM	866	CA	ALA	112	62.458	42.374	1.394	1.00	17.56	CPS1
ATOM	867	CB	ALA	112	62.786	43.553	0.444	1.00	17.14	CPS1
ATOM	868	C	ALA	112	62.263	42.880	2.809	1.00	16.81	CPS1
ATOM	869	O	ALA	112	61.143	43.042	3.270	1.00	17.67	CPS1
ATOM	870	N	GLN	113	63.361	43.106	3.514	1.00	17.77	CPS1
ATOM	871	CA	GLN	113	63.267	43.639	4.863	1.00	17.30	CPS1
ATOM	872	CB	GLN	113	63.469	42.554	5.929	1.00	18.78	CPS1
ATOM	873	CG	GLN	113	64.842	41.925	5.912	1.00	22.22	CPS1
ATOM	874	CD	GLN	113	65.029	40.878	6.990	1.00	26.02	CPS1
ATOM	875	OE1	GLN	113	66.130	40.366	7.182	1.00	29.00	CPS1
ATOM	876	NE2	GLN	113	63.950	40.541	7.688	1.00	28.62	CPS1
ATOM	877	C	GLN	113	64.370	44.658	4.985	1.00	18.39	CPS1
ATOM	878	O	GLN	113	65.410	44.550	4.338	1.00	19.07	CPS1
ATOM	879	N	VAL	114	64.142	45.639	5.836	1.00	18.02	CPS1
ATOM	880	CA	VAL	114	65.128	46.675	6.042	1.00	17.24	CPS1
ATOM	881	CB	VAL	114	64.702	47.987	5.317	1.00	17.08	CPS1
ATOM	882	CG1	VAL	114	65.511	49.194	5.863	1.00	16.82	CPS1
ATOM	883	CG2	VAL	114	64.897	47.837	3.810	1.00	15.69	CPS1
ATOM	884	C	VAL	114	65.223	46.962	7.526	1.00	18.35	CPS1
ATOM	885	O	VAL	114	64.228	46.862	8.260	1.00	17.93	CPS1
ATOM	886	N	VAL	115	66.429	47.280	7.973	1.00	19.07	CPS1
ATOM	887	CA	VAL	115	66.622	47.702	9.351	1.00	20.05	CPS1
ATOM	888	CB	VAL	115	67.435	46.698	10.193	1.00	21.79	CPS1
ATOM	889	CG1	VAL	115	67.695	47.297	11.582	1.00	24.02	CPS1
ATOM	890	CG2	VAL	115	66.680	45.387	10.322	1.00	21.49	CPS1
ATOM	891	C	VAL	115	67.411	49.003	9.266	1.00	20.53	CPS1
ATOM	892	O	VAL	115	68.416	49.077	8.552	1.00	19.46	CPS1
ATOM	893	N	ILE	116	66.921	50.038	9.943	1.00	22.12	CPS1
ATOM	894	CA	ILE	116	67.620	51.321	9.987	1.00	22.75	CPS1
ATOM	895	CB	ILE	116	66.694	52.492	9.629	1.00	22.88	CPS1
ATOM	896	CG2	ILE	116	67.430	53.825	9.850	1.00	23.51	CPS1
ATOM	897	CG1	ILE	116	66.232	52.353	8.172	1.00	22.44	CPS1
ATOM	898	CD1	ILE	116	65.208	53.382	7.742	1.00	20.81	CPS1
ATOM	899	C	ILE	116	68.090	51.495	11.430	1.00	25.25	CPS1
ATOM	900	O	ILE	116	67.312	51.296	12.363	1.00	22.08	CPS1
ATOM	901	N	GLU	117	69.362	51.845	11.610	1.00	28.24	CPS1
ATOM	902	CA	GLU	117	69.923	52.041	12.944	1.00	33.38	CPS1
ATOM	903	CB	GLU	117	71.297	51.384	13.074	1.00	34.32	CPS1
ATOM	904	CG	GLU	117	71.376	49.888	12.878	1.00	36.79	CPS1
ATOM	905	CD	GLU	117	72.808	49.388	13.006	1.00	38.57	CPS1
ATOM	906	OE1	GLU	117	73.266	49.163	14.144	1.00	40.54	CPS1
ATOM	907	OE2	GLU	117	73.489	49.243	11.971	1.00	40.35	CPS1
ATOM	908	C	GLU	117	70.119	53.524	13.216	1.00	36.51	CPS1
ATOM	909	O	GLU	117	70.269	54.317	12.289	1.00	36.14	CPS1
ATOM	910	N	ARG	118	70.120	53.890	14.493	1.00	40.58	CPS1
ATOM	911	CA	ARG	118	70.358	55.275	14.884	1.00	45.79	CPS1

equo d'ing g'ova n'ing n'ing g'ing in g'ova d'ing d'ing n'ing g'ing  
 the half and the for the half the for the half the for the half

ATOM	912	CB	ARG	118	69.712	55.600	16.235	1.00	46.59	CPS1
ATOM	913	CG	ARG	118	68.229	55.336	16.356	1.00	49.65	CPS1
ATOM	914	CD	ARG	118	67.792	55.527	17.809	1.00	52.26	CPS1
ATOM	915	NE	ARG	118	66.418	55.092	18.046	1.00	54.79	CPS1
ATOM	916	CZ	ARG	118	65.337	55.786	17.702	1.00	55.39	CPS1
ATOM	917	NH1	ARG	118	64.131	55.299	17.956	1.00	56.47	CPS1
ATOM	918	NH2	ARG	118	65.458	56.972	17.120	1.00	56.32	CPS1
ATOM	919	C	ARG	118	71.868	55.331	15.069	1.00	48.09	CPS1
ATOM	920	O	ARG	118	72.435	54.481	15.755	1.00	49.38	CPS1
ATOM	921	N	LEU	119	72.529	56.308	14.462	1.00	50.93	CPS1
ATOM	922	CA	LEU	119	73.973	56.418	14.631	1.00	53.26	CPS1
ATOM	923	CB	LEU	119	74.651	56.655	13.277	1.00	53.81	CPS1
ATOM	924	CG	LEU	119	74.474	55.541	12.239	1.00	54.33	CPS1
ATOM	925	CD1	LEU	119	75.203	55.906	10.953	1.00	54.92	CPS1
ATOM	926	CD2	LEU	119	75.006	54.234	12.801	1.00	54.83	CPS1
ATOM	927	C	LEU	119	74.286	57.568	15.591	1.00	54.40	CPS1
ATOM	928	OT1	LEU	119	74.613	57.278	16.765	1.00	55.09	CPS1
ATOM	929	OT2	LEU	119	74.177	58.740	15.166	1.00	55.10	CPS1
ATOM	930	C	GLY	0	77.740	47.623	17.259	1.00	45.52	CPS2
ATOM	931	O	GLY	0	78.476	48.184	16.444	1.00	47.54	CPS2
ATOM	932	N	GLY	0	79.569	47.872	18.959	1.00	47.48	CPS2
ATOM	933	CA	GLY	0	78.237	47.280	18.650	1.00	46.63	CPS2
ATOM	934	N	GLY	1	76.484	47.284	16.983	1.00	43.42	CPS2
ATOM	935	CA	GLY	1	75.916	47.570	15.679	1.00	38.90	CPS2
ATOM	936	C	GLY	1	75.631	46.308	14.888	1.00	35.36	CPS2
ATOM	937	O	GLY	1	76.138	45.233	15.198	1.00	35.52	CPS2
ATOM	938	N	ILE	2	74.818	46.451	13.853	1.00	32.81	CPS2
ATOM	939	CA	ILE	2	74.444	45.331	12.997	1.00	30.92	CPS2
ATOM	940	CB	ILE	2	73.034	45.554	12.419	1.00	30.17	CPS2
ATOM	941	CG2	ILE	2	72.715	44.495	11.369	1.00	28.15	CPS2
ATOM	942	CG1	ILE	2	72.019	45.547	13.564	1.00	30.04	CPS2
ATOM	943	CD1	ILE	2	70.624	45.977	13.162	1.00	29.29	CPS2
ATOM	944	C	ILE	2	75.427	45.143	11.851	1.00	30.22	CPS2
ATOM	945	O	ILE	2	75.785	46.098	11.157	1.00	29.17	CPS2
ATOM	946	N	TYR	3	75.866	43.906	11.657	1.00	29.82	CPS2
ATOM	947	CA	TYR	3	76.797	43.596	10.577	1.00	29.72	CPS2
ATOM	948	CB	TYR	3	77.594	42.334	10.900	1.00	32.80	CPS2
ATOM	949	CG	TYR	3	78.536	41.959	9.782	1.00	37.46	CPS2
ATOM	950	CD1	TYR	3	79.553	42.827	9.394	1.00	39.59	CPS2
ATOM	951	CE1	TYR	3	80.382	42.538	8.314	1.00	42.43	CPS2
ATOM	952	CD2	TYR	3	78.370	40.775	9.064	1.00	39.81	CPS2
ATOM	953	CE2	TYR	3	79.196	40.470	7.974	1.00	42.42	CPS2
ATOM	954	CZ	TYR	3	80.201	4				

ATOM	969	O	ILE	5	70.778	40.498	5.524	1.00	18.88	CPS2
ATOM	970	N	GLY	6	69.456	39.184	6.794	1.00	19.17	CPS2
ATOM	971	CA	GLY	6	69.108	38.325	5.679	1.00	19.31	CPS2
ATOM	972	C	GLY	6	67.687	37.815	5.794	1.00	19.36	CPS2
ATOM	973	O	GLY	6	67.176	37.614	6.887	1.00	18.63	CPS2
ATOM	974	N	LEU	7	67.053	37.606	4.649	1.00	19.78	CPS2
ATOM	975	CA	LEU	7	65.680	37.141	4.617	1.00	19.08	CPS2
ATOM	976	CB	LEU	7	64.733	38.328	4.366	1.00	19.19	CPS2
ATOM	977	CG	LEU	7	63.238	38.018	4.161	1.00	18.29	CPS2
ATOM	978	CD1	LEU	7	62.658	37.539	5.491	1.00	18.90	CPS2
ATOM	979	CD2	LEU	7	62.472	39.269	3.651	1.00	17.44	CPS2
ATOM	980	C	LEU	7	65.552	36.139	3.487	1.00	18.38	CPS2
ATOM	981	O	LEU	7	66.113	36.338	2.417	1.00	19.54	CPS2
ATOM	982	N	ASP	8	64.845	35.042	3.724	1.00	18.51	CPS2
ATOM	983	CA	ASP	8	64.651	34.091	2.647	1.00	20.25	CPS2
ATOM	984	CB	ASP	8	65.727	32.998	2.657	1.00	21.81	CPS2
ATOM	985	CG	ASP	8	65.487	31.943	1.580	1.00	25.13	CPS2
ATOM	986	OD1	ASP	8	64.777	30.949	1.851	1.00	25.80	CPS2
ATOM	987	OD2	ASP	8	65.989	32.124	0.454	1.00	28.14	CPS2
ATOM	988	C	ASP	8	63.297	33.433	2.740	1.00	20.84	CPS2
ATOM	989	O	ASP	8	62.826	33.137	3.834	1.00	19.86	CPS2
ATOM	990	N	ILE	9	62.669	33.223	1.584	1.00	19.61	CPS2
ATOM	991	CA	ILE	9	61.391	32.520	1.533	1.00	20.19	CPS2
ATOM	992	CB	ILE	9	60.222	33.393	1.015	1.00	21.26	CPS2
ATOM	993	CG2	ILE	9	58.950	32.526	0.904	1.00	20.13	CPS2
ATOM	994	CG1	ILE	9	59.959	34.555	1.973	1.00	21.42	CPS2
ATOM	995	CD1	ILE	9	58.878	35.500	1.490	1.00	21.37	CPS2
ATOM	996	C	ILE	9	61.641	31.415	0.519	1.00	20.37	CPS2
ATOM	997	O	ILE	9	62.132	31.685	-0.572	1.00	20.53	CPS2
ATOM	998	N	THR	10	61.313	30.182	0.892	1.00	20.80	CPS2
ATOM	999	CA	THR	10	61.519	29.032	0.022	1.00	22.14	CPS2
ATOM	1000	CB	THR	10	62.584	28.076	0.630	1.00	23.02	CPS2
ATOM	1001	OG1	THR	10	63.837	28.770	0.746	1.00	25.04	CPS2
ATOM	1002	CG2	THR	10	62.785	26.859	-0.253	1.00	25.37	CPS2
ATOM	1003	C	THR	10	60.211	28.275	-0.184	1.00	21.99	CPS2
ATOM	1004	O	THR	10	59.471	28.038	0.761	1.00	21.01	CPS2
ATOM	1005	N	GLU	11	59.938	27.912	-1.435	1.00	23.31	CPS2
ATOM	1006	CA	GLU	11	58.723	27.177	-1.794	1.00	24.42	CPS2
ATOM	1007	CB	GLU	11	58.438	27.355	-3.296	1.00	26.52	CPS2
ATOM	1008	CG	GLU	11	57.052	26.900	-3.721	1.00	28.30	CPS2
ATOM	1009	CD	GLU	11	56.897	26.756	-5.231	1.00	32.57	CPS2
ATOM	1010	OE1	GLU	11	57.820	27.134	-5.991	1.00	32.18	CPS2
ATOM	1011	OE2	GLU	11	55.833	26.256	-5.654	1.00	33.69	CPS2
ATOM	101									

[illegible]

ATOM	1026	O	ALA	13	58.982	21.281	-5.048	1.00	28.52	CPS2
ATOM	1027	N	ARG	14	59.335	23.404	-4.375	1.00	29.11	CPS2
ATOM	1028	CA	ARG	14	60.599	23.495	-5.098	1.00	30.50	CPS2
ATOM	1029	CB	ARG	14	61.065	24.951	-5.221	1.00	32.06	CPS2
ATOM	1030	CG	ARG	14	62.248	25.118	-6.171	1.00	34.92	CPS2
ATOM	1031	CD	ARG	14	62.528	26.576	-6.477	1.00	36.22	CPS2
ATOM	1032	NE	ARG	14	63.217	27.245	-5.381	1.00	38.47	CPS2
ATOM	1033	CZ	ARG	14	64.522	27.137	-5.142	1.00	39.99	CPS2
ATOM	1034	NH1	ARG	14	65.284	26.385	-5.926	1.00	39.47	CPS2
ATOM	1035	NH2	ARG	14	65.066	27.787	-4.119	1.00	39.80	CPS2
ATOM	1036	C	ARG	14	61.670	22.655	-4.411	1.00	30.84	CPS2
ATOM	1037	O	ARG	14	62.488	22.021	-5.077	1.00	31.28	CPS2
ATOM	1038	N	ILE	15	61.672	22.650	-3.078	1.00	31.04	CPS2
ATOM	1039	CA	ILE	15	62.637	21.845	-2.332	1.00	31.02	CPS2
ATOM	1040	CB	ILE	15	62.480	22.037	-0.803	1.00	30.76	CPS2
ATOM	1041	CG2	ILE	15	63.314	21.002	-0.056	1.00	29.83	CPS2
ATOM	1042	CG1	ILE	15	62.940	23.441	-0.407	1.00	29.97	CPS2
ATOM	1043	CD1	ILE	15	64.431	23.685	-0.657	1.00	30.60	CPS2
ATOM	1044	C	ILE	15	62.397	20.369	-2.673	1.00	33.28	CPS2
ATOM	1045	O	ILE	15	63.338	19.604	-2.900	1.00	33.51	CPS2
ATOM	1046	N	ALA	16	61.133	19.974	-2.712	1.00	34.78	CPS2
ATOM	1047	CA	ALA	16	60.789	18.597	-3.039	1.00	37.29	CPS2
ATOM	1048	CB	ALA	16	59.285	18.395	-2.921	1.00	36.48	CPS2
ATOM	1049	C	ALA	16	61.264	18.286	-4.459	1.00	39.28	CPS2
ATOM	1050	O	ALA	16	61.839	17.230	-4.716	1.00	40.75	CPS2
ATOM	1051	N	SER	17	61.034	19.219	-5.375	1.00	40.88	CPS2
ATOM	1052	CA	SER	17	61.439	19.046	-6.763	1.00	43.46	CPS2
ATOM	1053	CB	SER	17	61.012	20.261	-7.588	1.00	44.13	CPS2
ATOM	1054	OG	SER	17	61.450	20.150	-8.930	1.00	46.75	CPS2
ATOM	1055	C	SER	17	62.949	18.857	-6.866	1.00	44.93	CPS2
ATOM	1056	O	SER	17	63.432	18.058	-7.672	1.00	44.94	CPS2
ATOM	1057	N	MET	18	63.694	19.597	-6.052	1.00	45.72	CPS2
ATOM	1058	CA	MET	18	65.148	19.499	-6.060	1.00	47.01	CPS2
ATOM	1059	CB	MET	18	65.780	20.713	-5.374	1.00	47.40	CPS2
ATOM	1060	CG	MET	18	65.783	21.978	-6.201	1.00	48.61	CPS2
ATOM	1061	SD	MET	18	66.874	23.231	-5.488	1.00	51.56	CPS2
ATOM	1062	CE	MET	18	65.856	23.843	-4.148	1.00	49.70	CPS2
ATOM	1063	C	MET	18	65.637	18.233	-5.369	1.00	47.60	CPS2
ATOM	1064	O	MET	18	66.589	17.605	-5.822	1.00	48.05	CPS2
ATOM	1065	N	ALA	19	64.982	17.863	-4.275	1.00	48.91	CPS2
ATOM	1066	CA	ALA	19	65.365	16.682	-3.512	1.00	50.86	CPS2
ATOM	1067	CB	ALA	19	64.590	16.637	-2.209	1.00	50.39	CPS2
ATOM	1068	C	ALA	19	65.135	15.396	-4.296	1.00	53.04	CPS2
ATOM	1069	O	ALA	19	65.897	14.433	-4.171	1.00	52.81	CPS2
ATOM	1070	N	GLY	20	64.084	15.384	-5.108	1.00	54.91	CPS2
ATOM	1071	CA	GLY	20	63.773	14.201	-5.888	1.00	56.86	CPS2
ATOM	1072	C	GLY	20	64.693	13.980	-7.072	1.00	58.24	CPS2
ATOM	1073	O	GLY	20	65.285	12.909	-7.217	1.00	58.99	CPS2
ATOM	1074	N	ARG	21	64.827	14.996	-7.916	1.00	59.32	CPS2
ATOM	1075	CA	ARG	21	65.652	14.882	-9.107	1.00	60.71	CPS2
ATOM	1076	CB	ARG	21	65.279	15.975	-10.112	1.00	61.88	CPS2
ATOM	1077	CG	ARG	21	65.739	17.362	-9.716	1.00	63.83	CPS2
ATOM	1078	CD	ARG	21	65.818	18.274	-10.930	1.00	65.39	CPS2
ATOM	1079	NE	ARG	21	66.617	19.471	-10.669	1.00	67.17	CPS2
ATOM	1080	CZ	ARG	21	66.250	20.467	-9.867	1.00	67.54	CPS2
ATOM	1081	NH1	ARG	21	65.082	20.423	-9.237	1.00	68.19	CPS2
ATOM	1082	NH2	ARG	21	67.057	21.507	-9.693	1.00	67.30	CPS2

ATOM	1083	C	ARG	21	67.153	14.932	-8.857	1.00	61.11	CPS2
ATOM	1084	O	ARG	21	67.942	14.571	-9.735	1.00	61.28	CPS2
ATOM	1085	N	GLN	22	67.564	15.375	-7.674	1.00	61.25	CPS2
ATOM	1086	CA	GLN	22	68.994	15.461	-7.402	1.00	60.88	CPS2
ATOM	1087	CB	GLN	22	69.340	16.826	-6.795	1.00	61.70	CPS2
ATOM	1088	CG	GLN	22	69.033	17.998	-7.722	1.00	62.47	CPS2
ATOM	1089	CD	GLN	22	69.522	19.331	-7.180	1.00	63.25	CPS2
ATOM	1090	OE1	GLN	22	69.279	20.381	-7.779	1.00	63.34	CPS2
ATOM	1091	NE2	GLN	22	70.218	19.297	-6.047	1.00	63.02	CPS2
ATOM	1092	C	GLN	22	69.563	14.351	-6.530	1.00	60.08	CPS2
ATOM	1093	O	GLN	22	68.836	13.608	-5.867	1.00	60.33	CPS2
ATOM	1094	N	LYS	23	70.886	14.253	-6.569	1.00	59.12	CPS2
ATOM	1095	CA	LYS	23	71.665	13.273	-5.823	1.00	57.97	CPS2
ATOM	1096	CB	LYS	23	73.137	13.684	-5.890	1.00	59.44	CPS2
ATOM	1097	CG	LYS	23	73.362	15.214	-5.851	1.00	60.21	CPS2
ATOM	1098	CD	LYS	23	73.057	15.850	-4.501	1.00	59.91	CPS2
ATOM	1099	CE	LYS	23	73.391	17.340	-4.455	1.00	60.70	CPS2
ATOM	1100	NZ	LYS	23	72.466	18.181	-5.268	1.00	59.44	CPS2
ATOM	1101	C	LYS	23	71.253	13.118	-4.360	1.00	56.31	CPS2
ATOM	1102	O	LYS	23	70.226	12.517	-4.027	1.00	57.13	CPS2
ATOM	1103	N	ARG	24	72.112	13.635	-3.496	1.00	53.19	CPS2
ATOM	1104	CA	ARG	24	71.909	13.629	-2.062	1.00	50.41	CPS2
ATOM	1105	CB	ARG	24	73.117	12.987	-1.365	1.00	51.60	CPS2
ATOM	1106	CG	ARG	24	74.311	12.739	-2.286	1.00	51.97	CPS2
ATOM	1107	CD	ARG	24	75.442	12.014	-1.565	1.00	52.64	CPS2
ATOM	1108	NE	ARG	24	75.105	10.634	-1.218	1.00	51.83	CPS2
ATOM	1109	CZ	ARG	24	75.534	9.570	-1.892	1.00	51.87	CPS2
ATOM	1110	NH1	ARG	24	76.318	9.728	-2.950	1.00	51.30	CPS2
ATOM	1111	NH2	ARG	24	75.187	8.347	-1.505	1.00	51.09	CPS2
ATOM	1112	C	ARG	24	71.787	15.110	-1.717	1.00	47.01	CPS2
ATOM	1113	O	ARG	24	72.640	15.690	-1.043	1.00	46.57	CPS2
ATOM	1114	N	PHE	25	70.725	15.721	-2.238	1.00	42.31	CPS2
ATOM	1115	CA	PHE	25	70.450	17.134	-2.019	1.00	38.57	CPS2
ATOM	1116	CB	PHE	25	69.115	17.508	-2.679	1.00	37.72	CPS2
ATOM	1117	CG	PHE	25	68.680	18.926	-2.416	1.00	36.40	CPS2
ATOM	1118	CD1	PHE	25	67.682	19.202	-1.485	1.00	36.71	CPS2
ATOM	1119	CD2	PHE	25	69.285	19.986	-3.080	1.00	37.10	CPS2
ATOM	1120	CE1	PHE	25	67.297	20.518	-1.220	1.00	36.02	CPS2
ATOM	1121	CE2	PHE	25	68.910	21.305	-2.824	1.00	35.88	CPS2
ATOM	1122	CZ	PHE	25	67.914	21.572	-1.891	1.00	36.06	CPS2
ATOM	1123	C	PHE	25	70.415	17.465	-0.528	1.00	36.15	CPS2
ATOM	1124	O	PHE	25	71.053	18.423	-0.079	1.00	35.69	CPS2
ATOM	1125	N	ALA	26	69.671	16.66				



ATOM	1140	CA	ARG	28	74.470	18.754	0.532	1.00	29.47	CPS2
ATOM	1141	CB	ARG	28	74.201	19.076	-0.948	1.00	30.98	CPS2
ATOM	1142	CG	ARG	28	74.785	20.407	-1.424	1.00	35.00	CPS2
ATOM	1143	CD	ARG	28	74.806	20.528	-2.953	1.00	38.43	CPS2
ATOM	1144	NE	ARG	28	73.480	20.654	-3.557	1.00	40.71	CPS2
ATOM	1145	CZ	ARG	28	72.809	21.797	-3.683	1.00	42.27	CPS2
ATOM	1146	NH1	ARG	28	73.327	22.940	-3.248	1.00	42.45	CPS2
ATOM	1147	NH2	ARG	28	71.613	21.798	-4.259	1.00	44.17	CPS2
ATOM	1148	C	ARG	28	74.137	19.987	1.387	1.00	28.50	CPS2
ATOM	1149	O	ARG	28	75.003	20.811	1.669	1.00	29.58	CPS2
ATOM	1150	N	ILE	29	72.879	20.105	1.788	1.00	26.47	CPS2
ATOM	1151	CA	ILE	29	72.426	21.256	2.570	1.00	26.32	CPS2
ATOM	1152	CB	ILE	29	70.908	21.475	2.389	1.00	25.79	CPS2
ATOM	1153	CG2	ILE	29	70.467	22.729	3.147	1.00	24.32	CPS2
ATOM	1154	CG1	ILE	29	70.559	21.566	0.902	1.00	23.95	CPS2
ATOM	1155	CD1	ILE	29	71.283	22.665	0.158	1.00	26.12	CPS2
ATOM	1156	C	ILE	29	72.681	21.128	4.064	1.00	26.65	CPS2
ATOM	1157	O	ILE	29	73.024	22.110	4.739	1.00	26.47	CPS2
ATOM	1158	N	LEU	30	72.516	19.908	4.566	1.00	26.29	CPS2
ATOM	1159	CA	LEU	30	72.638	19.616	5.981	1.00	26.30	CPS2
ATOM	1160	CB	LEU	30	71.518	18.645	6.371	1.00	26.05	CPS2
ATOM	1161	CG	LEU	30	70.095	19.059	5.957	1.00	26.30	CPS2
ATOM	1162	CD1	LEU	30	69.081	18.002	6.387	1.00	26.56	CPS2
ATOM	1163	CD2	LEU	30	69.762	20.400	6.602	1.00	24.24	CPS2
ATOM	1164	C	LEU	30	73.972	19.075	6.497	1.00	27.26	CPS2
ATOM	1165	O	LEU	30	74.731	18.419	5.771	1.00	28.28	CPS2
ATOM	1166	N	THR	31	74.246	19.372	7.765	1.00	26.23	CPS2
ATOM	1167	CA	THR	31	75.451	18.898	8.434	1.00	26.09	CPS2
ATOM	1168	CB	THR	31	75.844	19.806	9.627	1.00	24.78	CPS2
ATOM	1169	OG1	THR	31	74.834	19.723	10.638	1.00	25.44	CPS2
ATOM	1170	CG2	THR	31	75.998	21.253	9.172	1.00	25.52	CPS2
ATOM	1171	C	THR	31	75.106	17.516	8.978	1.00	26.34	CPS2
ATOM	1172	O	THR	31	73.945	17.106	8.956	1.00	25.24	CPS2
ATOM	1173	N	ARG	32	76.108	16.791	9.463	1.00	28.14	CPS2
ATOM	1174	CA	ARG	32	75.872	15.456	10.005	1.00	30.16	CPS2
ATOM	1175	CB	ARG	32	77.195	14.862	10.519	1.00	32.90	CPS2
ATOM	1176	CG	ARG	32	77.070	13.518	11.243	1.00	37.77	CPS2
ATOM	1177	CD	ARG	32	78.452	13.018	11.667	1.00	42.29	CPS2
ATOM	1178	NE	ARG	32	78.428	12.082	12.796	1.00	46.64	CPS2
ATOM	1179	CZ	ARG	32	78.020	10.817	12.728	1.00	48.51	CPS2
ATOM	1180	NH1	ARG	32	77.588	10.314	11.581	1.00	50.24	CPS2
ATOM	1181	NH2	ARG	32	78.058	10.045	13.809	1.00	49.25	CPS2
ATOM	1182	C	ARG	32	74.812					

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

ATOM	1197	C	GLU	34	70.443	16.828	10.437	1.00	27.36	CPS2
ATOM	1198	O	GLU	34	69.239	16.562	10.532	1.00	26.33	CPS2
ATOM	1199	N	LEU	35	71.302	16.077	9.750	1.00	28.28	CPS2
ATOM	1200	CA	LEU	35	70.862	14.877	9.045	1.00	29.11	CPS2
ATOM	1201	CB	LEU	35	72.021	14.251	8.270	1.00	28.46	CPS2
ATOM	1202	CG	LEU	35	72.336	14.922	6.940	1.00	27.65	CPS2
ATOM	1203	CD1	LEU	35	73.659	14.380	6.379	1.00	29.47	CPS2
ATOM	1204	CD2	LEU	35	71.182	14.664	5.965	1.00	28.02	CPS2
ATOM	1205	C	LEU	35	70.281	13.851	9.998	1.00	30.80	CPS2
ATOM	1206	O	LEU	35	69.303	13.191	9.668	1.00	31.95	CPS2
ATOM	1207	N	ASP	36	70.883	13.709	11.175	1.00	32.92	CPS2
ATOM	1208	CA	ASP	36	70.380	12.756	12.161	1.00	35.31	CPS2
ATOM	1209	CB	ASP	36	71.247	12.759	13.416	1.00	38.59	CPS2
ATOM	1210	CG	ASP	36	72.527	11.974	13.236	1.00	43.41	CPS2
ATOM	1211	OD1	ASP	36	72.449	10.838	12.713	1.00	47.13	CPS2
ATOM	1212	OD2	ASP	36	73.606	12.480	13.618	1.00	45.83	CPS2
ATOM	1213	C	ASP	36	68.948	13.107	12.531	1.00	35.32	CPS2
ATOM	1214	O	ASP	36	68.108	12.228	12.733	1.00	35.28	CPS2
ATOM	1215	N	GLN	37	68.675	14.404	12.621	1.00	34.28	CPS2
ATOM	1216	CA	GLN	37	67.338	14.881	12.945	1.00	32.79	CPS2
ATOM	1217	CB	GLN	37	67.401	16.378	13.297	1.00	33.92	CPS2
ATOM	1218	CG	GLN	37	68.022	16.651	14.662	1.00	35.15	CPS2
ATOM	1219	CD	GLN	37	68.443	18.110	14.876	1.00	36.52	CPS2
ATOM	1220	OE1	GLN	37	68.733	18.517	16.001	1.00	37.53	CPS2
ATOM	1221	NE2	GLN	37	68.495	18.887	13.799	1.00	34.94	CPS2
ATOM	1222	C	GLN	37	66.431	14.645	11.733	1.00	32.14	CPS2
ATOM	1223	O	GLN	37	65.284	14.214	11.863	1.00	31.52	CPS2
ATOM	1224	N	TYR	38	66.971	14.914	10.552	1.00	30.64	CPS2
ATOM	1225	CA	TYR	38	66.239	14.753	9.307	1.00	30.51	CPS2
ATOM	1226	CB	TYR	38	67.112	15.245	8.148	1.00	29.87	CPS2
ATOM	1227	CG	TYR	38	66.544	15.040	6.762	1.00	30.29	CPS2
ATOM	1228	CD1	TYR	38	66.975	13.983	5.957	1.00	31.01	CPS2
ATOM	1229	CE1	TYR	38	66.500	13.829	4.653	1.00	31.49	CPS2
ATOM	1230	CD2	TYR	38	65.614	15.935	6.231	1.00	30.83	CPS2
ATOM	1231	CE2	TYR	38	65.135	15.792	4.938	1.00	31.82	CPS2
ATOM	1232	CZ	TYR	38	65.582	14.742	4.153	1.00	32.74	CPS2
ATOM	1233	OH	TYR	38	65.116	14.623	2.868	1.00	33.33	CPS2
ATOM	1234	C	TYR	38	65.802	13.308	9.064	1.00	31.79	CPS2
ATOM	1235	O	TYR	38	64.631	13.048	8.773	1.00	30.55	CPS2
ATOM	1236	N	TYR	39	66.739	12.372	9.190	1.00	31.62	CPS2
ATOM	1237	CA	TYR	39	66.423	10.965	8.946	1.00	33.46	CPS2
ATOM	1238	CB	TYR	39	67.675	10.096	9.077	1.00	31.46	CPS2
ATOM	1239	CG	TYR	39	68.760	10.350	8.045	1.00	30.99	CPS2
ATOM	1240	CD1	TYR	39	68.449	10.548	6.702	1.00	31.00	CPS2
ATOM	1241	CE1	TYR	39	69.458	10.707	5.744	1.00	31.73	CPS2
ATOM	1242	CD2	TYR	39	70.108	10.321	8.413	1.00	32.22	CPS2
ATOM	1243	CE2	TYR	39	71.125	10.474	7.468	1.00	32.57	CPS2
ATOM	1244	CZ	TYR	39	70.795	10.665	6.137	1.00	32.96	CPS2
ATOM	1245	OH	TYR	39	71.813	10.784	5.211	1.00	33.59	CPS2
ATOM	1246	C	TYR	39	65.331	10.411	9.862	1.00	34.30	CPS2
ATOM	1247	O	TYR	39	64.653	9.451	9.506	1.00	35.26	CPS2
ATOM	1248	N	GLU	40	65.155	11.015	11.030	1.00	36.00	CPS2
ATOM	1249	CA	GLU	40	64.144	10.555	11.980	1.00	38.47	CPS2
ATOM	1250	CB	GLU	40	64.468	11.069	13.387	1.00	41.11	CPS2
ATOM	1251	CG	GLU	40	65.650	10.394	14.052	1.00	46.35	CPS2
ATOM	1252	CD	GLU	40	65.427	8.903	14.247	1.00	49.30	CPS2
ATOM	1253	OE1	GLU	40	64.505	8.527	15.006	1.00	50.90	CPS2

ATOM	1254	OE2	GLU	40	66.174	8.108	13.632	1.00	51.72	CPS2
ATOM	1255	C	GLU	40	62.720	10.980	11.631	1.00	38.59	CPS2
ATOM	1256	O	GLU	40	61.761	10.472	12.210	1.00	38.70	CPS2
ATOM	1257	N	LEU	41	62.579	11.905	10.688	1.00	37.33	CPS2
ATOM	1258	CA	LEU	41	61.262	12.409	10.318	1.00	37.21	CPS2
ATOM	1259	CB	LEU	41	61.371	13.881	9.908	1.00	36.12	CPS2
ATOM	1260	CG	LEU	41	61.978	14.843	10.928	1.00	35.44	CPS2
ATOM	1261	CD1	LEU	41	62.095	16.224	10.296	1.00	35.33	CPS2
ATOM	1262	CD2	LEU	41	61.110	14.897	12.175	1.00	36.15	CPS2
ATOM	1263	C	LEU	41	60.540	11.653	9.210	1.00	37.79	CPS2
ATOM	1264	O	LEU	41	61.147	10.905	8.441	1.00	37.84	CPS2
ATOM	1265	N	SER	42	59.231	11.882	9.130	1.00	38.99	CPS2
ATOM	1266	CA	SER	42	58.394	11.272	8.105	1.00	39.66	CPS2
ATOM	1267	CB	SER	42	56.916	11.461	8.451	1.00	40.41	CPS2
ATOM	1268	OG	SER	42	56.529	12.813	8.277	1.00	40.55	CPS2
ATOM	1269	C	SER	42	58.688	11.947	6.769	1.00	40.88	CPS2
ATOM	1270	O	SER	42	59.404	12.948	6.716	1.00	40.22	CPS2
ATOM	1271	N	GLU	43	58.118	11.405	5.698	1.00	41.38	CPS2
ATOM	1272	CA	GLU	43	58.310	11.948	4.358	1.00	41.99	CPS2
ATOM	1273	CB	GLU	43	57.466	11.173	3.340	1.00	44.33	CPS2
ATOM	1274	CG	GLU	43	56.922	9.822	3.821	1.00	47.83	CPS2
ATOM	1275	CD	GLU	43	55.963	9.946	5.005	1.00	50.30	CPS2
ATOM	1276	OE1	GLU	43	55.186	10.935	5.055	1.00	50.62	CPS2
ATOM	1277	OE2	GLU	43	55.982	9.045	5.877	1.00	48.97	CPS2
ATOM	1278	C	GLU	43	57.921	13.425	4.294	1.00	40.64	CPS2
ATOM	1279	O	GLU	43	58.662	14.259	3.767	1.00	40.30	CPS2
ATOM	1280	N	LYS	44	56.747	13.739	4.825	1.00	39.19	CPS2
ATOM	1281	CA	LYS	44	56.249	15.112	4.821	1.00	39.31	CPS2
ATOM	1282	CB	LYS	44	54.787	15.140	5.269	1.00	40.00	CPS2
ATOM	1283	CG	LYS	44	54.112	16.491	5.107	1.00	42.53	CPS2
ATOM	1284	CD	LYS	44	52.721	16.472	5.719	1.00	44.55	CPS2
ATOM	1285	CE	LYS	44	52.031	17.817	5.592	1.00	45.48	CPS2
ATOM	1286	NZ	LYS	44	50.783	17.861	6.406	1.00	47.64	CPS2
ATOM	1287	C	LYS	44	57.075	16.023	5.732	1.00	38.50	CPS2
ATOM	1288	O	LYS	44	57.446	17.136	5.345	1.00	38.08	CPS2
ATOM	1289	N	ARG	45	57.345	15.554	6.947	1.00	36.81	CPS2
ATOM	1290	CA	ARG	45	58.125	16.335	7.898	1.00	36.28	CPS2
ATOM	1291	CB	ARG	45	58.162	15.624	9.254	1.00	37.98	CPS2
ATOM	1292	CG	ARG	45	56.911	15.843	10.106	1.00	41.93	CPS2
ATOM	1293	CD	ARG	45	57.135	16.960	11.117	1.00	45.38	CPS2
ATOM	1294	NE	ARG	45	57.655	18.160	10.468	1.00	49.29	CPS2
ATOM	1295	CZ	ARG	45	58.565	18.968	11.002	1.00	49.81	CPS2
ATOM	1296	NH1	ARG	45</						

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

ATOM	1311	CB	ASN	47	59.240	18.101	2.437	1.00	32.45	CPS2
ATOM	1312	CG	ASN	47	59.080	19.269	1.470	1.00	34.97	CPS2
ATOM	1313	OD1	ASN	47	59.977	19.575	0.684	1.00	37.44	CPS2
ATOM	1314	ND2	ASN	47	57.928	19.923	1.525	1.00	35.87	CPS2
ATOM	1315	C	ASN	47	60.290	19.612	4.157	1.00	29.73	CPS2
ATOM	1316	O	ASN	47	60.946	20.587	3.803	1.00	28.79	CPS2
ATOM	1317	N	GLU	48	59.462	19.637	5.195	1.00	28.89	CPS2
ATOM	1318	CA	GLU	48	59.265	20.853	5.984	1.00	29.80	CPS2
ATOM	1319	CB	GLU	48	58.162	20.642	7.019	1.00	32.74	CPS2
ATOM	1320	CG	GLU	48	56.837	20.225	6.424	1.00	37.62	CPS2
ATOM	1321	CD	GLU	48	55.785	19.953	7.482	1.00	40.29	CPS2
ATOM	1322	OE1	GLU	48	54.683	19.506	7.113	1.00	41.90	CPS2
ATOM	1323	OE2	GLU	48	56.059	20.193	8.679	1.00	42.74	CPS2
ATOM	1324	C	GLU	48	60.554	21.231	6.700	1.00	28.72	CPS2
ATOM	1325	O	GLU	48	60.956	22.396	6.720	1.00	27.50	CPS2
ATOM	1326	N	PHE	49	61.192	20.230	7.296	1.00	26.72	CPS2
ATOM	1327	CA	PHE	49	62.432	20.433	8.023	1.00	26.17	CPS2
ATOM	1328	CB	PHE	49	62.877	19.116	8.665	1.00	27.12	CPS2
ATOM	1329	CG	PHE	49	64.186	19.205	9.397	1.00	26.24	CPS2
ATOM	1330	CD1	PHE	49	64.219	19.514	10.750	1.00	27.02	CPS2
ATOM	1331	CD2	PHE	49	65.385	18.967	8.734	1.00	28.35	CPS2
ATOM	1332	CE1	PHE	49	65.429	19.578	11.436	1.00	27.13	CPS2
ATOM	1333	CE2	PHE	49	66.603	19.030	9.411	1.00	27.87	CPS2
ATOM	1334	CZ	PHE	49	66.615	19.336	10.770	1.00	27.13	CPS2
ATOM	1335	C	PHE	49	63.522	20.935	7.091	1.00	24.61	CPS2
ATOM	1336	O	PHE	49	64.208	21.907	7.390	1.00	24.60	CPS2
ATOM	1337	N	LEU	50	63.685	20.266	5.957	1.00	23.67	CPS2
ATOM	1338	CA	LEU	50	64.710	20.650	5.000	1.00	23.23	CPS2
ATOM	1339	CB	LEU	50	64.763	19.626	3.862	1.00	24.17	CPS2
ATOM	1340	CG	LEU	50	65.810	19.767	2.758	1.00	26.00	CPS2
ATOM	1341	CD1	LEU	50	67.217	19.817	3.351	1.00	25.89	CPS2
ATOM	1342	CD2	LEU	50	65.685	18.570	1.810	1.00	26.96	CPS2
ATOM	1343	C	LEU	50	64.465	22.053	4.448	1.00	23.30	CPS2
ATOM	1344	O	LEU	50	65.391	22.849	4.317	1.00	22.85	CPS2
ATOM	1345	N	ALA	51	63.218	22.366	4.127	1.00	21.99	CPS2
ATOM	1346	CA	ALA	51	62.914	23.684	3.586	1.00	21.37	CPS2
ATOM	1347	CB	ALA	51	61.438	23.766	3.206	1.00	19.49	CPS2
ATOM	1348	C	ALA	51	63.262	24.772	4.610	1.00	19.95	CPS2
ATOM	1349	O	ALA	51	63.812	25.815	4.252	1.00	19.91	CPS2
ATOM	1350	N	GLY	52	62.943	24.508	5.871	1.00	20.32	CPS2
ATOM	1351	CA	GLY	52	63.207	25.466	6.939	1.00	20.53	CPS2
ATOM	1352	C	GLY	52	64.690	25.678	7.161	1.00	21.59	CPS2
ATOM	1353	O	GLY	52	65.140	26.823	7.292	1.00	20.12	CPS2
ATOM	1354	N	ARG	53	65.452	24.581	7.211	1.00	20.75	CPS2
ATOM	1355	CA	ARG	53	66.900	24.681	7.405	1.00	21.49	CPS2
ATOM	1356	CB	ARG	53	67.511	23.289	7.639	1.00	20.94	CPS2
ATOM	1357	CG	ARG	53	67.662	22.904	9.121	1.00	21.90	CPS2
ATOM	1358	CD	ARG	53	66.357	23.082	9.905	1.00	23.39	CPS2
ATOM	1359	NE	ARG	53	66.538	22.829	11.335	1.00	24.30	CPS2
ATOM	1360	CZ	ARG	53	65.666	23.195	12.272	1.00	25.08	CPS2
ATOM	1361	NH1	ARG	53	64.548	23.827	11.934	1.00	25.43	CPS2
ATOM	1362	NH2	ARG	53	65.921	22.959	13.551	1.00	26.80	CPS2
ATOM	1363	C	ARG	53	67.541	25.359	6.201	1.00	20.90	CPS2
ATOM	1364	O	ARG	53	68.447	26.176	6.353	1.00	20.27	CPS2
ATOM	1365	N	PHE	54	67.069	25.021	5.002	1.00	20.29	CPS2
ATOM	1366	CA	PHE	54	67.583	25.631	3.779	1.00	21.05	CPS2
ATOM	1367	CB	PHE	54	66.889	24.996	2.550	1.00	21.38	CPS2

ATOM	1368	CG	PHE	54	67.310	25.573	1.218	1.00	22.85	CPS2
ATOM	1369	CD1	PHE	54	66.623	26.646	0.660	1.00	23.51	CPS2
ATOM	1370	CD2	PHE	54	68.363	25.008	0.495	1.00	23.11	CPS2
ATOM	1371	CE1	PHE	54	66.970	27.148	-0.600	1.00	23.62	CPS2
ATOM	1372	CE2	PHE	54	68.716	25.499	-0.761	1.00	24.74	CPS2
ATOM	1373	CZ	PHE	54	68.015	26.575	-1.313	1.00	24.84	CPS2
ATOM	1374	C	PHE	54	67.334	27.144	3.823	1.00	20.71	CPS2
ATOM	1375	O	PHE	54	68.225	27.939	3.523	1.00	20.44	CPS2
ATOM	1376	N	ALA	55	66.118	27.542	4.191	1.00	20.38	CPS2
ATOM	1377	CA	ALA	55	65.772	28.967	4.268	1.00	20.18	CPS2
ATOM	1378	CB	ALA	55	64.299	29.138	4.665	1.00	19.50	CPS2
ATOM	1379	C	ALA	55	66.654	29.701	5.276	1.00	20.15	CPS2
ATOM	1380	O	ALA	55	67.111	30.822	5.021	1.00	19.68	CPS2
ATOM	1381	N	ALA	56	66.872	29.071	6.428	1.00	20.22	CPS2
ATOM	1382	CA	ALA	56	67.706	29.657	7.476	1.00	19.63	CPS2
ATOM	1383	CB	ALA	56	67.670	28.772	8.737	1.00	20.93	CPS2
ATOM	1384	C	ALA	56	69.152	29.841	7.014	1.00	20.43	CPS2
ATOM	1385	O	ALA	56	69.780	30.869	7.307	1.00	19.00	CPS2
ATOM	1386	N	LYS	57	69.702	28.840	6.322	1.00	19.36	CPS2
ATOM	1387	CA	LYS	57	71.084	28.955	5.858	1.00	19.89	CPS2
ATOM	1388	CB	LYS	57	71.622	27.598	5.388	1.00	19.91	CPS2
ATOM	1389	CG	LYS	57	71.595	26.550	6.501	1.00	20.56	CPS2
ATOM	1390	CD	LYS	57	72.389	25.285	6.150	1.00	21.63	CPS2
ATOM	1391	CE	LYS	57	72.426	24.334	7.358	1.00	20.15	CPS2
ATOM	1392	NZ	LYS	57	73.457	23.262	7.208	1.00	19.99	CPS2
ATOM	1393	C	LYS	57	71.176	29.993	4.754	1.00	19.82	CPS2
ATOM	1394	O	LYS	57	72.136	30.755	4.698	1.00	20.57	CPS2
ATOM	1395	N	GLU	58	70.179	30.036	3.871	1.00	18.71	CPS2
ATOM	1396	CA	GLU	58	70.187	31.045	2.822	1.00	20.25	CPS2
ATOM	1397	CB	GLU	58	68.993	30.868	1.870	1.00	23.44	CPS2
ATOM	1398	CG	GLU	58	69.120	29.710	0.871	1.00	28.15	CPS2
ATOM	1399	CD	GLU	58	70.261	29.896	-0.124	1.00	31.42	CPS2
ATOM	1400	OE1	GLU	58	70.713	31.042	-0.335	1.00	33.78	CPS2
ATOM	1401	OE2	GLU	58	70.701	28.891	-0.713	1.00	35.13	CPS2
ATOM	1402	C	GLU	58	70.116	32.436	3.477	1.00	20.06	CPS2
ATOM	1403	O	GLU	58	70.878	33.335	3.117	1.00	20.02	CPS2
ATOM	1404	N	ALA	59	69.203	32.611	4.433	1.00	18.56	CPS2
ATOM	1405	CA	ALA	59	69.066	33.901	5.107	1.00	19.36	CPS2
ATOM	1406	CB	ALA	59	67.919	33.853	6.142	1.00	18.28	CPS2
ATOM	1407	C	ALA	59	70.388	34.280	5.789	1.00	19.60	CPS2
ATOM	1408	O	ALA	59	70.833	35.429	5.712	1.00	20.42	CPS2
ATOM	1409	N	PHE	60	71.016	33.314	6.452	1.00	18.99	CPS2
ATOM	1410	CA	PHE	60	72.284	33.591	7.119	1.00	19.29	CPS2
ATOM	1411	CB	PHE	60	72.790	32.350	7.862	1.00	20.46	CPS2
ATOM	1412	CG	PHE	60	74.128	32.555	8.501	1.00	21.05	CPS2
ATOM	1413	CD1	PHE	60	74.225	33.085	9.785	1.00	21.57	CPS2
ATOM	1414	CD2	PHE	60	75.297	32.313	7.783	1.00	23.12	CPS2
ATOM	1415	CE1	PHE	60	75.476	33.377	10.343	1.00	22.68	CPS2
ATOM	1416	CE2	PHE	60	76.554	32.605	8.332	1.00	22.55	CPS2
ATOM	1417	CZ	PHE	60	76.638	33.136	9.610	1.00	22.82	CPS2
ATOM	1418	C	PHE	60	73.338	34.020	6.092	1.00	20.21	CPS2
ATOM	1419	O	PHE	60	74.089	34.965	6.320	1.00	19.97	CPS2
ATOM	1420	N	SER	61	73.396	33.318	4.960	1.00	20.80	CPS2
ATOM	1421	CA	SER	61	74.372	33.641	3.920	1.00	20.87	CPS2
ATOM	1422	CB	SER	61	74.287	32.633	2.762	1.00	21.27	CPS2
ATOM	1423	OG	SER	61	73.161	32.874	1.942	1.00	22.46	CPS2
ATOM	1424	C	SER	61	74.190	35.058	3.389	1.00	21.75	CPS2

ATOM 1424 C SER 61 74.190 35.058 3.389 1.00 21.75 CPS2



ATOM	1482	O	ALA	70	84.488	29.999	-0.345	1.00	39.72	CPS2
ATOM	1483	N	GLN	71	82.858	31.515	-0.628	1.00	38.67	CPS2
ATOM	1484	CA	GLN	71	83.130	32.197	0.630	1.00	37.32	CPS2
ATOM	1485	CB	GLN	71	82.744	33.666	0.472	1.00	40.43	CPS2
ATOM	1486	CG	GLN	71	83.693	34.659	1.118	1.00	44.57	CPS2
ATOM	1487	CD	GLN	71	83.654	36.018	0.431	1.00	46.06	CPS2
ATOM	1488	OE1	GLN	71	84.175	37.004	0.952	1.00	48.20	CPS2
ATOM	1489	NE2	GLN	71	83.044	36.069	-0.754	1.00	47.40	CPS2
ATOM	1490	C	GLN	71	82.391	31.578	1.824	1.00	35.81	CPS2
ATOM	1491	O	GLN	71	82.851	31.656	2.962	1.00	36.15	CPS2
ATOM	1492	N	LEU	72	81.257	30.944	1.561	1.00	32.57	CPS2
ATOM	1493	CA	LEU	72	80.461	30.353	2.630	1.00	30.34	CPS2
ATOM	1494	CB	LEU	72	79.503	31.400	3.196	1.00	29.93	CPS2
ATOM	1495	CG	LEU	72	78.560	30.935	4.303	1.00	29.85	CPS2
ATOM	1496	CD1	LEU	72	79.352	30.712	5.585	1.00	29.87	CPS2
ATOM	1497	CD2	LEU	72	77.482	31.998	4.515	1.00	30.13	CPS2
ATOM	1498	C	LEU	72	79.670	29.165	2.117	1.00	28.96	CPS2
ATOM	1499	O	LEU	72	78.925	29.270	1.146	1.00	29.65	CPS2
ATOM	1500	N	SER	73	79.828	28.037	2.791	1.00	26.89	CPS2
ATOM	1501	CA	SER	73	79.163	26.805	2.405	1.00	26.28	CPS2
ATOM	1502	CB	SER	73	80.176	25.656	2.498	1.00	27.70	CPS2
ATOM	1503	OG	SER	73	79.571	24.385	2.324	1.00	31.43	CPS2
ATOM	1504	C	SER	73	77.970	26.491	3.300	1.00	25.59	CPS2
ATOM	1505	O	SER	73	77.912	26.952	4.441	1.00	23.26	CPS2
ATOM	1506	N	PHE	74	77.016	25.718	2.780	1.00	24.61	CPS2
ATOM	1507	CA	PHE	74	75.874	25.292	3.591	1.00	24.32	CPS2
ATOM	1508	CB	PHE	74	74.974	24.333	2.813	1.00	24.91	CPS2
ATOM	1509	CG	PHE	74	74.016	25.012	1.887	1.00	27.32	CPS2
ATOM	1510	CD1	PHE	74	73.041	25.873	2.385	1.00	26.95	CPS2
ATOM	1511	CD2	PHE	74	74.079	24.787	0.511	1.00	28.10	CPS2
ATOM	1512	CE1	PHE	74	72.142	26.501	1.528	1.00	28.03	CPS2
ATOM	1513	CE2	PHE	74	73.185	25.411	-0.350	1.00	29.15	CPS2
ATOM	1514	CZ	PHE	74	72.214	26.271	0.160	1.00	27.71	CPS2
ATOM	1515	C	PHE	74	76.433	24.527	4.788	1.00	25.14	CPS2
ATOM	1516	O	PHE	74	75.841	24.490	5.868	1.00	23.71	CPS2
ATOM	1517	N	GLN	75	77.577	23.886	4.571	1.00	25.35	CPS2
ATOM	1518	CA	GLN	75	78.212	23.099	5.618	1.00	26.61	CPS2
ATOM	1519	CB	GLN	75	79.212	22.115	4.998	1.00	26.65	CPS2
ATOM	1520	CG	GLN	75	78.580	21.089	4.063	1.00	27.20	CPS2
ATOM	1521	CD	GLN	75	77.513	20.259	4.742	1.00	26.33	CPS2
ATOM	1522	OE1	GLN	75	77.695	19.797	5.864	1.00	26.93	CPS2
ATOM	1523	NE2	GLN	75	76.390	20.057	4.056	1.00	27.72	CPS2
ATOM	1524	C	GLN	75	78.918	23.944	6.674	1.00	27.33	CPS2
ATOM	1525	O	GLN	75	79.380	23.413	7.684	1.00	30.23	CPS2
ATOM	1526	N	ASP	76	79.020	25.250	6.455	1.00	28.01	CPS2
ATOM	1527	CA	ASP	76	79.676	26.113	7.441	1.00	26.83	CPS2
ATOM	1528	CB	ASP	76	80.334	27.317	6.769	1.00	28.17	CPS2
ATOM	1529	CG	ASP	76	81.508	26.933	5.900	1.00	29.80	CPS2
ATOM	1530	OD1	ASP	76	82.291	26.066	6.330	1.00	29.26	CPS2
ATOM	1531	OD2	ASP	76	81.649	27.514	4.800	1.00	30.74	CPS2
ATOM	1532	C	ASP	76	78.657	26.648	8.429	1.00	27.59	CPS2
ATOM	1533	O	ASP	76	79.015	27.306	9.412	1.00	26.97	CPS2
ATOM	1534	N	ILE	77	77.389	26.352	8.164	1.00	26.05	CPS2
ATOM	1535	CA	ILE	77	76.280	26.859	8.970	1.00	25.04	CPS2
ATOM	1536	CB	ILE	77	75.306	27.678	8.079	1.00	23.67	CPS2
ATOM	1537	CG2	ILE	77	74.270	28.414	8.942	1.00	24.94	CPS2
ATOM	1538	CG1	ILE	77	76.085	28.674	7.218	1.00	23.77	CPS2

ATOM	1539	CD1	ILE	77	75.276	29.187	6.019	1.00	23.94	CPS2
ATOM	1540	C	ILE	77	75.487	25.717	9.586	1.00	25.85	CPS2
ATOM	1541	O	ILE	77	75.077	24.796	8.887	1.00	26.62	CPS2
ATOM	1542	N	GLU	78	75.260	25.773	10.892	1.00	24.57	CPS2
ATOM	1543	CA	GLU	78	74.483	24.727	11.529	1.00	24.12	CPS2
ATOM	1544	CB	GLU	78	75.366	23.875	12.450	1.00	24.96	CPS2
ATOM	1545	CG	GLU	78	74.631	22.661	13.039	1.00	26.74	CPS2
ATOM	1546	CD	GLU	78	75.579	21.638	13.643	1.00	30.06	CPS2
ATOM	1547	OE1	GLU	78	75.989	21.815	14.805	1.00	30.41	CPS2
ATOM	1548	OE2	GLU	78	75.930	20.656	12.942	1.00	30.57	CPS2
ATOM	1549	C	GLU	78	73.314	25.285	12.326	1.00	25.19	CPS2
ATOM	1550	O	GLU	78	73.467	26.243	13.096	1.00	24.62	CPS2
ATOM	1551	N	ILE	79	72.139	24.697	12.124	1.00	23.01	CPS2
ATOM	1552	CA	ILE	79	70.969	25.113	12.866	1.00	22.64	CPS2
ATOM	1553	CB	ILE	79	69.673	25.081	12.014	1.00	23.46	CPS2
ATOM	1554	CG2	ILE	79	68.519	25.648	12.832	1.00	25.86	CPS2
ATOM	1555	CG1	ILE	79	69.868	25.835	10.688	1.00	25.21	CPS2
ATOM	1556	CD1	ILE	79	70.337	27.256	10.820	1.00	27.02	CPS2
ATOM	1557	C	ILE	79	70.832	24.078	13.970	1.00	23.01	CPS2
ATOM	1558	O	ILE	79	70.679	22.882	13.691	1.00	22.93	CPS2
ATOM	1559	N	ARG	80	70.912	24.524	15.217	1.00	21.65	CPS2
ATOM	1560	CA	ARG	80	70.765	23.624	16.348	1.00	23.25	CPS2
ATOM	1561	CB	ARG	80	71.928	23.793	17.322	1.00	22.55	CPS2
ATOM	1562	CG	ARG	80	73.275	23.474	16.692	1.00	22.62	CPS2
ATOM	1563	CD	ARG	80	74.373	23.461	17.742	1.00	22.35	CPS2
ATOM	1564	NE	ARG	80	75.680	23.201	17.147	1.00	21.40	CPS2
ATOM	1565	CZ	ARG	80	76.820	23.280	17.823	1.00	22.68	CPS2
ATOM	1566	NH1	ARG	80	76.802	23.614	19.110	1.00	20.04	CPS2
ATOM	1567	NH2	ARG	80	77.971	23.020	17.216	1.00	22.34	CPS2
ATOM	1568	C	ARG	80	69.456	23.947	17.044	1.00	24.16	CPS2
ATOM	1569	O	ARG	80	68.837	24.965	16.757	1.00	23.92	CPS2
ATOM	1570	N	LYS	81	69.028	23.074	17.947	1.00	26.40	CPS2
ATOM	1571	CA	LYS	81	67.789	23.290	18.684	1.00	27.93	CPS2
ATOM	1572	CB	LYS	81	66.840	22.108	18.466	1.00	30.60	CPS2
ATOM	1573	CG	LYS	81	66.517	21.865	17.000	1.00	32.31	CPS2
ATOM	1574	CD	LYS	81	65.759	20.561	16.767	1.00	36.54	CPS2
ATOM	1575	CE	LYS	81	64.326	20.645	17.248	1.00	39.00	CPS2
ATOM	1576	NZ	LYS	81	63.553	19.423	16.848	1.00	41.89	CPS2
ATOM	1577	C	LYS	81	68.113	23.428	20.168	1.00	28.77	CPS2
ATOM	1578	O	LYS	81	68.933	22.671	20.696	1.00	28.58	CPS2
ATOM	1579	N	ASP	82	67.487	24.391	20.837	1.00	27.27	CPS2
ATOM	1580	CA	ASP	82	67.741	24.576	22.258	1.00	29.97	CPS2
ATOM	1581	CB	ASP	82	67.521	26.039	22.666	1.00	28.54	CPS2
ATOM	1582	CG	ASP	82	66.074	26.488	22.541	1.00	30.11	CPS2
ATOM	1583	OD1	ASP	82	65.846	27.715	22.575	1.00	28.52	CPS2
ATOM	1584	OD2	ASP	82	65.170	25.633	22.424	1.00	30.87	CPS2
ATOM	1585	C	ASP	82	66.887	23.619	23.095	1.00	30.91	CPS2
ATOM	1586	O	ASP	82	66.268	22.707	22.546	1.00	30.68	CPS2
ATOM	1587	N	GLN	83	66.867	23.819	24.411	1.00	33.59	CPS2
ATOM	1588	CA	GLN	83	66.120	22.941	25.313	1.00	36.28	CPS2
ATOM	1589	CB	GLN	83	66.334	23.356	26.772	1.00	37.73	CPS2
ATOM	1590	CG	GLN	83	65.575	24.608	27.198	1.00	41.41	CPS2
ATOM	1591	CD	GLN	83	66.435	25.862	27.228	1.00	43.65	CPS2
ATOM	1592	OE1	GLN	83	66.892	26.355	26.187	1.00	44.27	CPS2
ATOM	1593	NE2	GLN	83	66.659	26.389	28.432	1.00	43.27	CPS2
ATOM	1594	C	GLN	83	64.626	22.892	25.022	1.00	37.29	CPS2
ATOM	1595	O	GLN	83	63.943	21.933	25.398	1.00	38.48	CPS2



ATOM	1596	N	ASN	84	64.120	23.927	24.362	1.00	36.62	CPS2
ATOM	1597	CA	ASN	84	62.707	23.996	24.024	1.00	36.63	CPS2
ATOM	1598	CB	ASN	84	62.168	25.389	24.347	1.00	37.40	CPS2
ATOM	1599	CG	ASN	84	62.263	25.716	25.828	1.00	38.82	CPS2
ATOM	1600	OD1	ASN	84	61.807	24.945	26.675	1.00	39.51	CPS2
ATOM	1601	ND2	ASN	84	62.856	26.857	26.148	1.00	38.34	CPS2
ATOM	1602	C	ASN	84	62.456	23.661	22.556	1.00	36.23	CPS2
ATOM	1603	O	ASN	84	61.345	23.839	22.052	1.00	36.16	CPS2
ATOM	1604	N	GLY	85	63.492	23.173	21.879	1.00	34.68	CPS2
ATOM	1605	CA	GLY	85	63.370	22.814	20.476	1.00	33.60	CPS2
ATOM	1606	C	GLY	85	63.425	23.999	19.523	1.00	32.91	CPS2
ATOM	1607	O	GLY	85	63.210	23.841	18.323	1.00	34.92	CPS2
ATOM	1608	N	LYS	86	63.726	25.184	20.041	1.00	31.20	CPS2
ATOM	1609	CA	LYS	86	63.781	26.379	19.203	1.00	29.67	CPS2
ATOM	1610	CB	LYS	86	63.454	27.605	20.052	1.00	31.80	CPS2
ATOM	1611	CG	LYS	86	62.137	27.394	20.790	1.00	34.73	CPS2
ATOM	1612	CD	LYS	86	61.614	28.628	21.486	1.00	39.19	CPS2
ATOM	1613	CE	LYS	86	60.239	28.331	22.094	1.00	41.01	CPS2
ATOM	1614	NZ	LYS	86	59.558	29.559	22.592	1.00	43.57	CPS2
ATOM	1615	C	LYS	86	65.144	26.492	18.541	1.00	28.23	CPS2
ATOM	1616	O	LYS	86	66.169	26.212	19.159	1.00	27.95	CPS2
ATOM	1617	N	PRO	87	65.173	26.922	17.272	1.00	27.01	CPS2
ATOM	1618	CD	PRO	87	64.035	27.381	16.447	1.00	26.75	CPS2
ATOM	1619	CA	PRO	87	66.427	27.050	16.534	1.00	25.49	CPS2
ATOM	1620	CB	PRO	87	65.951	27.164	15.085	1.00	25.44	CPS2
ATOM	1621	CG	PRO	87	64.735	28.043	15.239	1.00	27.74	CPS2
ATOM	1622	C	PRO	87	67.379	28.185	16.881	1.00	24.72	CPS2
ATOM	1623	O	PRO	87	66.979	29.270	17.306	1.00	23.36	CPS2
ATOM	1624	N	TYR	88	68.664	27.904	16.716	1.00	22.58	CPS2
ATOM	1625	CA	TYR	88	69.685	28.924	16.879	1.00	22.24	CPS2
ATOM	1626	CB	TYR	88	70.208	29.052	18.324	1.00	22.46	CPS2
ATOM	1627	CG	TYR	88	70.921	27.860	18.913	1.00	21.40	CPS2
ATOM	1628	CD1	TYR	88	70.213	26.859	19.577	1.00	21.74	CPS2
ATOM	1629	CE1	TYR	88	70.881	25.796	20.194	1.00	21.69	CPS2
ATOM	1630	CD2	TYR	88	72.317	27.769	18.871	1.00	21.96	CPS2
ATOM	1631	CE2	TYR	88	72.989	26.708	19.480	1.00	20.78	CPS2
ATOM	1632	CZ	TYR	88	72.262	25.731	20.141	1.00	21.27	CPS2
ATOM	1633	OH	TYR	88	72.923	24.699	20.772	1.00	20.50	CPS2
ATOM	1634	C	TYR	88	70.781	28.522	15.912	1.00	22.02	CPS2
ATOM	1635	O	TYR	88	70.897	27.352	15.550	1.00	23.05	CPS2
ATOM	1636	N	ILE	89	71.577	29.485	15.480	1.00	21.04	CPS2
ATOM	1637	CA	ILE	89	72.623	29.198	14.524	1.00	21.06	CPS2
ATOM										



ATOM	1710	C	VAL	99	72.209	35.335	16.054	1.00	22.87	CPS2
ATOM	1711	O	VAL	99	72.034	34.549	16.980	1.00	23.69	CPS2
ATOM	1712	N	HIS	100	71.208	35.941	15.430	1.00	21.88	CPS2
ATOM	1713	CA	HIS	100	69.819	35.685	15.800	1.00	20.93	CPS2
ATOM	1714	CB	HIS	100	69.152	36.987	16.248	1.00	22.65	CPS2
ATOM	1715	CG	HIS	100	69.930	37.726	17.296	1.00	24.71	CPS2
ATOM	1716	CD2	HIS	100	70.837	38.727	17.191	1.00	26.85	CPS2
ATOM	1717	ND1	HIS	100	69.841	37.430	18.639	1.00	26.27	CPS2
ATOM	1718	CE1	HIS	100	70.658	38.217	19.318	1.00	28.01	CPS2
ATOM	1719	NE2	HIS	100	71.276	39.012	18.462	1.00	25.52	CPS2
ATOM	1720	C	HIS	100	69.124	35.150	14.553	1.00	19.66	CPS2
ATOM	1721	O	HIS	100	69.414	35.596	13.445	1.00	19.28	CPS2
ATOM	1722	N	VAL	101	68.208	34.203	14.729	1.00	20.06	CPS2
ATOM	1723	CA	VAL	101	67.500	33.628	13.586	1.00	18.60	CPS2
ATOM	1724	CB	VAL	101	68.111	32.251	13.166	1.00	18.24	CPS2
ATOM	1725	CG1	VAL	101	67.973	31.236	14.313	1.00	19.48	CPS2
ATOM	1726	CG2	VAL	101	67.436	31.719	11.884	1.00	16.59	CPS2
ATOM	1727	C	VAL	101	66.053	33.403	13.982	1.00	19.22	CPS2
ATOM	1728	O	VAL	101	65.753	33.247	15.160	1.00	20.38	CPS2
ATOM	1729	N	SER	102	65.155	33.451	13.001	1.00	18.44	CPS2
ATOM	1730	CA	SER	102	63.748	33.140	13.241	1.00	18.74	CPS2
ATOM	1731	CB	SER	102	62.900	34.393	13.455	1.00	18.54	CPS2
ATOM	1732	OG	SER	102	61.588	33.984	13.804	1.00	18.22	CPS2
ATOM	1733	C	SER	102	63.270	32.398	12.006	1.00	18.15	CPS2
ATOM	1734	O	SER	102	63.568	32.801	10.883	1.00	18.21	CPS2
ATOM	1735	N	ILE	103	62.552	31.300	12.207	1.00	18.86	CPS2
ATOM	1736	CA	ILE	103	62.054	30.511	11.079	1.00	18.76	CPS2
ATOM	1737	CB	ILE	103	62.653	29.079	11.109	1.00	19.67	CPS2
ATOM	1738	CG2	ILE	103	62.224	28.298	9.869	1.00	21.39	CPS2
ATOM	1739	CG1	ILE	103	64.184	29.155	11.156	1.00	19.93	CPS2
ATOM	1740	CD1	ILE	103	64.862	27.789	11.269	1.00	21.07	CPS2
ATOM	1741	C	ILE	103	60.537	30.418	11.198	1.00	19.92	CPS2
ATOM	1742	O	ILE	103	60.004	30.291	12.307	1.00	21.12	CPS2
ATOM	1743	N	THR	104	59.840	30.486	10.066	1.00	19.86	CPS2
ATOM	1744	CA	THR	104	58.388	30.396	10.077	1.00	19.62	CPS2
ATOM	1745	CB	THR	104	57.743	31.799	9.944	1.00	21.91	CPS2
ATOM	1746	OG1	THR	104	56.323	31.708	10.159	1.00	22.12	CPS2
ATOM	1747	CG2	THR	104	58.018	32.390	8.573	1.00	20.48	CPS2
ATOM	1748	C	THR	104	57.945	29.487	8.934	1.00	20.91	CPS2
ATOM	1749	O	THR	104	58.722	29.210	8.016	1.00	18.89	CPS2
ATOM	1750	N	HIS	105	56.705	29.015	8.999	1.00	20.52	CPS2
ATOM	1751	CA	HIS	105	56.179	28.108	7.973	1.00	24.14	CPS2
ATOM	1752	CB	HIS	105	56.224	26.647	8.474	1.00	27.48	CPS2
ATOM	1753	CG	HIS	105	57.594	26.134	8.811	1.00	32.26	CPS2
ATOM	1754	CD2	HIS	105	58.267	26.095	9.987	1.00	33.69	CPS2
ATOM	1755	ND1	HIS	105	58.428	25.559	7.874	1.00	34.33	CPS2
ATOM	1756	CE1	HIS	105	59.555	25.191	8.457	1.00	33.58	CPS2
ATOM	1757	NE2	HIS	105	59.484	25.504	9.738	1.00	34.93	CPS2
ATOM	1758	C	HIS	105	54.702	28.393	7.653	1.00	23.87	CPS2
ATOM	1759	O	HIS	105	53.974	28.944	8.476	1.00	23.81	CPS2
ATOM	1760	N	THR	106	54.284	28.013	6.449	1.00	23.91	CPS2
ATOM	1761	CA	THR	106	52.875	28.065	6.054	1.00	24.84	CPS2
ATOM	1762	CB	THR	106	52.484	29.199	5.058	1.00	24.13	CPS2
ATOM	1763	OG1	THR	106	53.116	28.984	3.792	1.00	25.72	CPS2
ATOM	1764	CG2	THR	106	52.841	30.571	5.616	1.00	24.87	CPS2
ATOM	1765	C	THR	106	52.737	26.722	5.339	1.00	26.22	CPS2
ATOM	1766	O	THR	106	53.716	25.971	5.224	1.00	25.93	CPS2



[illegible]

ATOM	1824	CG1	VAL	114	71.288	35.715	10.406	1.00	20.55	CPS2
ATOM	1825	CG2	VAL	114	69.575	34.007	9.753	1.00	20.65	CPS2
ATOM	1826	C	VAL	114	69.369	37.757	10.551	1.00	18.95	CPS2
ATOM	1827	O	VAL	114	69.283	38.595	9.653	1.00	18.70	CPS2
ATOM	1828	N	VAL	115	69.918	38.015	11.733	1.00	18.92	CPS2
ATOM	1829	CA	VAL	115	70.580	39.291	11.989	1.00	19.34	CPS2
ATOM	1830	CB	VAL	115	69.805	40.208	12.970	1.00	19.17	CPS2
ATOM	1831	CG1	VAL	115	70.668	41.445	13.298	1.00	20.91	CPS2
ATOM	1832	CG2	VAL	115	68.499	40.688	12.334	1.00	18.48	CPS2
ATOM	1833	C	VAL	115	71.915	38.927	12.633	1.00	21.35	CPS2
ATOM	1834	O	VAL	115	71.949	38.164	13.590	1.00	21.11	CPS2
ATOM	1835	N	ILE	116	73.009	39.428	12.074	1.00	22.97	CPS2
ATOM	1836	CA	ILE	116	74.333	39.174	12.641	1.00	25.35	CPS2
ATOM	1837	CB	ILE	116	75.359	38.779	11.554	1.00	24.57	CPS2
ATOM	1838	CG2	ILE	116	76.752	38.641	12.177	1.00	25.34	CPS2
ATOM	1839	CG1	ILE	116	74.945	37.468	10.880	1.00	23.64	CPS2
ATOM	1840	CD1	ILE	116	75.862	37.065	9.734	1.00	24.45	CPS2
ATOM	1841	C	ILE	116	74.763	40.511	13.243	1.00	27.82	CPS2
ATOM	1842	O	ILE	116	74.692	41.531	12.569	1.00	26.14	CPS2
ATOM	1843	N	GLU	117	75.176	40.508	14.508	1.00	31.83	CPS2
ATOM	1844	CA	GLU	117	75.620	41.741	15.162	1.00	38.95	CPS2
ATOM	1845	CB	GLU	117	75.075	41.848	16.583	1.00	40.48	CPS2
ATOM	1846	CG	GLU	117	73.585	41.670	16.763	1.00	42.57	CPS2
ATOM	1847	CD	GLU	117	73.180	41.900	18.211	1.00	43.48	CPS2
ATOM	1848	OE1	GLU	117	73.040	43.075	18.613	1.00	45.02	CPS2
ATOM	1849	OE2	GLU	117	73.029	40.909	18.956	1.00	43.86	CPS2
ATOM	1850	C	GLU	117	77.140	41.701	15.260	1.00	42.69	CPS2
ATOM	1851	O	GLU	117	77.707	40.665	15.598	1.00	44.02	CPS2
ATOM	1852	N	ARG	118	77.803	42.820	14.989	1.00	46.91	CPS2
ATOM	1853	CA	ARG	118	79.259	42.843	15.069	1.00	50.26	CPS2
ATOM	1854	CB	ARG	118	79.824	43.901	14.124	1.00	52.17	CPS2
ATOM	1855	CG	ARG	118	79.547	45.337	14.529	1.00	54.69	CPS2
ATOM	1856	CD	ARG	118	79.478	46.208	13.288	1.00	57.22	CPS2
ATOM	1857	NE	ARG	118	80.501	45.827	12.319	1.00	59.20	CPS2
ATOM	1858	CZ	ARG	118	80.479	46.170	11.034	1.00	60.31	CPS2
ATOM	1859	NH1	ARG	118	79.483	46.906	10.556	1.00	60.38	CPS2
ATOM	1860	NH2	ARG	118	81.451	45.769	10.224	1.00	60.45	CPS2
ATOM	1861	C	ARG	118	79.722	43.108	16.499	1.00	51.12	CPS2
ATOM	1862	OT1	ARG	118	78.849	43.285	17.380	1.00	51.54	CPS2
ATOM	1863	OT2	ARG	118	80.952	43.125	16.721	1.00	52.39	CPS2
ATOM	1864	C	GLY	1	70.826	44.611	21.183	1.00	31.20	CPS3
ATOM	1865	O	GLY	1	69.832	44.954	21.818	1.00	30.54	CPS3
ATOM	1866	N	GLY	1	72.197	46.046	22.695	1.00	34.55	CPS3
ATOM	1867	CA	GLY	1	72.168	45.285	21.411	1.00	32.26	CPS3
ATOM	1868	N	ILE	2	70.797	43.643	20.274	1.00	29.14	CPS3
ATOM	1869	CA	ILE	2	69.562	42.935	19.973	1.00	27.23	CPS3
ATOM	1870	CB	ILE	2	69.544	42.452	18.510	1.00	28.42	CPS3
ATOM	1871	CG2	ILE	2	68.334	41.538	18.271	1.00	29.40	CPS3
ATOM	1872	CG1	ILE	2	69.495	43.670	17.576	1.00	28.86	CPS3
ATOM	1873	CD1	ILE	2	69.507	43.331	16.115	1.00	31.24	CPS3
ATOM	1874	C	ILE	2	69.332	41.748	20.883	1.00	26.26	CPS3
ATOM	1875	O	ILE	2	70.213	40.893	21.040	1.00	25.80	CPS3
ATOM	1876	N	TYR	3	68.147	41.713	21.489	1.00	24.05	CPS3
ATOM	1877	CA	TYR	3	67.752	40.622	22.369	1.00	24.41	CPS3
ATOM	1878	CB	TYR	3	66.682	41.080	23.352	1.00	26.14	CPS3
ATOM	1879	CG	TYR	3	66.254	39.967	24.268	1.00	28.89	CPS3
ATOM	1880	CD1	TYR	3	67.098	39.514	25.290	1.00	29.65	CPS3

ATOM	1881	CE1	TYR	3	66.736	38.442	26.092	1.00	32.21	CPS3
ATOM	1882	CD2	TYR	3	65.037	39.316	24.080	1.00	29.35	CPS3
ATOM	1883	CE2	TYR	3	64.667	38.235	24.883	1.00	31.35	CPS3
ATOM	1884	CZ	TYR	3	65.520	37.806	25.881	1.00	32.89	CPS3
ATOM	1885	OH	TYR	3	65.160	36.730	26.660	1.00	35.01	CPS3
ATOM	1886	C	TYR	3	67.190	39.454	21.551	1.00	23.32	CPS3
ATOM	1887	O	TYR	3	67.604	38.305	21.720	1.00	22.34	CPS3
ATOM	1888	N	GLY	4	66.240	39.755	20.667	1.00	21.28	CPS3
ATOM	1889	CA	GLY	4	65.655	38.705	19.848	1.00	20.37	CPS3
ATOM	1890	C	GLY	4	64.945	39.231	18.614	1.00	18.42	CPS3
ATOM	1891	O	GLY	4	64.636	40.411	18.527	1.00	18.04	CPS3
ATOM	1892	N	ILE	5	64.694	38.350	17.656	1.00	17.82	CPS3
ATOM	1893	CA	ILE	5	63.990	38.736	16.432	1.00	17.02	CPS3
ATOM	1894	CB	ILE	5	64.939	38.802	15.206	1.00	16.53	CPS3
ATOM	1895	CG2	ILE	5	66.110	39.753	15.514	1.00	17.11	CPS3
ATOM	1896	CG1	ILE	5	65.457	37.398	14.841	1.00	16.93	CPS3
ATOM	1897	CD1	ILE	5	66.404	37.390	13.622	1.00	18.91	CPS3
ATOM	1898	C	ILE	5	62.932	37.669	16.202	1.00	17.16	CPS3
ATOM	1899	O	ILE	5	63.033	36.555	16.737	1.00	16.49	CPS3
ATOM	1900	N	GLY	6	61.900	38.010	15.441	1.00	16.65	CPS3
ATOM	1901	CA	GLY	6	60.847	37.041	15.187	1.00	17.04	CPS3
ATOM	1902	C	GLY	6	60.217	37.338	13.844	1.00	17.86	CPS3
ATOM	1903	O	GLY	6	60.070	38.500	13.472	1.00	16.46	CPS3
ATOM	1904	N	LEU	7	59.865	36.283	13.110	1.00	18.17	CPS3
ATOM	1905	CA	LEU	7	59.257	36.432	11.795	1.00	18.15	CPS3
ATOM	1906	CB	LEU	7	60.258	36.047	10.698	1.00	17.40	CPS3
ATOM	1907	CG	LEU	7	59.723	35.991	9.257	1.00	17.71	CPS3
ATOM	1908	CD1	LEU	7	59.370	37.420	8.785	1.00	18.00	CPS3
ATOM	1909	CD2	LEU	7	60.775	35.357	8.330	1.00	18.26	CPS3
ATOM	1910	C	LEU	7	58.068	35.482	11.718	1.00	18.31	CPS3
ATOM	1911	O	LEU	7	58.121	34.371	12.236	1.00	18.61	CPS3
ATOM	1912	N	ASP	8	56.992	35.923	11.083	1.00	18.46	CPS3
ATOM	1913	CA	ASP	8	55.849	35.043	10.911	1.00	18.86	CPS3
ATOM	1914	CB	ASP	8	54.871	35.157	12.082	1.00	19.63	CPS3
ATOM	1915	CG	ASP	8	53.642	34.294	11.881	1.00	22.43	CPS3
ATOM	1916	OD1	ASP	8	52.653	34.768	11.281	1.00	23.32	CPS3
ATOM	1917	OD2	ASP	8	53.683	33.126	12.294	1.00	24.61	CPS3
ATOM	1918	C	ASP	8	55.107	35.350	9.632	1.00	19.01	CPS3
ATOM	1919	O	ASP	8	54.955	36.507	9.251	1.00	19.92	CPS3
ATOM	1920	N	ILE	9	54.671	34.302	8.946	1.00	18.64	CPS3
ATOM	1921	CA	ILE	9	53.871	34.490	7.747	1.00	20.14	CPS3
ATOM	1922	CB	ILE	9	54.565	33.982	6.468	1.00	19.98	CPS3
ATOM	1923	CG2	ILE	9	53.605	34.144				

ATOM	1938	CG	GLU	11	46.898	30.463	3.793	1.00	29.78	CPS3
ATOM	1939	CD	GLU	11	46.798	28.980	3.481	1.00	32.43	CPS3
ATOM	1940	OE1	GLU	11	47.101	28.151	4.373	1.00	34.21	CPS3
ATOM	1941	OE2	GLU	11	46.396	28.643	2.346	1.00	34.51	CPS3
ATOM	1942	C	GLU	11	46.502	32.708	5.771	1.00	25.06	CPS3
ATOM	1943	O	GLU	11	45.922	32.173	6.714	1.00	25.54	CPS3
ATOM	1944	N	LEU	12	45.963	33.701	5.069	1.00	25.35	CPS3
ATOM	1945	CA	LEU	12	44.642	34.234	5.403	1.00	26.43	CPS3
ATOM	1946	CB	LEU	12	44.225	35.329	4.408	1.00	28.34	CPS3
ATOM	1947	CG	LEU	12	44.432	36.787	4.846	1.00	30.12	CPS3
ATOM	1948	CD1	LEU	12	45.896	37.051	5.095	1.00	29.84	CPS3
ATOM	1949	CD2	LEU	12	43.898	37.731	3.771	1.00	31.67	CPS3
ATOM	1950	C	LEU	12	43.552	33.163	5.459	1.00	27.18	CPS3
ATOM	1951	O	LEU	12	42.700	33.183	6.350	1.00	25.07	CPS3
ATOM	1952	N	ALA	13	43.585	32.231	4.511	1.00	26.60	CPS3
ATOM	1953	CA	ALA	13	42.602	31.160	4.467	1.00	27.39	CPS3
ATOM	1954	CB	ALA	13	42.836	30.296	3.227	1.00	28.53	CPS3
ATOM	1955	C	ALA	13	42.616	30.293	5.730	1.00	28.85	CPS3
ATOM	1956	O	ALA	13	41.569	29.793	6.158	1.00	29.11	CPS3
ATOM	1957	N	ARG	14	43.790	30.115	6.332	1.00	28.68	CPS3
ATOM	1958	CA	ARG	14	43.898	29.303	7.536	1.00	29.64	CPS3
ATOM	1959	CB	ARG	14	45.361	28.961	7.844	1.00	31.16	CPS3
ATOM	1960	CG	ARG	14	45.520	27.811	8.831	1.00	33.62	CPS3
ATOM	1961	CD	ARG	14	46.961	27.333	8.931	1.00	36.46	CPS3
ATOM	1962	NE	ARG	14	47.813	28.263	9.669	1.00	39.10	CPS3
ATOM	1963	CZ	ARG	14	47.809	28.400	10.993	1.00	39.42	CPS3
ATOM	1964	NH1	ARG	14	46.998	27.665	11.741	1.00	41.04	CPS3
ATOM	1965	NH2	ARG	14	48.618	29.273	11.572	1.00	39.96	CPS3
ATOM	1966	C	ARG	14	43.277	30.067	8.693	1.00	30.10	CPS3
ATOM	1967	O	ARG	14	42.619	29.473	9.549	1.00	30.68	CPS3
ATOM	1968	N	ILE	15	43.490	31.382	8.721	1.00	28.50	CPS3
ATOM	1969	CA	ILE	15	42.904	32.220	9.765	1.00	29.44	CPS3
ATOM	1970	CB	ILE	15	43.322	33.708	9.611	1.00	28.52	CPS3
ATOM	1971	CG2	ILE	15	42.492	34.596	10.544	1.00	27.32	CPS3
ATOM	1972	CG1	ILE	15	44.809	33.865	9.955	1.00	27.87	CPS3
ATOM	1973	CD1	ILE	15	45.145	33.454	11.384	1.00	29.13	CPS3
ATOM	1974	C	ILE	15	41.383	32.116	9.656	1.00	30.89	CPS3
ATOM	1975	O	ILE	15	40.689	31.904	10.654	1.00	31.81	CPS3
ATOM	1976	N	ALA	16	40.868	32.271	8.439	1.00	31.30	CPS3
ATOM	1977	CA	ALA	16	39.427	32.180	8.223	1.00	33.08	CPS3
ATOM	1978	CB	ALA	16	39.096	32.463	6.760	1.00	33.09	CPS3
ATOM	1979	C	ALA	16	38.902	30.802	8.634	1.00	34.30	CPS3
ATOM	1980	O	ALA	16	37.800	30.695	9.169	1.00	35.45	CPS3
ATOM	1981	N	SER	17	39.689	29.753	8.395	1.00	35.66	CPS3
ATOM	1982	CA	SER	17	39.282	28.396	8.764	1.00	38.32	CPS3
ATOM	1983	CB	SER	17	40.271	27.356	8.227	1.00	39.07	CPS3
ATOM	1984	OG	SER	17	40.290	27.332	6.810	1.00	40.78	CPS3
ATOM	1985	C	SER	17	39.187	28.242	10.277	1.00	40.41	CPS3
ATOM	1986	O	SER	17	38.202	27.704	10.789	1.00	40.87	CPS3
ATOM	1987	N	MET	18	40.215	28.704	10.989	1.00	41.04	CPS3
ATOM	1988	CA	MET	18	40.238	28.621	12.449	1.00	42.44	CPS3
ATOM	1989	CB	MET	18	41.582	29.110	13.004	1.00	42.96	CPS3
ATOM	1990	CG	MET	18	42.774	28.251	12.617	1.00	44.33	CPS3
ATOM	1991	SD	MET	18	44.266	28.670	13.558	1.00	48.01	CPS3
ATOM	1992	CE	MET	18	44.718	30.192	12.791	1.00	43.96	CPS3
ATOM	1993	C	MET	18	39.115	29.448	13.055	1.00	42.50	CPS3
ATOM	1994	O	MET	18	38.472	29.026	14.014	1.00	43.21	CPS3

ATOM	1995	N	ALA	19	38.886	30.629	12.496	1.00	43.10	CPS3
ATOM	1996	CA	ALA	19	37.838	31.517	12.981	1.00	44.50	CPS3
ATOM	1997	CB	ALA	19	37.901	32.844	12.233	1.00	45.06	CPS3
ATOM	1998	C	ALA	19	36.453	30.889	12.816	1.00	46.48	CPS3
ATOM	1999	O	ALA	19	35.541	31.155	13.603	1.00	46.54	CPS3
ATOM	2000	N	GLY	20	36.296	30.061	11.788	1.00	47.19	CPS3
ATOM	2001	CA	GLY	20	35.015	29.417	11.558	1.00	48.52	CPS3
ATOM	2002	C	GLY	20	34.838	28.190	12.429	1.00	48.97	CPS3
ATOM	2003	O	GLY	20	33.754	27.928	12.945	1.00	49.64	CPS3
ATOM	2004	N	ARG	21	35.921	27.443	12.599	1.00	49.96	CPS3
ATOM	2005	CA	ARG	21	35.915	26.227	13.397	1.00	50.93	CPS3
ATOM	2006	CB	ARG	21	37.083	25.336	12.963	1.00	52.93	CPS3
ATOM	2007	CG	ARG	21	37.367	24.152	13.872	1.00	55.96	CPS3
ATOM	2008	CD	ARG	21	36.136	23.278	14.055	1.00	58.49	CPS3
ATOM	2009	NE	ARG	21	36.396	22.145	14.940	1.00	60.33	CPS3
ATOM	2010	CZ	ARG	21	35.448	21.371	15.457	1.00	60.98	CPS3
ATOM	2011	NH1	ARG	21	34.171	21.611	15.179	1.00	61.06	CPS3
ATOM	2012	NH2	ARG	21	35.776	20.356	16.247	1.00	61.52	CPS3
ATOM	2013	C	ARG	21	35.987	26.469	14.904	1.00	51.00	CPS3
ATOM	2014	O	ARG	21	35.437	25.698	15.693	1.00	51.31	CPS3
ATOM	2015	N	GLN	22	36.655	27.543	15.307	1.00	50.09	CPS3
ATOM	2016	CA	GLN	22	36.807	27.835	16.725	1.00	49.10	CPS3
ATOM	2017	CB	GLN	22	38.224	28.330	17.011	1.00	48.88	CPS3
ATOM	2018	CG	GLN	22	39.273	27.241	16.967	1.00	49.46	CPS3
ATOM	2019	CD	GLN	22	40.653	27.759	17.297	1.00	49.87	CPS3
ATOM	2020	OE1	GLN	22	40.828	28.529	18.242	1.00	50.04	CPS3
ATOM	2021	NE2	GLN	22	41.648	27.330	16.526	1.00	50.52	CPS3
ATOM	2022	C	GLN	22	35.822	28.816	17.328	1.00	47.67	CPS3
ATOM	2023	O	GLN	22	35.309	29.716	16.660	1.00	48.35	CPS3
ATOM	2024	N	LYS	23	35.580	28.626	18.619	1.00	46.19	CPS3
ATOM	2025	CA	LYS	23	34.683	29.477	19.384	1.00	44.06	CPS3
ATOM	2026	CB	LYS	23	34.086	28.701	20.569	1.00	45.41	CPS3
ATOM	2027	CG	LYS	23	34.474	27.218	20.651	1.00	48.30	CPS3
ATOM	2028	CD	LYS	23	35.983	27.019	20.828	1.00	50.15	CPS3
ATOM	2029	CE	LYS	23	36.341	25.554	21.037	1.00	51.50	CPS3
ATOM	2030	NZ	LYS	23	35.720	25.007	22.285	1.00	51.24	CPS3
ATOM	2031	C	LYS	23	35.490	30.659	19.918	1.00	40.79	CPS3
ATOM	2032	O	LYS	23	36.523	30.457	20.558	1.00	40.61	CPS3
ATOM	2033	N	ARG	24	35.029	31.878	19.630	1.00	36.53	CPS3
ATOM	2034	CA	ARG	24	35.671	33.110	20.103	1.00	33.31	CPS3
ATOM	2035	CB	ARG	24	35.675	33.153	21.630	1.00	32.78	CPS3
ATOM	2036	CG	ARG	24	34.367	32.793	22.310	1.00	34.25	CPS3
ATOM										



[illegible]

ATOM	2052	CZ	PHE	25	42.997	32.570	15.059	1.00	29.47	CPS3
ATOM	2053	C	PHE	25	39.325	34.455	17.992	1.00	27.06	CPS3
ATOM	2054	O	PHE	25	40.394	34.716	18.531	1.00	27.13	CPS3
ATOM	2055	N	ALA	26	38.569	35.394	17.433	1.00	27.40	CPS3
ATOM	2056	CA	ALA	26	38.996	36.793	17.441	1.00	26.90	CPS3
ATOM	2057	CB	ALA	26	37.987	37.661	16.692	1.00	27.98	CPS3
ATOM	2058	C	ALA	26	39.174	37.302	18.869	1.00	26.90	CPS3
ATOM	2059	O	ALA	26	40.131	38.027	19.170	1.00	25.61	CPS3
ATOM	2060	N	GLU	27	38.254	36.912	19.753	1.00	25.63	CPS3
ATOM	2061	CA	GLU	27	38.314	37.329	21.143	1.00	25.29	CPS3
ATOM	2062	CB	GLU	27	37.070	36.864	21.908	1.00	25.87	CPS3
ATOM	2063	CG	GLU	27	35.815	37.656	21.612	1.00	26.46	CPS3
ATOM	2064	CD	GLU	27	35.199	37.336	20.266	1.00	28.64	CPS3
ATOM	2065	OE1	GLU	27	35.569	36.324	19.633	1.00	29.62	CPS3
ATOM	2066	OE2	GLU	27	34.319	38.106	19.845	1.00	31.82	CPS3
ATOM	2067	C	GLU	27	39.548	36.770	21.835	1.00	24.48	CPS3
ATOM	2068	O	GLU	27	40.026	37.340	22.812	1.00	23.69	CPS3
ATOM	2069	N	ARG	28	40.057	35.652	21.336	1.00	24.10	CPS3
ATOM	2070	CA	ARG	28	41.235	35.046	21.937	1.00	25.35	CPS3
ATOM	2071	CB	ARG	28	41.286	33.561	21.588	1.00	26.74	CPS3
ATOM	2072	CG	ARG	28	42.365	32.796	22.331	1.00	30.57	CPS3
ATOM	2073	CD	ARG	28	42.064	31.303	22.339	1.00	33.01	CPS3
ATOM	2074	NE	ARG	28	42.094	30.724	21.001	1.00	34.13	CPS3
ATOM	2075	CZ	ARG	28	43.212	30.481	20.327	1.00	36.89	CPS3
ATOM	2076	NH1	ARG	28	44.389	30.768	20.871	1.00	37.04	CPS3
ATOM	2077	NH2	ARG	28	43.157	29.946	19.111	1.00	37.15	CPS3
ATOM	2078	C	ARG	28	42.529	35.736	21.488	1.00	24.56	CPS3
ATOM	2079	O	ARG	28	43.450	35.930	22.282	1.00	24.22	CPS3
ATOM	2080	N	ILE	29	42.574	36.130	20.225	1.00	23.52	CPS3
ATOM	2081	CA	ILE	29	43.760	36.773	19.657	1.00	24.20	CPS3
ATOM	2082	CB	ILE	29	43.788	36.591	18.122	1.00	24.82	CPS3
ATOM	2083	CG2	ILE	29	45.074	37.184	17.538	1.00	25.66	CPS3
ATOM	2084	CG1	ILE	29	43.627	35.107	17.768	1.00	26.45	CPS3
ATOM	2085	CD1	ILE	29	44.675	34.207	18.357	1.00	26.17	CPS3
ATOM	2086	C	ILE	29	43.866	38.270	19.932	1.00	24.20	CPS3
ATOM	2087	O	ILE	29	44.964	38.795	20.164	1.00	23.59	CPS3
ATOM	2088	N	LEU	30	42.722	38.952	19.913	1.00	22.23	CPS3
ATOM	2089	CA	LEU	30	42.683	40.401	20.076	1.00	22.20	CPS3
ATOM	2090	CB	LEU	30	41.643	40.977	19.106	1.00	21.52	CPS3
ATOM	2091	CG	LEU	30	41.738	40.518	17.649	1.00	22.01	CPS3
ATOM	2092	CD1	LEU	30	40.591	41.151	16.857	1.00	22.54	CPS3
ATOM	2093	CD2	LEU	30	43.104	40.926	17.051	1.00	22.99	CPS3
ATOM	2094	C	LEU	30	42.387	40.940	21.467	1.00	22.82	CPS3
ATOM	2095	O	LEU	30	41.622	40.342	22.216	1.00	22.70	CPS3
ATOM	2096	N	THR	31	42.995	42.080	21.798	1.00	22.58	CPS3
ATOM	2097	CA	THR	31	42.752	42.741	23.076	1.00	23.08	CPS3
ATOM	2098	CB	THR	31	43.781	43.846	23.374	1.00	22.96	CPS3
ATOM	2099	OG1	THR	31	43.666	44.871	22.377	1.00	23.51	CPS3
ATOM	2100	CG2	THR	31	45.200	43.283	23.406	1.00	23.16	CPS3
ATOM	2101	C	THR	31	41.400	43.438	22.944	1.00	23.05	CPS3
ATOM	2102	O	THR	31	40.840	43.499	21.850	1.00	20.90	CPS3
ATOM	2103	N	ARG	32	40.887	43.992	24.042	1.00	23.64	CPS3
ATOM	2104	CA	ARG	32	39.593	44.672	23.984	1.00	25.29	CPS3
ATOM	2105	CB	ARG	32	39.224	45.258	25.346	1.00	24.83	CPS3
ATOM	2106	CG	ARG	32	39.005	44.220	26.419	1.00	26.80	CPS3
ATOM	2107	CD	ARG	32	38.684	44.890	27.752	1.00	25.11	CPS3
ATOM	2108	NE	ARG	32	38.513	43.908	28.819	1.00	25.70	CPS3

ATOM	2109	CZ	ARG	32	38.361	44.218	30.101	1.00	25.97	CPS3
ATOM	2110	NH1	ARG	32	38.357	45.492	30.481	1.00	26.33	CPS3
ATOM	2111	NH2	ARG	32	38.224	43.256	31.005	1.00	27.07	CPS3
ATOM	2112	C	ARG	32	39.570	45.789	22.953	1.00	25.39	CPS3
ATOM	2113	O	ARG	32	38.608	45.912	22.187	1.00	24.58	CPS3
ATOM	2114	N	SER	33	40.622	46.605	22.935	1.00	24.96	CPS3
ATOM	2115	CA	SER	33	40.699	47.715	21.988	1.00	25.69	CPS3
ATOM	2116	CB	SER	33	41.909	48.603	22.284	1.00	27.21	CPS3
ATOM	2117	OG	SER	33	41.714	49.345	23.469	1.00	28.30	CPS3
ATOM	2118	C	SER	33	40.766	47.250	20.544	1.00	25.41	CPS3
ATOM	2119	O	SER	33	40.180	47.870	19.664	1.00	25.68	CPS3
ATOM	2120	N	GLU	34	41.492	46.169	20.290	1.00	24.03	CPS3
ATOM	2121	CA	GLU	34	41.597	45.640	18.935	1.00	23.95	CPS3
ATOM	2122	CB	GLU	34	42.699	44.574	18.879	1.00	23.46	CPS3
ATOM	2123	CG	GLU	34	44.089	45.163	19.059	1.00	21.69	CPS3
ATOM	2124	CD	GLU	34	45.182	44.105	19.221	1.00	22.84	CPS3
ATOM	2125	OE1	GLU	34	46.328	44.405	18.837	1.00	21.34	CPS3
ATOM	2126	OE2	GLU	34	44.900	42.996	19.740	1.00	20.06	CPS3
ATOM	2127	C	GLU	34	40.244	45.051	18.516	1.00	25.26	CPS3
ATOM	2128	O	GLU	34	39.846	45.151	17.353	1.00	25.38	CPS3
ATOM	2129	N	LEU	35	39.548	44.433	19.472	1.00	24.79	CPS3
ATOM	2130	CA	LEU	35	38.231	43.849	19.211	1.00	25.97	CPS3
ATOM	2131	CB	LEU	35	37.678	43.160	20.462	1.00	27.07	CPS3
ATOM	2132	CG	LEU	35	37.717	41.639	20.630	1.00	30.32	CPS3
ATOM	2133	CD1	LEU	35	36.834	41.312	21.844	1.00	30.54	CPS3
ATOM	2134	CD2	LEU	35	37.201	40.893	19.391	1.00	28.41	CPS3
ATOM	2135	C	LEU	35	37.264	44.947	18.806	1.00	25.13	CPS3
ATOM	2136	O	LEU	35	36.471	44.778	17.885	1.00	26.21	CPS3
ATOM	2137	N	ASP	36	37.310	46.066	19.518	1.00	25.47	CPS3
ATOM	2138	CA	ASP	36	36.432	47.180	19.189	1.00	26.39	CPS3
ATOM	2139	CB	ASP	36	36.696	48.383	20.111	1.00	27.06	CPS3
ATOM	2140	CG	ASP	36	36.203	48.148	21.531	1.00	30.18	CPS3
ATOM	2141	OD1	ASP	36	35.336	47.272	21.710	1.00	28.81	CPS3
ATOM	2142	OD2	ASP	36	36.667	48.843	22.464	1.00	29.67	CPS3
ATOM	2143	C	ASP	36	36.638	47.580	17.733	1.00	28.21	CPS3
ATOM	2144	O	ASP	36	35.674	47.866	17.024	1.00	27.00	CPS3
ATOM	2145	N	GLN	37	37.892	47.580	17.281	1.00	28.66	CPS3
ATOM	2146	CA	GLN	37	38.200	47.939	15.895	1.00	28.46	CPS3
ATOM	2147	CB	GLN	37	39.712	48.129	15.705	1.00	31.40	CPS3
ATOM	2148	CG	GLN	37	40.309	49.384	16.315	1.00	34.73	CPS3
ATOM	2149	CD	GLN	37	41.820	49.462	16.104	1.00	37.78	CPS3
ATOM	2150	OE1	GLN	37	42.601	48.806	16.803	1.00	38.25	CPS3
ATOM	2151	NE2	GLN	37	42.233	50.256	15.128	1.00	40.09	CPS3
ATOM	2152	C	GLN	37	37.729	46.838	14.954	1.00	28.42	CPS3
ATOM	2153	O	GLN	37	37.107	47.097	13.918	1.00	28.25	CPS3
ATOM	2154	N	TYR	38	38.040	45.602	15.322	1.00	25.92	CPS3
ATOM	2155	CA	TYR	38	37.676	44.445	14.526	1.00	27.76	CPS3
ATOM	2156	CB	TYR	38	38.124	43.179	15.268	1.00	26.65	CPS3
ATOM	2157	CG	TYR	38	37.674	41.867	14.666	1.00	28.74	CPS3
ATOM	2158	CD1	TYR	38	36.522	41.225	15.130	1.00	27.49	CPS3
ATOM	2159	CE1	TYR	38	36.105	40.013	14.583	1.00	29.24	CPS3
ATOM	2160	CD2	TYR	38	38.397	41.264	13.636	1.00	27.76	CPS3
ATOM	2161	CE2	TYR	38	37.986	40.046	13.081	1.00	29.24	CPS3
ATOM	2162	CZ	TYR	38	36.840	39.430	13.565	1.00	29.43	CPS3
ATOM	2163	OH	TYR	38	36.440	38.218	13.057	1.00	30.36	CPS3
ATOM	2164	C	TYR	38	36.177	44.398	14.219	1.00	28.73	CPS3
ATOM	2165	O	TYR	38	35.776	44.169	13.075	1.00	28.54	CPS3

ATOM	2166	N	TYR	39	35.349	44.637	15.228	1.00	29.50	CPS3
ATOM	2167	CA	TYR	39	33.910	44.575	15.018	1.00	31.58	CPS3
ATOM	2168	CB	TYR	39	33.195	44.515	16.367	1.00	31.24	CPS3
ATOM	2169	CG	TYR	39	33.219	43.106	16.896	1.00	31.89	CPS3
ATOM	2170	CD1	TYR	39	32.839	42.054	16.068	1.00	34.16	CPS3
ATOM	2171	CE1	TYR	39	32.897	40.744	16.491	1.00	34.63	CPS3
ATOM	2172	CD2	TYR	39	33.658	42.808	18.185	1.00	32.76	CPS3
ATOM	2173	CE2	TYR	39	33.722	41.472	18.627	1.00	32.49	CPS3
ATOM	2174	CZ	TYR	39	33.339	40.455	17.760	1.00	33.06	CPS3
ATOM	2175	OH	TYR	39	33.404	39.126	18.112	1.00	36.81	CPS3
ATOM	2176	C	TYR	39	33.277	45.627	14.110	1.00	33.88	CPS3
ATOM	2177	O	TYR	39	32.122	45.484	13.715	1.00	34.54	CPS3
ATOM	2178	N	GLU	40	34.026	46.666	13.766	1.00	35.41	CPS3
ATOM	2179	CA	GLU	40	33.509	47.709	12.882	1.00	37.60	CPS3
ATOM	2180	CB	GLU	40	34.045	49.077	13.302	1.00	39.04	CPS3
ATOM	2181	CG	GLU	40	33.553	49.545	14.656	1.00	41.70	CPS3
ATOM	2182	CD	GLU	40	32.040	49.515	14.755	1.00	44.23	CPS3
ATOM	2183	OE1	GLU	40	31.374	50.110	13.879	1.00	46.21	CPS3
ATOM	2184	OE2	GLU	40	31.515	48.895	15.706	1.00	44.59	CPS3
ATOM	2185	C	GLU	40	33.888	47.452	11.423	1.00	38.62	CPS3
ATOM	2186	O	GLU	40	33.491	48.200	10.530	1.00	39.31	CPS3
ATOM	2187	N	LEU	41	34.651	46.388	11.189	1.00	38.25	CPS3
ATOM	2188	CA	LEU	41	35.120	46.028	9.851	1.00	37.52	CPS3
ATOM	2189	CB	LEU	41	36.507	45.380	9.954	1.00	36.60	CPS3
ATOM	2190	CG	LEU	41	37.764	46.251	10.003	1.00	37.26	CPS3
ATOM	2191	CD1	LEU	41	37.520	47.514	10.794	1.00	38.83	CPS3
ATOM	2192	CD2	LEU	41	38.906	45.436	10.604	1.00	35.48	CPS3
ATOM	2193	C	LEU	41	34.206	45.080	9.079	1.00	37.57	CPS3
ATOM	2194	O	LEU	41	33.441	44.317	9.662	1.00	36.05	CPS3
ATOM	2195	N	SER	42	34.312	45.127	7.755	1.00	38.63	CPS3
ATOM	2196	CA	SER	42	33.537	44.251	6.890	1.00	38.96	CPS3
ATOM	2197	CB	SER	42	33.712	44.668	5.434	1.00	40.14	CPS3
ATOM	2198	OG	SER	42	35.078	44.585	5.055	1.00	42.27	CPS3
ATOM	2199	C	SER	42	34.102	42.849	7.077	1.00	39.70	CPS3
ATOM	2200	O	SER	42	35.183	42.685	7.641	1.00	39.21	CPS3
ATOM	2201	N	ALA	43	33.385	41.842	6.596	1.00	39.38	CPS3
ATOM	2202	CA	ALA	43	33.844	40.463	6.721	1.00	40.19	CPS3
ATOM	2203	CB	ALA	43	32.854	39.521	6.040	1.00	41.29	CPS3
ATOM	2204	C	ALA	43	35.247	40.268	6.128	1.00	40.48	CPS3
ATOM	2205	O	ALA	43	36.084	39.569	6.706	1.00	39.82	CPS3
ATOM	2206	N	LYS	44	35.495	40.884	4.974	1.00	40.37	CPS3
ATOM	2207	CA	LYS	44	36.786	40.767	4.305	1.00	40.57	CPS3
ATOM	2208									

ATOM	2223	NH2	ARG	45	41.833	47.269	7.843	1.00	46.62	CPS3
ATOM	2224	C	ARG	45	38.909	42.799	7.634	1.00	34.32	CPS3
ATOM	2225	O	ARG	45	40.049	42.842	8.097	1.00	32.42	CPS3
ATOM	2226	N	LYS	46	37.899	42.188	8.251	1.00	32.83	CPS3
ATOM	2227	CA	LYS	46	38.075	41.509	9.532	1.00	31.12	CPS3
ATOM	2228	CB	LYS	46	36.775	40.842	9.987	1.00	31.02	CPS3
ATOM	2229	CG	LYS	46	35.746	41.775	10.599	1.00	30.98	CPS3
ATOM	2230	CD	LYS	46	34.553	40.977	11.100	1.00	32.86	CPS3
ATOM	2231	CE	LYS	46	33.524	41.861	11.785	1.00	34.98	CPS3
ATOM	2232	NZ	LYS	46	32.360	41.053	12.230	1.00	37.21	CPS3
ATOM	2233	C	LYS	46	39.148	40.438	9.434	1.00	30.57	CPS3
ATOM	2234	O	LYS	46	40.025	40.352	10.293	1.00	28.78	CPS3
ATOM	2235	N	ASN	47	39.061	39.612	8.392	1.00	29.54	CPS3
ATOM	2236	CA	ASN	47	40.020	38.533	8.186	1.00	29.84	CPS3
ATOM	2237	CB	ASN	47	39.589	37.671	6.989	1.00	31.31	CPS3
ATOM	2238	CG	ASN	47	40.603	36.588	6.635	1.00	33.49	CPS3
ATOM	2239	OD1	ASN	47	40.838	35.651	7.400	1.00	34.63	CPS3
ATOM	2240	ND2	ASN	47	41.201	36.713	5.461	1.00	34.30	CPS3
ATOM	2241	C	ASN	47	41.436	39.083	7.976	1.00	28.84	CPS3
ATOM	2242	O	ASN	47	42.401	38.521	8.501	1.00	27.85	CPS3
ATOM	2243	N	GLU	48	41.562	40.174	7.224	1.00	27.20	CPS3
ATOM	2244	CA	GLU	48	42.881	40.779	6.988	1.00	27.86	CPS3
ATOM	2245	CB	GLU	48	42.795	41.910	5.955	1.00	30.08	CPS3
ATOM	2246	CG	GLU	48	42.315	41.492	4.580	1.00	34.36	CPS3
ATOM	2247	CD	GLU	48	41.937	42.687	3.716	1.00	38.77	CPS3
ATOM	2248	OE1	GLU	48	41.356	42.477	2.627	1.00	40.99	CPS3
ATOM	2249	OE2	GLU	48	42.221	43.835	4.124	1.00	39.72	CPS3
ATOM	2250	C	GLU	48	43.451	41.363	8.285	1.00	25.90	CPS3
ATOM	2251	O	GLU	48	44.633	41.197	8.589	1.00	24.51	CPS3
ATOM	2252	N	PHE	49	42.601	42.065	9.030	1.00	24.05	CPS3
ATOM	2253	CA	PHE	49	42.995	42.688	10.293	1.00	24.45	CPS3
ATOM	2254	CB	PHE	49	41.809	43.473	10.866	1.00	25.52	CPS3
ATOM	2255	CG	PHE	49	42.073	44.119	12.203	1.00	26.02	CPS3
ATOM	2256	CD1	PHE	49	42.503	45.440	12.285	1.00	26.53	CPS3
ATOM	2257	CD2	PHE	49	41.842	43.419	13.385	1.00	26.09	CPS3
ATOM	2258	CE1	PHE	49	42.688	46.061	13.529	1.00	26.57	CPS3
ATOM	2259	CE2	PHE	49	42.028	44.027	14.630	1.00	25.34	CPS3
ATOM	2260	CZ	PHE	49	42.448	45.350	14.702	1.00	24.86	CPS3
ATOM	2261	C	PHE	49	43.431	41.603	11.278	1.00	24.05	CPS3
ATOM	2262	O	PHE	49	44.499	41.691	11.885	1.00	22.16	CPS3
ATOM	2263	N	LEU	50	42.597	40.577	11.429	1.00	23.09	CPS3
ATOM	2264	CA	LEU	50	42.894	39.478	12.342	1.00	23.23	CPS3
ATOM	2265	CB	LEU							

[illegible]

ATOM	2280	N	ARG	53	47.234	40.907	12.908	1.00	20.71	CPS3
ATOM	2281	CA	ARG	53	47.489	40.953	14.344	1.00	19.99	CPS3
ATOM	2282	CB	ARG	53	46.188	41.249	15.102	1.00	21.12	CPS3
ATOM	2283	CG	ARG	53	45.749	42.697	15.023	1.00	25.14	CPS3
ATOM	2284	CD	ARG	53	46.854	43.589	15.542	1.00	26.59	CPS3
ATOM	2285	NE	ARG	53	46.364	44.864	16.046	1.00	29.01	CPS3
ATOM	2286	CZ	ARG	53	46.020	45.905	15.293	1.00	29.46	CPS3
ATOM	2287	NH1	ARG	53	46.104	45.841	13.967	1.00	29.27	CPS3
ATOM	2288	NH2	ARG	53	45.615	47.028	15.882	1.00	26.91	CPS3
ATOM	2289	C	ARG	53	48.067	39.628	14.802	1.00	18.67	CPS3
ATOM	2290	O	ARG	53	48.983	39.585	15.623	1.00	19.03	CPS3
ATOM	2291	N	PHE	54	47.524	38.541	14.274	1.00	19.10	CPS3
ATOM	2292	CA	PHE	54	48.001	37.214	14.639	1.00	18.17	CPS3
ATOM	2293	CB	PHE	54	47.145	36.157	13.926	1.00	20.62	CPS3
ATOM	2294	CG	PHE	54	47.514	34.736	14.248	1.00	21.61	CPS3
ATOM	2295	CD1	PHE	54	48.429	34.050	13.462	1.00	22.92	CPS3
ATOM	2296	CD2	PHE	54	46.903	34.068	15.305	1.00	23.51	CPS3
ATOM	2297	CE1	PHE	54	48.731	32.726	13.713	1.00	24.49	CPS3
ATOM	2298	CE2	PHE	54	47.196	32.735	15.572	1.00	24.31	CPS3
ATOM	2299	CZ	PHE	54	48.113	32.061	14.773	1.00	26.02	CPS3
ATOM	2300	C	PHE	54	49.480	37.082	14.254	1.00	18.48	CPS3
ATOM	2301	O	PHE	54	50.296	36.615	15.049	1.00	16.83	CPS3
ATOM	2302	N	ALA	55	49.818	37.512	13.042	1.00	18.82	CPS3
ATOM	2303	CA	ALA	55	51.202	37.426	12.564	1.00	19.23	CPS3
ATOM	2304	CB	ALA	55	51.291	37.903	11.110	1.00	19.19	CPS3
ATOM	2305	C	ALA	55	52.121	38.271	13.439	1.00	17.75	CPS3
ATOM	2306	O	ALA	55	53.210	37.833	13.822	1.00	17.44	CPS3
ATOM	2307	N	ALA	56	51.678	39.481	13.755	1.00	17.64	CPS3
ATOM	2308	CA	ALA	56	52.490	40.382	14.572	1.00	17.27	CPS3
ATOM	2309	CB	ALA	56	51.828	41.769	14.651	1.00	17.54	CPS3
ATOM	2310	C	ALA	56	52.745	39.840	15.978	1.00	18.48	CPS3
ATOM	2311	O	ALA	56	53.869	39.927	16.492	1.00	16.93	CPS3
ATOM	2312	N	LYS	57	51.710	39.278	16.600	1.00	17.56	CPS3
ATOM	2313	CA	LYS	57	51.864	38.758	17.953	1.00	17.39	CPS3
ATOM	2314	CB	LYS	57	50.484	38.545	18.593	1.00	17.01	CPS3
ATOM	2315	CG	LYS	57	49.741	39.852	18.728	1.00	17.00	CPS3
ATOM	2316	CD	LYS	57	48.445	39.709	19.516	1.00	17.39	CPS3
ATOM	2317	CE	LYS	57	47.650	41.015	19.466	1.00	17.65	CPS3
ATOM	2318	NZ	LYS	57	46.589	41.049	20.526	1.00	18.42	CPS3
ATOM	2319	C	LYS	57	52.694	37.492	17.958	1.00	18.30	CPS3
ATOM	2320	O	LYS	57	53.456	37.248	18.895	1.00	17.97	CPS3
ATOM	2321	N	GLU	58	52.555	36.692	16.903	1.00	19.29	CPS3
ATOM	2322	CA	GLU	58	53.343	35.477	16.770	1.00	21.29	CPS3
ATOM	2323	CB	GLU	58	52.885	34.710	15.518	1.00	25.54	CPS3
ATOM	2324	CG	GLU	58	52.985	33.214	15.639	1.00	35.02	CPS3
ATOM	2325	CD	GLU	58	52.321	32.682	16.899	1.00	36.12	CPS3
ATOM	2326	OE1	GLU	58	51.079	32.744	17.033	1.00	40.18	CPS3
ATOM	2327	OE2	GLU	58	53.059	32.207	17.772	1.00	38.83	CPS3
ATOM	2328	C	GLU	58	54.818	35.900	16.644	1.00	20.21	CPS3
ATOM	2329	O	GLU	58	55.696	35.365	17.335	1.00	19.40	CPS3
ATOM	2330	N	ALA	59	55.089	36.867	15.768	1.00	16.40	CPS3
ATOM	2331	CA	ALA	59	56.458	37.353	15.580	1.00	17.36	CPS3
ATOM	2332	CB	ALA	59	56.491	38.461	14.521	1.00	17.44	CPS3
ATOM	2333	C	ALA	59	57.011	37.883	16.900	1.00	17.42	CPS3
ATOM	2334	O	ALA	59	58.160	37.595	17.271	1.00	17.74	CPS3
ATOM	2335	N	PHE	60	56.200	38.657	17.613	1.00	16.51	CPS3
ATOM	2336	CA	PHE	60	56.655	39.219	18.882	1.00	17.55	CPS3

ATOM	2337	CB	PHE	60	55.586	40.128	19.502	1.00	17.91	CPS3
ATOM	2338	CG	PHE	60	55.984	40.684	20.847	1.00	18.76	CPS3
ATOM	2339	CD1	PHE	60	56.755	41.838	20.933	1.00	18.58	CPS3
ATOM	2340	CD2	PHE	60	55.659	40.001	22.021	1.00	19.49	CPS3
ATOM	2341	CE1	PHE	60	57.212	42.309	22.172	1.00	20.20	CPS3
ATOM	2342	CE2	PHE	60	56.107	40.459	23.266	1.00	20.93	CPS3
ATOM	2343	CZ	PHE	60	56.886	41.612	23.341	1.00	20.99	CPS3
ATOM	2344	C	PHE	60	57.008	38.118	19.883	1.00	18.91	CPS3
ATOM	2345	O	PHE	60	58.053	38.173	20.543	1.00	18.95	CPS3
ATOM	2346	N	SER	61	56.137	37.123	20.001	1.00	18.23	CPS3
ATOM	2347	CA	SER	61	56.370	36.036	20.946	1.00	19.91	CPS3
ATOM	2348	CB	SER	61	55.167	35.081	20.978	1.00	20.94	CPS3
ATOM	2349	OG	SER	61	55.170	34.217	19.851	1.00	25.41	CPS3
ATOM	2350	C	SER	61	57.642	35.256	20.618	1.00	21.39	CPS3
ATOM	2351	O	SER	61	58.278	34.697	21.511	1.00	21.46	CPS3
ATOM	2352	N	LYS	62	58.011	35.206	19.345	1.00	20.86	CPS3
ATOM	2353	CA	LYS	62	59.227	34.500	18.958	1.00	23.14	CPS3
ATOM	2354	CB	LYS	62	59.239	34.237	17.455	1.00	24.31	CPS3
ATOM	2355	CG	LYS	62	58.295	33.143	17.003	1.00	28.06	CPS3
ATOM	2356	CD	LYS	62	58.340	33.057	15.490	1.00	32.02	CPS3
ATOM	2357	CE	LYS	62	58.060	31.655	14.987	1.00	34.92	CPS3
ATOM	2358	NZ	LYS	62	58.159	31.623	13.510	1.00	35.49	CPS3
ATOM	2359	C	LYS	62	60.444	35.343	19.340	1.00	22.30	CPS3
ATOM	2360	O	LYS	62	61.464	34.815	19.788	1.00	23.20	CPS3
ATOM	2361	N	ALA	63	60.337	36.654	19.156	1.00	19.62	CPS3
ATOM	2362	CA	ALA	63	61.437	37.547	19.512	1.00	20.06	CPS3
ATOM	2363	CB	ALA	63	61.145	38.960	19.019	1.00	20.10	CPS3
ATOM	2364	C	ALA	63	61.603	37.543	21.035	1.00	21.63	CPS3
ATOM	2365	O	ALA	63	62.724	37.529	21.550	1.00	23.66	CPS3
ATOM	2366	N	PHE	64	60.480	37.536	21.749	1.00	20.52	CPS3
ATOM	2367	CA	PHE	64	60.502	37.548	23.209	1.00	23.24	CPS3
ATOM	2368	CB	PHE	64	59.079	37.690	23.752	1.00	23.53	CPS3
ATOM	2369	CG	PHE	64	59.023	38.051	25.211	1.00	24.99	CPS3
ATOM	2370	CD1	PHE	64	59.492	39.283	25.653	1.00	26.02	CPS3
ATOM	2371	CD2	PHE	64	58.488	37.163	26.135	1.00	25.12	CPS3
ATOM	2372	CE1	PHE	64	59.423	39.632	27.008	1.00	28.33	CPS3
ATOM	2373	CE2	PHE	64	58.412	37.495	27.484	1.00	26.52	CPS3
ATOM	2374	CZ	PHE	64	58.877	38.729	27.924	1.00	27.24	CPS3
ATOM	2375	C	PHE	64	61.140	36.251	23.718	1.00	25.44	CPS3
ATOM	2376	O	PHE	64	61.688	36.204	24.826	1.00	24.64	CPS3
ATOM	2377	N	GLY	65	61.039	35.202	22.910	1.00	26.62	CPS3
ATOM	2378	CA	GLY	65	61.662	33.938	23.255	1.00	30.83	CPS3
ATOM	2379									

ATOM	2394	CB	ILE	68	51.389	32.407	22.011	1.00	34.11	CPS3
ATOM	2395	CG2	ILE	68	50.052	32.474	22.755	1.00	32.62	CPS3
ATOM	2396	CG1	ILE	68	51.640	33.690	21.219	1.00	32.54	CPS3
ATOM	2397	CD1	ILE	68	51.647	34.958	22.063	1.00	32.72	CPS3
ATOM	2398	C	ILE	68	52.161	30.999	23.910	1.00	36.56	CPS3
ATOM	2399	O	ILE	68	52.085	29.862	23.447	1.00	36.53	CPS3
ATOM	2400	N	GLY	69	51.922	31.279	25.187	1.00	36.84	CPS3
ATOM	2401	CA	GLY	69	51.565	30.221	26.115	1.00	38.40	CPS3
ATOM	2402	C	GLY	69	51.481	30.700	27.550	1.00	38.69	CPS3
ATOM	2403	O	GLY	69	50.987	31.797	27.820	1.00	38.83	CPS3
ATOM	2404	N	ALA	70	51.978	29.882	28.474	1.00	38.37	CPS3
ATOM	2405	CA	ALA	70	51.949	30.215	29.895	1.00	37.89	CPS3
ATOM	2406	CB	ALA	70	52.510	29.043	30.710	1.00	38.76	CPS3
ATOM	2407	C	ALA	70	52.684	31.506	30.270	1.00	37.56	CPS3
ATOM	2408	O	ALA	70	52.225	32.262	31.122	1.00	37.72	CPS3
ATOM	2409	N	GLN	71	53.817	31.769	29.634	1.00	36.91	CPS3
ATOM	2410	CA	GLN	71	54.590	32.965	29.954	1.00	36.41	CPS3
ATOM	2411	CB	GLN	71	56.072	32.693	29.697	1.00	38.98	CPS3
ATOM	2412	CG	GLN	71	56.540	31.358	30.251	1.00	42.83	CPS3
ATOM	2413	CD	GLN	71	58.024	31.132	30.053	1.00	45.56	CPS3
ATOM	2414	OE1	GLN	71	58.854	31.783	30.695	1.00	47.59	CPS3
ATOM	2415	NE2	GLN	71	58.369	30.211	29.156	1.00	47.26	CPS3
ATOM	2416	C	GLN	71	54.167	34.225	29.192	1.00	33.99	CPS3
ATOM	2417	O	GLN	71	54.514	35.332	29.585	1.00	34.52	CPS3
ATOM	2418	N	LEU	72	53.422	34.056	28.107	1.00	30.98	CPS3
ATOM	2419	CA	LEU	72	52.993	35.195	27.304	1.00	27.97	CPS3
ATOM	2420	CB	LEU	72	54.108	35.592	26.333	1.00	26.71	CPS3
ATOM	2421	CG	LEU	72	53.888	36.797	25.415	1.00	25.21	CPS3
ATOM	2422	CD1	LEU	72	54.008	38.103	26.212	1.00	25.07	CPS3
ATOM	2423	CD2	LEU	72	54.930	36.760	24.299	1.00	26.26	CPS3
ATOM	2424	C	LEU	72	51.727	34.852	26.532	1.00	26.94	CPS3
ATOM	2425	O	LEU	72	51.679	33.877	25.779	1.00	27.79	CPS3
ATOM	2426	N	SER	73	50.706	35.673	26.723	1.00	24.63	CPS3
ATOM	2427	CA	SER	73	49.416	35.486	26.081	1.00	24.89	CPS3
ATOM	2428	CB	SER	73	48.318	35.677	27.135	1.00	26.50	CPS3
ATOM	2429	OG	SER	73	47.068	35.913	26.531	1.00	28.99	CPS3
ATOM	2430	C	SER	73	49.228	36.504	24.957	1.00	23.56	CPS3
ATOM	2431	O	SER	73	49.903	37.537	24.942	1.00	22.03	CPS3
ATOM	2432	N	PHE	74	48.324	36.211	24.017	1.00	22.96	CPS3
ATOM	2433	CA	PHE	74	48.016	37.150	22.933	1.00	21.51	CPS3
ATOM	2434	CB	PHE	74	46.922	36.599	22.010	1.00	23.03	CPS3
ATOM	2435	CG	PHE	74	47.386	35.535	21.060	1.00	24.56	CPS3
ATOM										

ATOM	2451	O	GLN	75	46.962	41.486	26.389	1.00	21.60	CPS3
ATOM	2452	N	ASP	76	48.532	39.890	26.146	1.00	21.97	CPS3
ATOM	2453	CA	ASP	76	49.595	40.730	26.710	1.00	22.16	CPS3
ATOM	2454	CB	ASP	76	50.738	39.876	27.279	1.00	22.82	CPS3
ATOM	2455	CG	ASP	76	50.332	39.058	28.494	1.00	25.52	CPS3
ATOM	2456	OD1	ASP	76	49.557	39.565	29.332	1.00	25.20	CPS3
ATOM	2457	OD2	ASP	76	50.823	37.915	28.614	1.00	24.81	CPS3
ATOM	2458	C	ASP	76	50.223	41.635	25.661	1.00	21.66	CPS3
ATOM	2459	O	ASP	76	51.059	42.481	25.982	1.00	19.63	CPS3
ATOM	2460	N	ILE	77	49.826	41.450	24.405	1.00	21.29	CPS3
ATOM	2461	CA	ILE	77	50.416	42.202	23.301	1.00	19.67	CPS3
ATOM	2462	CB	ILE	77	51.088	41.225	22.318	1.00	19.23	CPS3
ATOM	2463	CG2	ILE	77	51.893	41.995	21.253	1.00	18.53	CPS3
ATOM	2464	CG1	ILE	77	51.987	40.247	23.084	1.00	17.28	CPS3
ATOM	2465	CD1	ILE	77	52.313	38.989	22.257	1.00	19.10	CPS3
ATOM	2466	C	ILE	77	49.379	42.988	22.520	1.00	20.27	CPS3
ATOM	2467	O	ILE	77	48.401	42.416	22.062	1.00	20.00	CPS3
ATOM	2468	N	GLU	78	49.603	44.288	22.354	1.00	21.09	CPS3
ATOM	2469	CA	GLU	78	48.670	45.106	21.591	1.00	20.73	CPS3
ATOM	2470	CB	GLU	78	47.909	46.082	22.496	1.00	22.17	CPS3
ATOM	2471	CG	GLU	78	46.819	46.843	21.737	1.00	24.01	CPS3
ATOM	2472	CD	GLU	78	45.862	47.584	22.651	1.00	27.03	CPS3
ATOM	2473	OE1	GLU	78	46.036	48.806	22.844	1.00	28.55	CPS3
ATOM	2474	OE2	GLU	78	44.937	46.934	23.181	1.00	28.54	CPS3
ATOM	2475	C	GLU	78	49.384	45.892	20.508	1.00	20.37	CPS3
ATOM	2476	O	GLU	78	50.431	46.485	20.749	1.00	20.67	CPS3
ATOM	2477	N	ILE	79	48.826	45.877	19.303	1.00	19.96	CPS3
ATOM	2478	CA	ILE	79	49.420	46.642	18.212	1.00	19.14	CPS3
ATOM	2479	CB	ILE	79	49.368	45.860	16.850	1.00	19.23	CPS3
ATOM	2480	CG2	ILE	79	49.577	46.830	15.678	1.00	19.82	CPS3
ATOM	2481	CG1	ILE	79	50.477	44.798	16.795	1.00	21.31	CPS3
ATOM	2482	CD1	ILE	79	50.318	43.645	17.758	1.00	22.36	CPS3
ATOM	2483	C	ILE	79	48.629	47.942	18.090	1.00	20.00	CPS3
ATOM	2484	O	ILE	79	47.389	47.928	18.088	1.00	20.09	CPS3
ATOM	2485	N	ARG	80	49.340	49.068	18.028	1.00	19.20	CPS3
ATOM	2486	CA	ARG	80	48.703	50.380	17.861	1.00	20.32	CPS3
ATOM	2487	CB	ARG	80	48.924	51.258	19.107	1.00	20.53	CPS3
ATOM	2488	CG	ARG	80	48.340	50.644	20.380	1.00	21.77	CPS3
ATOM	2489	CD	ARG	80	48.505	51.527	21.617	1.00	23.01	CPS3
ATOM	2490	NE	ARG	80	47.957	50.833	22.780	1.00	23.15	CPS3
ATOM	2491	CZ	ARG	80	48.032	51.267	24.038	1.00	25.30	CPS3
ATOM	2492	NH1	ARG	80	48.634	52.412	24.321	1.00	20.84	CPS3
ATOM	249									





ATOM	2565	CG2	ILE	89	54.146	45.145	21.217	1.00	18.20	CPS3
ATOM	2566	CG1	ILE	89	53.938	45.192	18.696	1.00	18.54	CPS3
ATOM	2567	CD1	ILE	89	54.805	43.948	18.365	1.00	18.01	CPS3
ATOM	2568	C	ILE	89	53.775	47.829	21.450	1.00	18.41	CPS3
ATOM	2569	O	ILE	89	54.749	48.465	21.832	1.00	18.45	CPS3
ATOM	2570	N	ILE	90	52.737	47.539	22.221	1.00	19.17	CPS3
ATOM	2571	CA	ILE	90	52.722	47.852	23.645	1.00	20.34	CPS3
ATOM	2572	CB	ILE	90	51.485	48.700	24.062	1.00	21.03	CPS3
ATOM	2573	CG2	ILE	90	51.364	48.738	25.608	1.00	21.79	CPS3
ATOM	2574	CG1	ILE	90	51.605	50.128	23.516	1.00	21.44	CPS3
ATOM	2575	CD1	ILE	90	52.787	50.918	24.079	1.00	22.03	CPS3
ATOM	2576	C	ILE	90	52.618	46.483	24.314	1.00	20.90	CPS3
ATOM	2577	O	ILE	90	51.722	45.704	23.994	1.00	22.15	CPS3
ATOM	2578	N	CYS	91	53.557	46.177	25.208	1.00	21.50	CPS3
ATOM	2579	CA	CYS	91	53.565	44.918	25.968	1.00	22.56	CPS3
ATOM	2580	CB	CYS	91	54.379	43.834	25.252	1.00	22.42	CPS3
ATOM	2581	SG	CYS	91	54.522	42.300	26.235	1.00	25.18	CPS3
ATOM	2582	C	CYS	91	54.251	45.307	27.279	1.00	23.27	CPS3
ATOM	2583	O	CYS	91	55.450	45.584	27.292	1.00	23.16	CPS3
ATOM	2584	N	THR	92	53.500	45.337	28.372	1.00	26.40	CPS3
ATOM	2585	CA	THR	92	54.076	45.784	29.638	1.00	28.79	CPS3
ATOM	2586	CB	THR	92	52.983	46.002	30.713	1.00	29.85	CPS3
ATOM	2587	OG1	THR	92	52.347	44.760	31.033	1.00	31.45	CPS3
ATOM	2588	CG2	THR	92	51.934	46.993	30.195	1.00	30.30	CPS3
ATOM	2589	C	THR	92	55.203	44.945	30.217	1.00	30.27	CPS3
ATOM	2590	O	THR	92	55.787	45.313	31.237	1.00	29.37	CPS3
ATOM	2591	N	LYS	93	55.520	43.828	29.571	1.00	30.96	CPS3
ATOM	2592	CA	LYS	93	56.618	42.991	30.031	1.00	32.02	CPS3
ATOM	2593	CB	LYS	93	56.521	41.608	29.397	1.00	33.43	CPS3
ATOM	2594	CG	LYS	93	55.509	40.711	30.098	1.00	36.42	CPS3
ATOM	2595	CD	LYS	93	55.253	39.426	29.337	1.00	38.18	CPS3
ATOM	2596	CE	LYS	93	54.583	38.385	30.227	1.00	40.38	CPS3
ATOM	2597	NZ	LYS	93	53.482	38.941	31.059	1.00	41.16	CPS3
ATOM	2598	C	LYS	93	57.956	43.657	29.701	1.00	31.94	CPS3
ATOM	2599	O	LYS	93	58.998	43.287	30.233	1.00	32.81	CPS3
ATOM	2600	N	LEU	94	57.924	44.655	28.824	1.00	31.18	CPS3
ATOM	2601	CA	LEU	94	59.139	45.378	28.473	1.00	30.06	CPS3
ATOM	2602	CB	LEU	94	59.903	44.637	27.376	1.00	31.03	CPS3
ATOM	2603	CG	LEU	94	59.121	43.973	26.240	1.00	31.49	CPS3
ATOM	2604	CD1	LEU	94	58.228	44.977	25.551	1.00	33.11	CPS3
ATOM	2605	CD2	LEU	94	60.109	43.366	25.258	1.00	31.24	CPS3
ATOM	2606	C	LEU	94	58.822	46.801	28.042	1.00	29.42	CPS3
ATOM										

[illegible]

ATOM	2622	CA	ALA	97	61.073	51.804	23.203	1.00	26.00	CPS3
ATOM	2623	CB	ALA	97	61.821	52.824	24.060	1.00	28.49	CPS3
ATOM	2624	C	ALA	97	62.031	50.709	22.744	1.00	25.63	CPS3
ATOM	2625	O	ALA	97	62.858	50.921	21.858	1.00	24.95	CPS3
ATOM	2626	N	ALA	98	61.916	49.532	23.342	1.00	24.02	CPS3
ATOM	2627	CA	ALA	98	62.793	48.426	22.986	1.00	23.40	CPS3
ATOM	2628	CB	ALA	98	63.054	47.574	24.215	1.00	25.00	CPS3
ATOM	2629	C	ALA	98	62.208	47.553	21.880	1.00	22.32	CPS3
ATOM	2630	O	ALA	98	62.868	46.645	21.401	1.00	22.68	CPS3
ATOM	2631	N	VAL	99	60.979	47.842	21.460	1.00	21.24	CPS3
ATOM	2632	CA	VAL	99	60.330	47.004	20.457	1.00	19.35	CPS3
ATOM	2633	CB	VAL	99	58.965	46.511	20.982	1.00	19.94	CPS3
ATOM	2634	CG1	VAL	99	58.383	45.474	20.027	1.00	21.36	CPS3
ATOM	2635	CG2	VAL	99	59.125	45.930	22.376	1.00	23.27	CPS3
ATOM	2636	C	VAL	99	60.100	47.691	19.121	1.00	19.01	CPS3
ATOM	2637	O	VAL	99	59.758	48.865	19.083	1.00	19.19	CPS3
ATOM	2638	N	HIS	100	60.295	46.941	18.037	1.00	18.11	CPS3
ATOM	2639	CA	HIS	100	60.080	47.439	16.685	1.00	19.23	CPS3
ATOM	2640	CB	HIS	100	61.426	47.732	16.029	1.00	21.42	CPS3
ATOM	2641	CG	HIS	100	62.233	48.753	16.772	1.00	24.13	CPS3
ATOM	2642	CD2	HIS	100	63.223	48.613	17.686	1.00	25.59	CPS3
ATOM	2643	ND1	HIS	100	62.007	50.105	16.654	1.00	25.95	CPS3
ATOM	2644	CE1	HIS	100	62.825	50.758	17.463	1.00	26.97	CPS3
ATOM	2645	NE2	HIS	100	63.572	49.874	18.100	1.00	26.97	CPS3
ATOM	2646	C	HIS	100	59.343	46.348	15.919	1.00	18.08	CPS3
ATOM	2647	O	HIS	100	59.707	45.178	16.027	1.00	17.62	CPS3
ATOM	2648	N	VAL	101	58.313	46.731	15.161	1.00	17.20	CPS3
ATOM	2649	CA	VAL	101	57.525	45.765	14.382	1.00	16.42	CPS3
ATOM	2650	CB	VAL	101	56.149	45.472	15.080	1.00	16.35	CPS3
ATOM	2651	CG1	VAL	101	55.316	46.753	15.156	1.00	15.91	CPS3
ATOM	2652	CG2	VAL	101	55.364	44.375	14.330	1.00	17.27	CPS3
ATOM	2653	C	VAL	101	57.244	46.312	12.982	1.00	16.80	CPS3
ATOM	2654	O	VAL	101	57.325	47.515	12.754	1.00	15.86	CPS3
ATOM	2655	N	SER	102	56.948	45.414	12.046	1.00	16.94	CPS3
ATOM	2656	CA	SER	102	56.554	45.816	10.694	1.00	17.40	CPS3
ATOM	2657	CB	SER	102	57.733	45.889	9.723	1.00	18.13	CPS3
ATOM	2658	OG	SER	102	57.255	46.343	8.454	1.00	19.88	CPS3
ATOM	2659	C	SER	102	55.566	44.752	10.240	1.00	17.06	CPS3
ATOM	2660	O	SER	102	55.738	43.569	10.531	1.00	16.38	CPS3
ATOM	2661	N	ILE	103	54.508	45.180	9.562	1.00	16.71	CPS3
ATOM	2662	CA	ILE	103	53.476	44.259	9.109	1.00	16.77	CPS3
ATOM	2663	CB	ILE	103	52.138	44.533	9.851	1.00	19.32	CPS3
ATOM	2664	CG2	ILE	103	51.062	43.538	9.386	1.00	20.27	CPS3
ATOM	2665	CG1	ILE	103	52.340	44.398	11.366	1.00	18.63	CPS3
ATOM	2666	CD1	ILE	103	51.099	44.754	12.195	1.00	17.98	CPS3
ATOM	2667	C	ILE	103	53.261	44.475	7.615	1.00	17.09	CPS3
ATOM	2668	O	ILE	103	53.304	45.608	7.140	1.00	18.12	CPS3
ATOM	2669	N	THR	104	53.038	43.390	6.880	1.00	18.52	CPS3
ATOM	2670	CA	THR	104	52.802	43.475	5.438	1.00	19.66	CPS3
ATOM	2671	CB	THR	104	54.116	43.197	4.636	1.00	20.60	CPS3
ATOM	2672	OG1	THR	104	53.888	43.430	3.246	1.00	21.77	CPS3
ATOM	2673	CG2	THR	104	54.583	41.763	4.822	1.00	20.35	CPS3
ATOM	2674	C	THR	104	51.694	42.494	5.020	1.00	20.81	CPS3
ATOM	2675	O	THR	104	51.347	41.586	5.770	1.00	19.47	CPS3
ATOM	2676	N	HIS	105	51.142	42.688	3.825	1.00	21.19	CPS3
ATOM	2677	CA	HIS	105	50.066	41.838	3.320	1.00	23.77	CPS3
ATOM	2678	CB	HIS	105	48.701	42.514	3.515	1.00	25.55	CPS3

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

ATOM	2679	CG	HIS	105	48.344	42.814	4.937	1.00	30.17	CPS3
ATOM	2680	CD2	HIS	105	48.668	43.859	5.737	1.00	31.35	CPS3
ATOM	2681	ND1	HIS	105	47.507	42.008	5.676	1.00	31.23	CPS3
ATOM	2682	CE1	HIS	105	47.327	42.544	6.872	1.00	33.22	CPS3
ATOM	2683	NE2	HIS	105	48.020	43.668	6.935	1.00	32.63	CPS3
ATOM	2684	C	HIS	105	50.178	41.619	1.817	1.00	22.69	CPS3
ATOM	2685	O	HIS	105	50.784	42.413	1.105	1.00	22.84	CPS3
ATOM	2686	N	THR	106	49.565	40.536	1.359	1.00	24.26	CPS3
ATOM	2687	CA	THR	106	49.426	40.244	-0.066	1.00	25.12	CPS3
ATOM	2688	CB	THR	106	50.338	39.107	-0.598	1.00	25.65	CPS3
ATOM	2689	OG1	THR	106	49.928	37.848	-0.047	1.00	25.72	CPS3
ATOM	2690	CG2	THR	106	51.805	39.395	-0.275	1.00	24.63	CPS3
ATOM	2691	C	THR	106	47.970	39.769	-0.097	1.00	25.84	CPS3
ATOM	2692	O	THR	106	47.290	39.753	0.934	1.00	24.47	CPS3
ATOM	2693	N	ALA	107	47.484	39.388	-1.265	1.00	25.43	CPS3
ATOM	2694	CA	ALA	107	46.108	38.937	-1.362	1.00	26.46	CPS3
ATOM	2695	CB	ALA	107	45.790	38.570	-2.820	1.00	27.17	CPS3
ATOM	2696	C	ALA	107	45.812	37.750	-0.444	1.00	26.57	CPS3
ATOM	2697	O	ALA	107	44.769	37.707	0.213	1.00	27.71	CPS3
ATOM	2698	N	GLU	108	46.738	36.799	-0.384	1.00	26.04	CPS3
ATOM	2699	CA	GLU	108	46.542	35.594	0.404	1.00	25.62	CPS3
ATOM	2700	CB	GLU	108	46.833	34.374	-0.475	1.00	29.10	CPS3
ATOM	2701	CG	GLU	108	46.172	34.475	-1.846	1.00	35.56	CPS3
ATOM	2702	CD	GLU	108	46.174	33.171	-2.616	1.00	40.28	CPS3
ATOM	2703	OE1	GLU	108	47.145	32.395	-2.485	1.00	42.87	CPS3
ATOM	2704	OE2	GLU	108	45.201	32.932	-3.369	1.00	44.28	CPS3
ATOM	2705	C	GLU	108	47.325	35.460	1.706	1.00	25.50	CPS3
ATOM	2706	O	GLU	108	47.087	34.520	2.463	1.00	23.92	CPS3
ATOM	2707	N	TYR	109	48.239	36.389	1.978	1.00	23.47	CPS3
ATOM	2708	CA	TYR	109	49.048	36.281	3.189	1.00	22.84	CPS3
ATOM	2709	CB	TYR	109	50.471	35.833	2.822	1.00	23.00	CPS3
ATOM	2710	CG	TYR	109	50.552	34.480	2.176	1.00	23.82	CPS3
ATOM	2711	CD1	TYR	109	50.485	33.317	2.936	1.00	23.06	CPS3
ATOM	2712	CE1	TYR	109	50.532	32.063	2.334	1.00	24.49	CPS3
ATOM	2713	CD2	TYR	109	50.668	34.361	0.793	1.00	23.15	CPS3
ATOM	2714	CE2	TYR	109	50.710	33.122	0.184	1.00	24.59	CPS3
ATOM	2715	CZ	TYR	109	50.641	31.980	0.956	1.00	24.33	CPS3
ATOM	2716	OH	TYR	109	50.655	30.756	0.341	1.00	26.41	CPS3
ATOM	2717	C	TYR	109	49.187	37.551	4.000	1.00	21.41	CPS3
ATOM	2718	O	TYR	109	49.021	38.659	3.477	1.00	21.21	CPS3
ATOM	2719	N	ALA	110	49.478	37.366	5.293	1.00	19.67	CPS3
ATOM	2720	CA	ALA	110	49.781	38.470	6.204	1.00	19.04	CPS3
ATOM	2721	CB	ALA	110	48.753	38.588	7.334	1.00	18.93	CPS3
ATOM	2722	C	ALA	110	51.137	38.048	6.776	1.00	19.30	CPS3
ATOM	2723	O	ALA	110	51.375	36.861	6.985	1.00	20.91	CPS3
ATOM	2724	N	ALA	111	52.038	38.997	7.014	1.00	18.04	CPS3
ATOM	2725	CA	ALA	111	53.337	38.631	7.565	1.00	17.63	CPS3
ATOM	2726	CB	ALA	111	54.347	38.376	6.434	1.00	16.29	CPS3
ATOM	2727	C	ALA	111	53.819	39.758	8.469	1.00	17.67	CPS3
ATOM	2728	O	ALA	111	53.404	40.903	8.312	1.00	18.51	CPS3
ATOM	2729	N	ALA	112	54.672	39.424	9.428	1.00	16.56	CPS3
ATOM	2730	CA	ALA	112	55.181	40.433	10.342	1.00	15.86	CPS3
ATOM	2731	CB	ALA	112	54.203	40.636	11.489	1.00	15.01	CPS3
ATOM	2732	C	ALA	112	56.533	40.033	10.896	1.00	17.34	CPS3
ATOM	2733	O	ALA	112	56.885	38.856	10.913	1.00	16.61	CPS3
ATOM	2734	N	GLN	113	57.294	41.021	11.352	1.00	16.50	CPS3
ATOM	2735	CA	GLN	113	58.591	40.732	11.952	1.00	18.53	CPS3



ATOM	2793	OT2	LEU	119	68.399	48.537	29.052	1.00	51.04	CPS3
ATOM	2794	C	GLY	0	33.524	21.933	24.405	1.00	41.93	CPS4
ATOM	2795	O	GLY	0	33.109	21.427	23.356	1.00	43.93	CPS4
ATOM	2796	N	GLY	0	35.967	22.519	24.212	1.00	43.67	CPS4
ATOM	2797	CA	GLY	0	34.574	23.033	24.374	1.00	42.80	CPS4
ATOM	2798	N	GLY	1	33.089	21.565	25.607	1.00	38.91	CPS4
ATOM	2799	CA	GLY	1	32.082	20.530	25.746	1.00	34.29	CPS4
ATOM	2800	C	GLY	1	30.697	21.104	25.995	1.00	31.42	CPS4
ATOM	2801	O	GLY	1	29.713	20.369	26.051	1.00	30.75	CPS4
ATOM	2802	N	ILE	2	30.618	22.419	26.172	1.00	28.92	CPS4
ATOM	2803	CA	ILE	2	29.328	23.068	26.405	1.00	26.32	CPS4
ATOM	2804	CB	ILE	2	29.309	23.809	27.765	1.00	26.73	CPS4
ATOM	2805	CG2	ILE	2	28.044	24.683	27.891	1.00	24.71	CPS4
ATOM	2806	CG1	ILE	2	29.358	22.779	28.896	1.00	27.21	CPS4
ATOM	2807	CD1	ILE	2	29.417	23.387	30.265	1.00	28.66	CPS4
ATOM	2808	C	ILE	2	29.028	24.043	25.277	1.00	25.17	CPS4
ATOM	2809	O	ILE	2	29.861	24.874	24.922	1.00	24.41	CPS4
ATOM	2810	N	TYR	3	27.839	23.910	24.703	1.00	24.67	CPS4
ATOM	2811	CA	TYR	3	27.389	24.765	23.606	1.00	24.61	CPS4
ATOM	2812	CB	TYR	3	26.260	24.071	22.850	1.00	27.01	CPS4
ATOM	2813	CG	TYR	3	25.726	24.865	21.681	1.00	29.25	CPS4
ATOM	2814	CD1	TYR	3	26.385	24.861	20.452	1.00	31.33	CPS4
ATOM	2815	CE1	TYR	3	25.916	25.616	19.379	1.00	33.16	CPS4
ATOM	2816	CD2	TYR	3	24.579	25.645	21.811	1.00	31.21	CPS4
ATOM	2817	CE2	TYR	3	24.101	26.409	20.740	1.00	32.57	CPS4
ATOM	2818	CZ	TYR	3	24.776	26.388	19.530	1.00	34.44	CPS4
ATOM	2819	OH	TYR	3	24.328	27.148	18.473	1.00	36.34	CPS4
ATOM	2820	C	TYR	3	26.881	26.103	24.151	1.00	23.47	CPS4
ATOM	2821	O	TYR	3	27.167	27.175	23.609	1.00	22.30	CPS4
ATOM	2822	N	GLY	4	26.111	26.036	25.226	1.00	21.50	CPS4
ATOM	2823	CA	GLY	4	25.597	27.262	25.802	1.00	20.66	CPS4
ATOM	2824	C	GLY	4	24.775	26.974	27.036	1.00	18.15	CPS4
ATOM	2825	O	GLY	4	24.397	25.824	27.275	1.00	17.40	CPS4
ATOM	2826	N	ILE	5	24.519	28.019	27.827	1.00	17.22	CPS4
ATOM	2827	CA	ILE	5	23.725	27.874	29.039	1.00	16.89	CPS4
ATOM	2828	CB	ILE	5	24.585	27.961	30.311	1.00	17.48	CPS4
ATOM	2829	CG2	ILE	5	25.700	26.921	30.241	1.00	16.93	CPS4
ATOM	2830	CG1	ILE	5	25.166	29.374	30.472	1.00	18.44	CPS4
ATOM	2831	CD1	ILE	5	26.002	29.560	31.716	1.00	17.67	CPS4
ATOM	2832	C	ILE	5	22.673	28.972	29.079	1.00	16.76	CPS4
ATOM	2833	O	ILE	5	22.831	30.024	28.457	1.00	17.03	CPS4
ATOM	2834	N	GLY	6	21.601	28.723	29.816	1.00	16.72	CPS4
ATOM	2835	CA	GLY	6	20.5					

ATOM	2850	OD1	ASP	8	12.194	32.814	32.922	1.00	25.67	CPS4
ATOM	2851	OD2	ASP	8	13.245	34.131	31.551	1.00	24.39	CPS4
ATOM	2852	C	ASP	8	14.645	32.619	34.732	1.00	19.46	CPS4
ATOM	2853	O	ASP	8	14.490	31.574	35.363	1.00	17.36	CPS4
ATOM	2854	N	ILE	9	14.239	33.806	35.183	1.00	18.34	CPS4
ATOM	2855	CA	ILE	9	13.420	33.898	36.376	1.00	19.60	CPS4
ATOM	2856	CB	ILE	9	14.086	34.711	37.519	1.00	19.76	CPS4
ATOM	2857	CG2	ILE	9	13.133	34.805	38.700	1.00	21.48	CPS4
ATOM	2858	CG1	ILE	9	15.366	34.012	37.982	1.00	20.86	CPS4
ATOM	2859	CD1	ILE	9	16.146	34.790	39.050	1.00	22.16	CPS4
ATOM	2860	C	ILE	9	12.171	34.623	35.878	1.00	20.38	CPS4
ATOM	2861	O	ILE	9	12.277	35.629	35.167	1.00	20.64	CPS4
ATOM	2862	N	THR	10	10.996	34.086	36.205	1.00	19.99	CPS4
ATOM	2863	CA	THR	10	9.749	34.700	35.781	1.00	20.69	CPS4
ATOM	2864	CB	THR	10	8.999	33.803	34.777	1.00	21.55	CPS4
ATOM	2865	OG1	THR	10	9.775	33.679	33.572	1.00	23.30	CPS4
ATOM	2866	CG2	THR	10	7.639	34.414	34.433	1.00	23.59	CPS4
ATOM	2867	C	THR	10	8.833	34.990	36.970	1.00	20.24	CPS4
ATOM	2868	O	THR	10	8.677	34.166	37.865	1.00	18.97	CPS4
ATOM	2869	N	GLU	11	8.233	36.173	36.971	1.00	21.51	CPS4
ATOM	2870	CA	GLU	11	7.321	36.560	38.045	1.00	23.43	CPS4
ATOM	2871	CB	GLU	11	7.180	38.085	38.070	1.00	26.54	CPS4
ATOM	2872	CG	GLU	11	6.189	38.601	39.095	1.00	28.77	CPS4
ATOM	2873	CD	GLU	11	6.072	40.116	39.097	1.00	30.52	CPS4
ATOM	2874	OE1	GLU	11	6.416	40.744	38.078	1.00	29.88	CPS4
ATOM	2875	OE2	GLU	11	5.615	40.675	40.118	1.00	33.84	CPS4
ATOM	2876	C	GLU	11	5.959	35.906	37.791	1.00	24.01	CPS4
ATOM	2877	O	GLU	11	5.344	36.137	36.750	1.00	23.79	CPS4
ATOM	2878	N	LEU	12	5.482	35.092	38.730	1.00	23.66	CPS4
ATOM	2879	CA	LEU	12	4.191	34.416	38.556	1.00	25.00	CPS4
ATOM	2880	CB	LEU	12	3.804	33.609	39.798	1.00	26.31	CPS4
ATOM	2881	CG	LEU	12	4.621	32.386	40.208	1.00	31.01	CPS4
ATOM	2882	CD1	LEU	12	3.877	31.679	41.347	1.00	31.83	CPS4
ATOM	2883	CD2	LEU	12	4.808	31.435	39.028	1.00	32.20	CPS4
ATOM	2884	C	LEU	12	3.044	35.391	38.253	1.00	24.98	CPS4
ATOM	2885	O	LEU	12	2.196	35.107	37.412	1.00	24.51	CPS4
ATOM	2886	N	ALA	13	3.019	36.524	38.950	1.00	25.40	CPS4
ATOM	2887	CA	ALA	13	1.968	37.527	38.744	1.00	25.67	CPS4
ATOM	2888	CB	ALA	13	2.157	38.691	39.702	1.00	28.52	CPS4
ATOM	2889	C	ALA	13	1.939	38.044	37.314	1.00	26.33	CPS4
ATOM	2890	O	ALA	13	0.871	38.344	36.781	1.00	26.54	CPS4
ATOM	2891	N	ARG	14	3.107	38.152	36.688	1.00	24.68	CPS4
ATOM	2892	CA	ARG	14	3.179	38.				

ATOM	2907	CD1	ILE	15	4.714	33.980	32.358	1.00	27.32	CPS4
ATOM	2908	C	ILE	15	0.766	35.200	33.950	1.00	26.73	CPS4
ATOM	2909	O	ILE	15	0.009	34.983	32.993	1.00	25.85	CPS4
ATOM	2910	N	ALA	16	0.324	35.352	35.193	1.00	26.46	CPS4
ATOM	2911	CA	ALA	16	-1.104	35.273	35.469	1.00	27.92	CPS4
ATOM	2912	CB	ALA	16	-1.355	35.318	36.975	1.00	28.33	CPS4
ATOM	2913	C	ALA	16	-1.823	36.423	34.774	1.00	29.55	CPS4
ATOM	2914	O	ALA	16	-2.928	36.252	34.240	1.00	29.47	CPS4
ATOM	2915	N	SER	17	-1.191	37.592	34.772	1.00	29.18	CPS4
ATOM	2916	CA	SER	17	-1.783	38.760	34.136	1.00	31.51	CPS4
ATOM	2917	CB	SER	17	-0.944	40.000	34.429	1.00	33.05	CPS4
ATOM	2918	OG	SER	17	-1.421	41.104	33.672	1.00	39.63	CPS4
ATOM	2919	C	SER	17	-1.922	38.574	32.624	1.00	32.08	CPS4
ATOM	2920	O	SER	17	-2.974	38.874	32.045	1.00	31.35	CPS4
ATOM	2921	N	MET	18	-0.871	38.078	31.982	1.00	31.52	CPS4
ATOM	2922	CA	MET	18	-0.912	37.868	30.540	1.00	32.75	CPS4
ATOM	2923	CB	MET	18	0.469	37.482	30.008	1.00	34.03	CPS4
ATOM	2924	CG	MET	18	1.504	38.580	30.147	1.00	38.00	CPS4
ATOM	2925	SD	MET	18	3.076	38.170	29.360	1.00	41.64	CPS4
ATOM	2926	CE	MET	18	3.866	37.225	30.666	1.00	38.75	CPS4
ATOM	2927	C	MET	18	-1.917	36.793	30.156	1.00	32.75	CPS4
ATOM	2928	O	MET	18	-2.689	36.971	29.215	1.00	32.74	CPS4
ATOM	2929	N	ALA	19	-1.906	35.686	30.893	1.00	33.01	CPS4
ATOM	2930	CA	ALA	19	-2.801	34.569	30.618	1.00	34.57	CPS4
ATOM	2931	CB	ALA	19	-2.458	33.384	31.515	1.00	34.76	CPS4
ATOM	2932	C	ALA	19	-4.262	34.944	30.793	1.00	36.04	CPS4
ATOM	2933	O	ALA	19	-5.140	34.338	30.176	1.00	36.08	CPS4
ATOM	2934	N	GLY	20	-4.523	35.942	31.630	1.00	36.62	CPS4
ATOM	2935	CA	GLY	20	-5.896	36.360	31.852	1.00	38.42	CPS4
ATOM	2936	C	GLY	20	-6.379	37.392	30.850	1.00	38.57	CPS4
ATOM	2937	O	GLY	20	-7.560	37.437	30.511	1.00	38.87	CPS4
ATOM	2938	N	ARG	21	-5.460	38.210	30.355	1.00	38.64	CPS4
ATOM	2939	CA	ARG	21	-5.813	39.261	29.417	1.00	39.87	CPS4
ATOM	2940	CB	ARG	21	-4.944	40.489	29.695	1.00	42.18	CPS4
ATOM	2941	CG	ARG	21	-4.955	40.913	31.156	1.00	47.12	CPS4
ATOM	2942	CD	ARG	21	-4.162	42.195	31.381	1.00	50.94	CPS4
ATOM	2943	NE	ARG	21	-4.149	42.582	32.792	1.00	55.15	CPS4
ATOM	2944	CZ	ARG	21	-3.691	43.746	33.252	1.00	56.93	CPS4
ATOM	2945	NH1	ARG	21	-3.721	44.005	34.554	1.00	57.41	CPS4
ATOM	2946	NH2	ARG	21	-3.211	44.656	32.412	1.00	57.54	CPS4
ATOM	2947	C	ARG	21	-5.699	38.879	27.942	1.00	39.28	CPS4
ATOM	2948	O	ARG	21	-6.223	39.587	27.080	1.00	39.05	CPS4
ATOM	2949	N	GLN	22	-5.030	37.764	27.655	1.00</		









ATOM	3135	N	GLU	43	-6.955	26.338	38.703	1.00	42.87	CPS4
ATOM	3136	CA	GLU	43	-6.616	27.687	38.286	1.00	44.09	CPS4
ATOM	3137	CB	GLU	43	-7.686	28.651	38.803	1.00	46.92	CPS4
ATOM	3138	CG	GLU	43	-7.721	30.000	38.115	1.00	51.91	CPS4
ATOM	3139	CD	GLU	43	-6.722	30.982	38.687	1.00	55.38	CPS4
ATOM	3140	OE1	GLU	43	-6.747	31.203	39.920	1.00	57.45	CPS4
ATOM	3141	OE2	GLU	43	-5.920	31.543	37.905	1.00	57.72	CPS4
ATOM	3142	C	GLU	43	-5.226	28.088	38.802	1.00	43.04	CPS4
ATOM	3143	O	GLU	43	-4.404	28.633	38.058	1.00	42.48	CPS4
ATOM	3144	N	LYS	44	-4.965	27.805	40.074	1.00	41.59	CPS4
ATOM	3145	CA	LYS	44	-3.684	28.136	40.690	1.00	40.46	CPS4
ATOM	3146	CB	LYS	44	-3.758	27.910	42.201	1.00	42.16	CPS4
ATOM	3147	CG	LYS	44	-2.528	28.378	42.960	1.00	44.29	CPS4
ATOM	3148	CD	LYS	44	-2.684	28.137	44.457	1.00	47.29	CPS4
ATOM	3149	CE	LYS	44	-1.439	28.574	45.218	1.00	48.62	CPS4
ATOM	3150	NZ	LYS	44	-1.554	28.319	46.683	1.00	50.30	CPS4
ATOM	3151	C	LYS	44	-2.537	27.311	40.107	1.00	38.58	CPS4
ATOM	3152	O	LYS	44	-1.466	27.845	39.806	1.00	37.53	CPS4
ATOM	3153	N	ARG	45	-2.764	26.010	39.957	1.00	35.62	CPS4
ATOM	3154	CA	ARG	45	-1.755	25.115	39.406	1.00	34.29	CPS4
ATOM	3155	CB	ARG	45	-2.205	23.663	39.575	1.00	36.05	CPS4
ATOM	3156	CG	ARG	45	-2.054	23.119	41.002	1.00	39.56	CPS4
ATOM	3157	CD	ARG	45	-0.605	22.768	41.301	1.00	42.27	CPS4
ATOM	3158	NE	ARG	45	-0.090	21.793	40.341	1.00	45.82	CPS4
ATOM	3159	CZ	ARG	45	1.003	21.973	39.600	1.00	48.25	CPS4
ATOM	3160	NH1	ARG	45	1.711	23.093	39.707	1.00	47.45	CPS4
ATOM	3161	NH2	ARG	45	1.381	21.037	38.733	1.00	48.96	CPS4
ATOM	3162	C	ARG	45	-1.491	25.422	37.926	1.00	32.63	CPS4
ATOM	3163	O	ARG	45	-0.383	25.215	37.425	1.00	30.48	CPS4
ATOM	3164	N	LYS	46	-2.513	25.912	37.232	1.00	30.94	CPS4
ATOM	3165	CA	LYS	46	-2.365	26.265	35.820	1.00	31.41	CPS4
ATOM	3166	CB	LYS	46	-3.672	26.841	35.262	1.00	31.76	CPS4
ATOM	3167	CG	LYS	46	-4.637	25.828	34.661	1.00	32.98	CPS4
ATOM	3168	CD	LYS	46	-5.770	26.574	33.959	1.00	35.55	CPS4
ATOM	3169	CE	LYS	46	-6.597	25.647	33.081	1.00	37.38	CPS4
ATOM	3170	NZ	LYS	46	-7.283	24.614	33.895	1.00	39.63	CPS4
ATOM	3171	C	LYS	46	-1.275	27.326	35.668	1.00	30.10	CPS4
ATOM	3172	O	LYS	46	-0.365	27.197	34.843	1.00	28.86	CPS4
ATOM	3173	N	ASN	47	-1.378	28.388	36.457	1.00	29.05	CPS4
ATOM	3174	CA	ASN	47	-0.393	29.445	36.357	1.00	29.35	CPS4
ATOM	3175	CB	ASN	47	-0.875	30.700	37.081	1.00	32.62	CPS4
ATOM	3176	CG	ASN	47	-1.923	31.471	36.270	1.00	36.22	CPS4
ATOM	3177	OD1	ASN	47	-1.748					















ATOM	3534	CE	LYS	93	15.212	25.376	15.229	1.00	40.84	CPS4
ATOM	3535	NZ	LYS	93	14.048	25.250	14.312	1.00	43.58	CPS4
ATOM	3536	C	LYS	93	18.005	20.676	17.234	1.00	27.51	CPS4
ATOM	3537	O	LYS	93	19.005	20.676	16.509	1.00	27.46	CPS4
ATOM	3538	N	LEU	94	17.910	19.911	18.307	1.00	26.01	CPS4
ATOM	3539	CA	LEU	94	19.020	19.058	18.676	1.00	25.30	CPS4
ATOM	3540	CB	LEU	94	20.055	19.904	19.408	1.00	27.33	CPS4
ATOM	3541	CG	LEU	94	19.418	20.843	20.433	1.00	28.62	CPS4
ATOM	3542	CD1	LEU	94	19.228	20.074	21.712	1.00	30.37	CPS4
ATOM	3543	CD2	LEU	94	20.292	22.060	20.673	1.00	30.20	CPS4
ATOM	3544	C	LEU	94	18.556	17.889	19.524	1.00	25.14	CPS4
ATOM	3545	O	LEU	94	17.414	17.854	19.974	1.00	24.61	CPS4
ATOM	3546	N	SER	95	19.460	16.944	19.755	1.00	24.28	CPS4
ATOM	3547	CA	SER	95	19.153	15.731	20.499	1.00	26.04	CPS4
ATOM	3548	CB	SER	95	20.323	14.756	20.355	1.00	27.48	CPS4
ATOM	3549	OG	SER	95	20.100	13.586	21.116	1.00	33.27	CPS4
ATOM	3550	C	SER	95	18.825	15.908	21.982	1.00	25.21	CPS4
ATOM	3551	O	SER	95	19.445	16.714	22.672	1.00	26.64	CPS4
ATOM	3552	N	PRO	96	17.840	15.150	22.485	1.00	25.96	CPS4
ATOM	3553	CD	PRO	96	16.943	14.229	21.760	1.00	25.56	CPS4
ATOM	3554	CA	PRO	96	17.461	15.245	23.900	1.00	26.26	CPS4
ATOM	3555	CB	PRO	96	16.385	14.165	24.045	1.00	26.57	CPS4
ATOM	3556	CG	PRO	96	15.745	14.149	22.679	1.00	27.21	CPS4
ATOM	3557	C	PRO	96	18.677	14.961	24.787	1.00	26.31	CPS4
ATOM	3558	O	PRO	96	18.835	15.561	25.856	1.00	24.59	CPS4
ATOM	3559	N	ALA	97	19.541	14.056	24.323	1.00	27.53	CPS4
ATOM	3560	CA	ALA	97	20.739	13.678	25.074	1.00	29.07	CPS4
ATOM	3561	CB	ALA	97	21.480	12.589	24.286	1.00	34.39	CPS4
ATOM	3562	C	ALA	97	21.690	14.853	25.314	1.00	27.61	CPS4
ATOM	3563	O	ALA	97	22.492	14.827	26.251	1.00	26.14	CPS4
ATOM	3564	N	ALA	98	21.599	15.885	24.483	1.00	24.18	CPS4
ATOM	3565	CA	ALA	98	22.486	17.034	24.617	1.00	23.38	CPS4
ATOM	3566	CB	ALA	98	22.804	17.600	23.238	1.00	25.54	CPS4
ATOM	3567	C	ALA	98	21.943	18.150	25.500	1.00	23.06	CPS4
ATOM	3568	O	ALA	98	22.634	19.140	25.730	1.00	23.28	CPS4
ATOM	3569	N	VAL	99	20.720	17.993	25.999	1.00	21.46	CPS4
ATOM	3570	CA	VAL	99	20.109	19.048	26.796	1.00	20.54	CPS4
ATOM	3571	CB	VAL	99	18.806	19.548	26.146	1.00	21.70	CPS4
ATOM	3572	CG1	VAL	99	18.317	20.837	26.820	1.00	20.11	CPS4
ATOM	3573	CG2	VAL	99	19.026	19.777	24.692	1.00	25.15	CPS4
ATOM	3574	C	VAL	99	19.781	18.622	28.206	1.00	20.45	CPS4
ATOM	3575	O	VAL	99	19.399	17.477	28.450	1.00	20.26	CPS4
ATOM	3576	N	HIS	100	19.924	19.572	29.123	1.00	19.96	CPS4
ATOM	3577	CA	HIS	100	19.634	19.349	30.531	1.00	19.64	CPS4
ATOM	3578	CB	HIS	100	20.935	19.210	31.318	1.00	20.91	CPS4
ATOM	3579	CG	HIS	100	21.844	18.154	30.773	1.00	24.67	CPS4
ATOM	3580	CD2	HIS	100	22.842	18.227	29.862	1.00	26.77	CPS4
ATOM	3581	ND1	HIS	100	21.715	16.820	31.096	1.00	26.53	CPS4
ATOM	3582	CE1	HIS	100	22.593	16.115	30.403	1.00	26.82	CPS4
ATOM	3583	NE2	HIS	100	23.288	16.946	29.646	1.00	28.13	CPS4
ATOM	3584	C	HIS	100	18.864	20.561	31.020	1.00	18.58	CPS4
ATOM	3585	O	HIS	100	19.141	21.683	30.602	1.00	18.37	CPS4
ATOM	3586	N	VAL	101	17.907	20.336	31.911	1.00	18.87	CPS4
ATOM	3587	CA	VAL	101	17.103	21.434	32.431	1.00	17.84	CPS4
ATOM	3588	CB	VAL	101	15.800	21.590	31.608	1.00	16.78	CPS4
ATOM	3589	CG1	VAL	101	14.930	20.345	31.770	1.00	18.44	CPS4
ATOM	3590	CG2	VAL	101	15.029	22.840	32.049	1.00	18.77	CPS4



[illegible]

ATOM	3648	O	GLU	108	6.553	35.023	41.400	1.00	22.15	CPS4
ATOM	3649	N	TYR	109	7.711	33.308	42.293	1.00	21.80	CPS4
ATOM	3650	CA	TYR	109	8.509	33.129	41.077	1.00	22.23	CPS4
ATOM	3651	CB	TYR	109	9.940	33.626	41.317	1.00	22.18	CPS4
ATOM	3652	CG	TYR	109	10.035	35.082	41.674	1.00	22.99	CPS4
ATOM	3653	CD1	TYR	109	9.984	36.062	40.688	1.00	22.71	CPS4
ATOM	3654	CE1	TYR	109	10.017	37.418	41.018	1.00	25.19	CPS4
ATOM	3655	CD2	TYR	109	10.127	35.485	43.008	1.00	25.01	CPS4
ATOM	3656	CE2	TYR	109	10.158	36.833	43.350	1.00	26.56	CPS4
ATOM	3657	CZ	TYR	109	10.101	37.793	42.349	1.00	26.58	CPS4
ATOM	3658	OH	TYR	109	10.114	39.128	42.677	1.00	29.10	CPS4
ATOM	3659	C	TYR	109	8.625	31.713	40.569	1.00	20.65	CPS4
ATOM	3660	O	TYR	109	8.402	30.757	41.297	1.00	20.79	CPS4
ATOM	3661	N	ALA	110	8.989	31.609	39.294	1.00	21.05	CPS4
ATOM	3662	CA	ALA	110	9.280	30.334	38.654	1.00	19.88	CPS4
ATOM	3663	CB	ALA	110	8.267	29.999	37.567	1.00	21.21	CPS4
ATOM	3664	C	ALA	110	10.638	30.617	38.028	1.00	19.33	CPS4
ATOM	3665	O	ALA	110	10.887	31.730	37.568	1.00	20.58	CPS4
ATOM	3666	N	ALA	111	11.525	29.626	38.008	1.00	18.54	CPS4
ATOM	3667	CA	ALA	111	12.842	29.834	37.423	1.00	17.54	CPS4
ATOM	3668	CB	ALA	111	13.840	30.291	38.498	1.00	17.07	CPS4
ATOM	3669	C	ALA	111	13.314	28.540	36.786	1.00	16.63	CPS4
ATOM	3670	O	ALA	111	12.873	27.454	37.160	1.00	17.51	CPS4
ATOM	3671	N	ALA	112	14.218	28.654	35.826	1.00	17.15	CPS4
ATOM	3672	CA	ALA	112	14.721	27.471	35.161	1.00	16.51	CPS4
ATOM	3673	CB	ALA	112	13.771	27.054	34.046	1.00	17.29	CPS4
ATOM	3674	C	ALA	112	16.092	27.742	34.583	1.00	16.61	CPS4
ATOM	3675	O	ALA	112	16.476	28.887	34.363	1.00	15.97	CPS4
ATOM	3676	N	GLN	113	16.842	26.677	34.356	1.00	17.66	CPS4
ATOM	3677	CA	GLN	113	18.148	26.829	33.754	1.00	17.26	CPS4
ATOM	3678	CB	GLN	113	19.257	26.820	34.811	1.00	19.62	CPS4
ATOM	3679	CG	GLN	113	19.419	25.510	35.538	1.00	23.20	CPS4
ATOM	3680	CD	GLN	113	20.569	25.522	36.537	1.00	26.68	CPS4
ATOM	3681	OE1	GLN	113	20.942	24.480	37.077	1.00	29.56	CPS4
ATOM	3682	NE2	GLN	113	21.121	26.697	36.798	1.00	29.78	CPS4
ATOM	3683	C	GLN	113	18.314	25.678	32.789	1.00	17.26	CPS4
ATOM	3684	O	GLN	113	17.741	24.609	32.975	1.00	16.60	CPS4
ATOM	3685	N	VAL	114	19.093	25.910	31.746	1.00	16.61	CPS4
ATOM	3686	CA	VAL	114	19.329	24.880	30.744	1.00	17.56	CPS4
ATOM	3687	CB	VAL	114	18.523	25.161	29.436	1.00	17.29	CPS4
ATOM	3688	CG1	VAL	114	19.016	24.268	28.275	1.00	18.95	CPS4
ATOM	3689	CG2	VAL	114	17.058	24.895	29.671	1.00	19.12	CPS4
ATOM	3690	C	VAL	114	20.795	24.886	30.386	1.00	17.66	CPS4
ATOM	3691	O	VAL	114	21.454	25.938	30.404	1.00	17.69	CPS4
ATOM	3692	N	VAL	115	21.309	23.696	30.104	1.00	18.00	CPS4
ATOM	3693	CA	VAL	115	22.673	23.566	29.629	1.00	18.27	CPS4
ATOM	3694	CB	VAL	115	23.611	22.872	30.635	1.00	19.25	CPS4
ATOM	3695	CG1	VAL	115	24.962	22.560	29.939	1.00	19.98	CPS4
ATOM	3696	CG2	VAL	115	23.845	23.762	31.841	1.00	17.55	CPS4
ATOM	3697	C	VAL	115	22.597	22.696	28.378	1.00	19.07	CPS4
ATOM	3698	O	VAL	115	21.987	21.626	28.394	1.00	20.13	CPS4
ATOM	3699	N	ILE	116	23.197	23.170	27.293	1.00	18.54	CPS4
ATOM	3700	CA	ILE	116	23.236	22.407	26.053	1.00	21.10	CPS4
ATOM	3701	CB	ILE	116	22.762	23.239	24.850	1.00	21.01	CPS4
ATOM	3702	CG2	ILE	116	22.921	22.420	23.563	1.00	20.56	CPS4
ATOM	3703	CG1	ILE	116	21.298	23.652	25.046	1.00	19.07	CPS4
ATOM	3704	CD1	ILE	116	20.775	24.599	23.943	1.00	18.68	CPS4

ATOM	3705	C	ILE	116	24.692	22.029	25.851	1.00	22.03	CPS4
ATOM	3706	O	ILE	116	25.570	22.884	25.856	1.00	21.24	CPS4
ATOM	3707	N	GLU	117	24.951	20.736	25.702	1.00	25.15	CPS4
ATOM	3708	CA	GLU	117	26.317	20.266	25.509	1.00	28.51	CPS4
ATOM	3709	CB	GLU	117	26.469	18.835	26.012	1.00	28.70	CPS4
ATOM	3710	CG	GLU	117	26.237	18.661	27.490	1.00	33.10	CPS4
ATOM	3711	CD	GLU	117	26.513	17.240	27.929	1.00	34.43	CPS4
ATOM	3712	OE1	GLU	117	27.702	16.908	28.114	1.00	36.09	CPS4
ATOM	3713	OE2	GLU	117	25.545	16.458	28.070	1.00	35.59	CPS4
ATOM	3714	C	GLU	117	26.677	20.279	24.041	1.00	30.50	CPS4
ATOM	3715	O	GLU	117	25.815	20.420	23.186	1.00	29.91	CPS4
ATOM	3716	N	ARG	118	27.960	20.137	23.747	1.00	34.16	CPS4
ATOM	3717	CA	ARG	118	28.371	20.085	22.355	1.00	38.48	CPS4
ATOM	3718	CB	ARG	118	29.800	20.597	22.182	1.00	41.53	CPS4
ATOM	3719	CG	ARG	118	29.971	22.069	22.549	1.00	45.64	CPS4
ATOM	3720	CD	ARG	118	30.881	22.808	21.567	1.00	47.97	CPS4
ATOM	3721	NE	ARG	118	30.154	23.472	20.477	1.00	50.66	CPS4
ATOM	3722	CZ	ARG	118	29.372	22.860	19.585	1.00	50.73	CPS4
ATOM	3723	NH1	ARG	118	29.188	21.550	19.633	1.00	52.65	CPS4
ATOM	3724	NH2	ARG	118	28.786	23.560	18.622	1.00	51.12	CPS4
ATOM	3725	C	ARG	118	28.285	18.615	21.984	1.00	40.15	CPS4
ATOM	3726	OT1	ARG	118	27.421	18.274	21.156	1.00	41.62	CPS4
ATOM	3727	OT2	ARG	118	29.063	17.816	22.555	1.00	41.20	CPS4
ATOM	3728	C	GLY	1	28.742	14.952	31.117	1.00	33.66	CPS5
ATOM	3729	O	GLY	1	29.119	14.581	32.234	1.00	34.07	CPS5
ATOM	3730	N	GLY	1	30.561	13.536	30.129	1.00	37.12	CPS5
ATOM	3731	CA	GLY	1	29.506	14.565	29.858	1.00	34.50	CPS5
ATOM	3732	N	ILE	2	27.654	15.692	30.948	1.00	31.08	CPS5
ATOM	3733	CA	ILE	2	26.856	16.110	32.095	1.00	28.11	CPS5
ATOM	3734	CB	ILE	2	26.178	17.462	31.826	1.00	27.63	CPS5
ATOM	3735	CG2	ILE	2	25.128	17.747	32.899	1.00	24.45	CPS5
ATOM	3736	CG1	ILE	2	27.244	18.559	31.785	1.00	28.90	CPS5
ATOM	3737	CD1	ILE	2	26.695	19.935	31.484	1.00	31.41	CPS5
ATOM	3738	C	ILE	2	25.797	15.083	32.441	1.00	27.43	CPS5
ATOM	3739	O	ILE	2	25.067	14.611	31.567	1.00	27.84	CPS5
ATOM	3740	N	TYR	3	25.719	14.735	33.723	1.00	27.08	CPS5
ATOM	3741	CA	TYR	3	24.737	13.768	34.198	1.00	27.10	CPS5
ATOM	3742	CB	TYR	3	25.220	13.087	35.476	1.00	30.18	CPS5
ATOM	3743	CG	TYR	3	24.212	12.108	36.033	1.00	34.88	CPS5
ATOM	3744	CD1	TYR	3	24.012	10.862	35.428	1.00	36.41	CPS5
ATOM	3745	CE1	TYR	3	23.063	9.963	35.920	1.00	38.43	CPS5
ATOM	3746	CD2	TYR	3	23.435	12.433	37.146	1.00	36.11	CPS5









ATOM	3933	OE1	GLU	27	17.353	20.647	65.056	1.00	23.58	CPS5
ATOM	3934	OE2	GLU	27	19.218	20.932	66.172	1.00	25.05	CPS5
ATOM	3935	C	GLU	27	18.184	17.831	61.369	1.00	23.57	CPS5
ATOM	3936	O	GLU	27	18.937	16.934	61.000	1.00	23.93	CPS5
ATOM	3937	N	ARG	28	16.981	18.015	60.833	1.00	23.21	CPS5
ATOM	3938	CA	ARG	28	16.502	17.173	59.742	1.00	25.30	CPS5
ATOM	3939	CB	ARG	28	14.995	17.391	59.530	1.00	28.97	CPS5
ATOM	3940	CG	ARG	28	14.413	16.636	58.327	1.00	31.14	CPS5
ATOM	3941	CD	ARG	28	12.911	16.353	58.503	1.00	35.90	CPS5
ATOM	3942	NE	ARG	28	12.063	17.535	58.340	1.00	36.29	CPS5
ATOM	3943	CZ	ARG	28	11.774	18.089	57.165	1.00	38.49	CPS5
ATOM	3944	NH1	ARG	28	12.264	17.571	56.045	1.00	37.03	CPS5
ATOM	3945	NH2	ARG	28	10.980	19.154	57.105	1.00	38.67	CPS5
ATOM	3946	C	ARG	28	17.245	17.488	58.439	1.00	24.41	CPS5
ATOM	3947	O	ARG	28	17.582	16.596	57.666	1.00	24.06	CPS5
ATOM	3948	N	ILE	29	17.517	18.765	58.218	1.00	23.36	CPS5
ATOM	3949	CA	ILE	29	18.183	19.212	56.997	1.00	24.49	CPS5
ATOM	3950	CB	ILE	29	17.817	20.693	56.704	1.00	24.90	CPS5
ATOM	3951	CG2	ILE	29	18.374	21.123	55.334	1.00	26.73	CPS5
ATOM	3952	CG1	ILE	29	16.305	20.880	56.773	1.00	24.80	CPS5
ATOM	3953	CD1	ILE	29	15.527	19.982	55.843	1.00	23.16	CPS5
ATOM	3954	C	ILE	29	19.708	19.121	56.983	1.00	24.05	CPS5
ATOM	3955	O	ILE	29	20.313	18.817	55.949	1.00	23.72	CPS5
ATOM	3956	N	LEU	30	20.323	19.383	58.132	1.00	23.56	CPS5
ATOM	3957	CA	LEU	30	21.778	19.444	58.240	1.00	23.33	CPS5
ATOM	3958	CB	LEU	30	22.151	20.701	59.035	1.00	22.47	CPS5
ATOM	3959	CG	LEU	30	21.503	22.020	58.591	1.00	23.18	CPS5
ATOM	3960	CD1	LEU	30	21.940	23.141	59.519	1.00	23.77	CPS5
ATOM	3961	CD2	LEU	30	21.901	22.348	57.157	1.00	22.19	CPS5
ATOM	3962	C	LEU	30	22.492	18.238	58.854	1.00	24.18	CPS5
ATOM	3963	O	LEU	30	21.966	17.577	59.753	1.00	24.62	CPS5
ATOM	3964	N	THR	31	23.704	17.976	58.363	1.00	24.03	CPS5
ATOM	3965	CA	THR	31	24.531	16.878	58.862	1.00	24.72	CPS5
ATOM	3966	CB	THR	31	25.626	16.494	57.850	1.00	25.78	CPS5
ATOM	3967	OG1	THR	31	26.575	17.563	57.761	1.00	26.99	CPS5
ATOM	3968	CG2	THR	31	25.022	16.234	56.466	1.00	24.96	CPS5
ATOM	3969	C	THR	31	25.228	17.351	60.140	1.00	24.37	CPS5
ATOM	3970	O	THR	31	25.134	18.520	60.514	1.00	24.09	CPS5
ATOM	3971	N	ARG	32	25.943	16.452	60.806	1.00	25.54	CPS5
ATOM	3972	CA	ARG	32	26.642	16.832	62.031	1.00	27.17	CPS5
ATOM	3973	CB	ARG	32	27.429	15.651	62.590	1.00	28.99	CPS5
ATOM	3974	CG	ARG	32	26.583	14.597	63.261	1.00	31.34	CPS5
ATOM	39									



ATOM	4047	CA	GLU	40	27.731	29.090	66.304	1.00	46.08	CPS5
ATOM	4048	CB	GLU	40	29.140	28.737	65.834	1.00	48.41	CPS5
ATOM	4049	CG	GLU	40	29.806	27.639	66.639	1.00	52.50	CPS5
ATOM	4050	CD	GLU	40	31.155	27.248	66.063	1.00	54.95	CPS5
ATOM	4051	OE1	GLU	40	31.969	28.154	65.774	1.00	56.23	CPS5
ATOM	4052	OE2	GLU	40	31.403	26.033	65.904	1.00	57.17	CPS5
ATOM	4053	C	GLU	40	27.322	30.446	65.721	1.00	46.24	CPS5
ATOM	4054	O	GLU	40	27.932	31.475	66.023	1.00	46.47	CPS5
ATOM	4055	N	LEU	41	26.279	30.443	64.896	1.00	45.08	CPS5
ATOM	4056	CA	LEU	41	25.803	31.664	64.254	1.00	44.90	CPS5
ATOM	4057	CB	LEU	41	25.304	31.348	62.840	1.00	44.02	CPS5
ATOM	4058	CG	LEU	41	26.227	30.623	61.859	1.00	43.61	CPS5
ATOM	4059	CD1	LEU	41	25.443	30.306	60.591	1.00	42.67	CPS5
ATOM	4060	CD2	LEU	41	27.439	31.480	61.530	1.00	43.84	CPS5
ATOM	4061	C	LEU	41	24.685	32.376	65.013	1.00	45.61	CPS5
ATOM	4062	O	LEU	41	24.021	31.789	65.869	1.00	45.79	CPS5
ATOM	4063	N	SER	42	24.479	33.648	64.677	1.00	46.42	CPS5
ATOM	4064	CA	SER	42	23.432	34.456	65.288	1.00	47.43	CPS5
ATOM	4065	CB	SER	42	23.615	35.924	64.915	1.00	48.22	CPS5
ATOM	4066	OG	SER	42	23.440	36.106	63.520	1.00	48.72	CPS5
ATOM	4067	C	SER	42	22.105	33.963	64.734	1.00	47.92	CPS5
ATOM	4068	O	SER	42	22.081	33.205	63.763	1.00	47.71	CPS5
ATOM	4069	N	GLU	43	21.000	34.399	65.328	1.00	48.18	CPS5
ATOM	4070	CA	GLU	43	19.689	33.959	64.861	1.00	48.69	CPS5
ATOM	4071	CB	GLU	43	18.581	34.563	65.728	1.00	50.88	CPS5
ATOM	4072	CG	GLU	43	17.286	33.765	65.683	1.00	53.85	CPS5
ATOM	4073	CD	GLU	43	16.099	34.579	65.201	1.00	56.30	CPS5
ATOM	4074	OE1	GLU	43	16.189	35.176	64.105	1.00	57.99	CPS5
ATOM	4075	OE2	GLU	43	15.073	34.614	65.916	1.00	56.86	CPS5
ATOM	4076	C	GLU	43	19.449	34.308	63.389	1.00	47.59	CPS5
ATOM	4077	O	GLU	43	18.899	33.503	62.635	1.00	46.68	CPS5
ATOM	4078	N	LYS	44	19.861	35.504	62.979	1.00	46.55	CPS5
ATOM	4079	CA	LYS	44	19.680	35.926	61.591	1.00	46.07	CPS5
ATOM	4080	CB	LYS	44	19.973	37.422	61.439	1.00	47.29	CPS5
ATOM	4081	CG	LYS	44	19.730	37.935	60.031	1.00	49.35	CPS5
ATOM	4082	CD	LYS	44	20.148	39.384	59.857	1.00	50.89	CPS5
ATOM	4083	CE	LYS	44	19.837	39.855	58.440	1.00	52.29	CPS5
ATOM	4084	NZ	LYS	44	20.265	41.261	58.188	1.00	53.26	CPS5
ATOM	4085	C	LYS	44	20.597	35.130	60.660	1.00	44.52	CPS5
ATOM	4086	O	LYS	44	20.185	34.698	59.579	1.00	43.62	CPS5
ATOM	4087	N	ARG	45	21.842	34.944	61.084	1.00	42.61	CPS5
ATOM	4088	CA	ARG	45	22.816	34.195	60.297	1.00	41.42	CPS5

ATOM	4104	NZ	LYS	46	21.100	29.022	67.241	1.00	40.50	CPS5
ATOM	4105	C	LYS	46	20.267	30.612	60.047	1.00	33.30	CPS5
ATOM	4106	O	LYS	46	20.350	29.631	59.310	1.00	31.70	CPS5
ATOM	4107	N	ASN	47	19.313	31.531	59.924	1.00	31.25	CPS5
ATOM	4108	CA	ASN	47	18.295	31.424	58.892	1.00	30.79	CPS5
ATOM	4109	CB	ASN	47	17.298	32.575	59.020	1.00	32.61	CPS5
ATOM	4110	CG	ASN	47	16.216	32.532	57.963	1.00	33.88	CPS5
ATOM	4111	OD1	ASN	47	15.427	31.588	57.896	1.00	34.99	CPS5
ATOM	4112	ND2	ASN	47	16.176	33.558	57.121	1.00	36.56	CPS5
ATOM	4113	C	ASN	47	18.944	31.440	57.513	1.00	31.05	CPS5
ATOM	4114	O	ASN	47	18.588	30.637	56.648	1.00	30.48	CPS5
ATOM	4115	N	GLU	48	19.888	32.358	57.311	1.00	28.97	CPS5
ATOM	4116	CA	GLU	48	20.588	32.468	56.031	1.00	29.63	CPS5
ATOM	4117	CB	GLU	48	21.570	33.640	56.061	1.00	31.86	CPS5
ATOM	4118	CG	GLU	48	20.921	34.975	56.372	1.00	37.62	CPS5
ATOM	4119	CD	GLU	48	21.936	36.092	56.540	1.00	40.25	CPS5
ATOM	4120	OE1	GLU	48	21.525	37.217	56.898	1.00	42.86	CPS5
ATOM	4121	OE2	GLU	48	23.141	35.845	56.313	1.00	41.40	CPS5
ATOM	4122	C	GLU	48	21.358	31.187	55.726	1.00	27.51	CPS5
ATOM	4123	O	GLU	48	21.281	30.644	54.622	1.00	26.82	CPS5
ATOM	4124	N	PHE	49	22.106	30.712	56.711	1.00	25.07	CPS5
ATOM	4125	CA	PHE	49	22.886	29.497	56.552	1.00	25.50	CPS5
ATOM	4126	CB	PHE	49	23.636	29.194	57.844	1.00	25.32	CPS5
ATOM	4127	CG	PHE	49	24.519	27.986	57.765	1.00	26.38	CPS5
ATOM	4128	CD1	PHE	49	25.798	28.077	57.233	1.00	27.15	CPS5
ATOM	4129	CD2	PHE	49	24.080	26.757	58.249	1.00	24.90	CPS5
ATOM	4130	CE1	PHE	49	26.640	26.954	57.189	1.00	28.06	CPS5
ATOM	4131	CE2	PHE	49	24.903	25.635	58.211	1.00	25.87	CPS5
ATOM	4132	CZ	PHE	49	26.195	25.736	57.678	1.00	26.35	CPS5
ATOM	4133	C	PHE	49	21.991	28.312	56.203	1.00	24.96	CPS5
ATOM	4134	O	PHE	49	22.255	27.581	55.248	1.00	24.24	CPS5
ATOM	4135	N	LEU	50	20.939	28.114	56.995	1.00	23.68	CPS5
ATOM	4136	CA	LEU	50	20.024	27.005	56.773	1.00	23.00	CPS5
ATOM	4137	CB	LEU	50	18.974	26.962	57.892	1.00	24.58	CPS5
ATOM	4138	CG	LEU	50	17.860	25.903	57.864	1.00	24.45	CPS5
ATOM	4139	CD1	LEU	50	18.431	24.483	57.785	1.00	24.94	CPS5
ATOM	4140	CD2	LEU	50	17.022	26.072	59.142	1.00	23.53	CPS5
ATOM	4141	C	LEU	50	19.349	27.082	55.403	1.00	22.61	CPS5
ATOM	4142	O	LEU	50	19.268	26.083	54.693	1.00	21.59	CPS5
ATOM	4143	N	ALA	51	18.865	28.260	55.021	1.00	21.89	CPS5
ATOM	4144	CA	ALA	51	18.213	28.390	53.723	1.00	21.84	CPS5
ATOM	4145	CB	ALA	51	17.637	29.799	53.556	1.00	21.05	CPS5
ATOM										

ATOM	4161	C	ARG	53	20.976	23.890	52.125	1.00	21.40	CPS5
ATOM	4162	O	ARG	53	21.106	22.921	51.365	1.00	20.53	CPS5
ATOM	4163	N	PHE	54	19.795	24.341	52.528	1.00	19.73	CPS5
ATOM	4164	CA	PHE	54	18.548	23.745	52.070	1.00	19.35	CPS5
ATOM	4165	CB	PHE	54	17.364	24.482	52.724	1.00	19.38	CPS5
ATOM	4166	CG	PHE	54	16.023	23.926	52.353	1.00	20.72	CPS5
ATOM	4167	CD1	PHE	54	15.330	24.414	51.245	1.00	22.15	CPS5
ATOM	4168	CD2	PHE	54	15.448	22.903	53.107	1.00	21.41	CPS5
ATOM	4169	CE1	PHE	54	14.080	23.891	50.893	1.00	22.91	CPS5
ATOM	4170	CE2	PHE	54	14.196	22.371	52.762	1.00	22.41	CPS5
ATOM	4171	CZ	PHE	54	13.513	22.868	51.654	1.00	22.38	CPS5
ATOM	4172	C	PHE	54	18.484	23.873	50.537	1.00	19.62	CPS5
ATOM	4173	O	PHE	54	18.223	22.901	49.821	1.00	18.89	CPS5
ATOM	4174	N	ALA	55	18.736	25.082	50.046	1.00	19.98	CPS5
ATOM	4175	CA	ALA	55	18.690	25.348	48.608	1.00	19.92	CPS5
ATOM	4176	CB	ALA	55	18.930	26.839	48.347	1.00	18.81	CPS5
ATOM	4177	C	ALA	55	19.721	24.515	47.859	1.00	19.28	CPS5
ATOM	4178	O	ALA	55	19.442	23.972	46.788	1.00	19.25	CPS5
ATOM	4179	N	ALA	56	20.916	24.398	48.422	1.00	19.74	CPS5
ATOM	4180	CA	ALA	56	21.954	23.621	47.755	1.00	20.82	CPS5
ATOM	4181	CB	ALA	56	23.299	23.838	48.446	1.00	20.78	CPS5
ATOM	4182	C	ALA	56	21.622	22.130	47.693	1.00	20.48	CPS5
ATOM	4183	O	ALA	56	21.944	21.459	46.702	1.00	20.22	CPS5
ATOM	4184	N	LYS	57	20.993	21.600	48.746	1.00	19.44	CPS5
ATOM	4185	CA	LYS	57	20.642	20.187	48.754	1.00	19.12	CPS5
ATOM	4186	CB	LYS	57	20.336	19.718	50.191	1.00	18.95	CPS5
ATOM	4187	CG	LYS	57	21.571	19.809	51.077	1.00	18.78	CPS5
ATOM	4188	CD	LYS	57	21.395	19.116	52.429	1.00	22.43	CPS5
ATOM	4189	CE	LYS	57	22.575	19.458	53.329	1.00	22.68	CPS5
ATOM	4190	NZ	LYS	57	22.712	18.541	54.502	1.00	21.60	CPS5
ATOM	4191	C	LYS	57	19.465	19.937	47.821	1.00	20.77	CPS5
ATOM	4192	O	LYS	57	19.401	18.900	47.160	1.00	20.15	CPS5
ATOM	4193	N	GLU	58	18.535	20.885	47.757	1.00	19.45	CPS5
ATOM	4194	CA	GLU	58	17.410	20.738	46.845	1.00	21.16	CPS5
ATOM	4195	CB	GLU	58	16.409	21.887	47.020	1.00	21.14	CPS5
ATOM	4196	CG	GLU	58	15.520	21.769	48.247	1.00	25.24	CPS5
ATOM	4197	CD	GLU	58	14.558	20.605	48.153	1.00	29.18	CPS5
ATOM	4198	OE1	GLU	58	14.482	19.993	47.066	1.00	31.68	CPS5
ATOM	4199	OE2	GLU	58	13.875	20.305	49.156	1.00	29.87	CPS5
ATOM	4200	C	GLU	58	17.943	20.741	45.410	1.00	20.35	CPS5
ATOM	4201	O	GLU	58	17.543	19.908	44.590	1.00	20.00	CPS5
ATOM	4202	N	ALA	59	18.848	21.675	45.113	1.00	20.46	CPS5
ATOM	4203	CA	ALA	59	19.418	21.765	43.769	1.00	20.45	CPS5
ATOM	4204	CB	ALA	59	20.353	22.971	43.655	1.00	20.63	CPS5
ATOM	4205	C	ALA	59	20.175	20.489	43.436	1.00	20.79	CPS5
ATOM	4206	O	ALA	59	20.104	19.985	42.312	1.00	20.80	CPS5
ATOM	4207	N	PHE	60	20.916	19.965	44.404	1.00	19.71	CPS5
ATOM	4208	CA	PHE	60	21.643	18.730	44.153	1.00	19.50	CPS5
ATOM	4209	CB	PHE	60	22.511	18.349	45.361	1.00	20.28	CPS5
ATOM	4210	CG	PHE	60	23.252	17.057	45.172	1.00	22.22	CPS5
ATOM	4211	CD1	PHE	60	24.498	17.034	44.548	1.00	22.07	CPS5
ATOM	4212	CD2	PHE	60	22.657	15.850	45.538	1.00	23.50	CPS5
ATOM	4213	CE1	PHE	60	25.145	15.810	44.285	1.00	25.08	CPS5
ATOM	4214	CE2	PHE	60	23.287	14.629	45.282	1.00	26.22	CPS5
ATOM	4215	CZ	PHE	60	24.534	14.614	44.652	1.00	24.97	CPS5
ATOM	4216	C	PHE	60	20.665	17.588	43.857	1.00	19.97	CPS5
ATOM	4217	O	PHE	60	20.893	16.774	42.946	1.00	20.76	CPS5

ATOM	4218	N	SER	61	19.575	17.530	44.615	1.00	19.93	CPS5
ATOM	4219	CA	SER	61	18.596	16.461	44.437	1.00	22.05	CPS5
ATOM	4220	CB	SER	61	17.542	16.505	45.550	1.00	21.89	CPS5
ATOM	4221	OG	SER	61	16.571	17.505	45.308	1.00	22.40	CPS5
ATOM	4222	C	SER	61	17.931	16.519	43.067	1.00	22.70	CPS5
ATOM	4223	O	SER	61	17.482	15.494	42.540	1.00	23.10	CPS5
ATOM	4224	N	LYS	62	17.874	17.716	42.487	1.00	21.75	CPS5
ATOM	4225	CA	LYS	62	17.292	17.888	41.158	1.00	22.11	CPS5
ATOM	4226	CB	LYS	62	16.914	19.349	40.932	1.00	23.25	CPS5
ATOM	4227	CG	LYS	62	15.636	19.790	41.661	1.00	26.97	CPS5
ATOM	4228	CD	LYS	62	15.515	21.316	41.597	1.00	29.60	CPS5
ATOM	4229	CE	LYS	62	14.085	21.787	41.383	1.00	33.49	CPS5
ATOM	4230	NZ	LYS	62	13.174	21.402	42.470	1.00	35.09	CPS5
ATOM	4231	C	LYS	62	18.290	17.431	40.095	1.00	22.61	CPS5
ATOM	4232	O	LYS	62	17.897	16.841	39.079	1.00	22.72	CPS5
ATOM	4233	N	ALA	63	19.577	17.695	40.333	1.00	21.05	CPS5
ATOM	4234	CA	ALA	63	20.627	17.283	39.408	1.00	21.93	CPS5
ATOM	4235	CB	ALA	63	21.965	17.909	39.801	1.00	21.40	CPS5
ATOM	4236	C	ALA	63	20.737	15.767	39.476	1.00	23.26	CPS5
ATOM	4237	O	ALA	63	21.006	15.113	38.473	1.00	22.70	CPS5
ATOM	4238	N	PHE	64	20.525	15.225	40.672	1.00	23.91	CPS5
ATOM	4239	CA	PHE	64	20.591	13.782	40.916	1.00	25.22	CPS5
ATOM	4240	CB	PHE	64	20.463	13.512	42.419	1.00	24.79	CPS5
ATOM	4241	CG	PHE	64	20.781	12.097	42.818	1.00	27.22	CPS5
ATOM	4242	CD1	PHE	64	22.094	11.642	42.822	1.00	28.51	CPS5
ATOM	4243	CD2	PHE	64	19.768	11.233	43.217	1.00	27.62	CPS5
ATOM	4244	CE1	PHE	64	22.398	10.343	43.224	1.00	30.62	CPS5
ATOM	4245	CE2	PHE	64	20.061	9.931	43.622	1.00	28.83	CPS5
ATOM	4246	CZ	PHE	64	21.377	9.489	43.625	1.00	28.53	CPS5
ATOM	4247	C	PHE	64	19.453	13.109	40.147	1.00	26.39	CPS5
ATOM	4248	O	PHE	64	19.554	11.941	39.766	1.00	28.07	CPS5
ATOM	4249	N	GLY	65	18.381	13.862	39.911	1.00	26.10	CPS5
ATOM	4250	CA	GLY	65	17.251	13.368	39.143	1.00	27.17	CPS5
ATOM	4251	C	GLY	65	16.088	12.768	39.905	1.00	28.46	CPS5
ATOM	4252	O	GLY	65	15.117	12.317	39.298	1.00	28.55	CPS5
ATOM	4253	N	THR	66	16.157	12.789	41.231	1.00	28.12	CPS5
ATOM	4254	CA	THR	66	15.099	12.191	42.037	1.00	29.33	CPS5
ATOM	4255	CB	THR	66	15.663	11.062	42.903	1.00	29.96	CPS5
ATOM	4256	OG1	THR	66	16.635	11.608	43.804	1.00	29.92	CPS5
ATOM	4257	CG2	THR	66	16.326	10.009	42.038	1.00	30.68	CPS5
ATOM	4258	C	THR	66	14.410	13.148	42.984	1.00	28.71	CPS5
ATOM	4259	O	THR	66	13.269	12.915	43.378	1.00	28.56	CPS5
ATOM	4260	N								

ATOM	4275	O	GLY	69	14.363	10.112	50.079	1.00	36.27	CPS5
ATOM	4276	N	ARG	70	12.653	8.997	49.152	1.00	38.18	CPS5
ATOM	4277	CA	ARG	70	13.203	7.724	49.579	1.00	39.66	CPS5
ATOM	4278	CB	ARG	70	12.137	6.627	49.493	1.00	43.12	CPS5
ATOM	4279	CG	ARG	70	11.182	6.661	50.696	1.00	47.23	CPS5
ATOM	4280	CD	ARG	70	11.972	6.780	52.019	1.00	49.65	CPS5
ATOM	4281	NE	ARG	70	11.469	7.858	52.870	1.00	51.86	CPS5
ATOM	4282	CZ	ARG	70	12.239	8.672	53.590	1.00	52.77	CPS5
ATOM	4283	NH1	ARG	70	13.558	8.540	53.569	1.00	53.05	CPS5
ATOM	4284	NH2	ARG	70	11.691	9.627	54.328	1.00	52.96	CPS5
ATOM	4285	C	ARG	70	14.468	7.317	48.855	1.00	37.80	CPS5
ATOM	4286	O	ARG	70	15.221	6.478	49.345	1.00	37.07	CPS5
ATOM	4287	N	GLN	71	14.726	7.926	47.703	1.00	36.29	CPS5
ATOM	4288	CA	GLN	71	15.932	7.598	46.959	1.00	35.22	CPS5
ATOM	4289	CB	GLN	71	15.707	7.778	45.453	1.00	36.48	CPS5
ATOM	4290	CG	GLN	71	14.534	6.985	44.889	1.00	38.95	CPS5
ATOM	4291	CD	GLN	71	14.402	7.129	43.379	1.00	40.20	CPS5
ATOM	4292	OE1	GLN	71	15.236	6.631	42.622	1.00	40.67	CPS5
ATOM	4293	NE2	GLN	71	13.355	7.827	42.937	1.00	40.72	CPS5
ATOM	4294	C	GLN	71	17.084	8.483	47.412	1.00	33.38	CPS5
ATOM	4295	O	GLN	71	18.248	8.110	47.276	1.00	33.43	CPS5
ATOM	4296	N	LEU	72	16.759	9.650	47.966	1.00	30.70	CPS5
ATOM	4297	CA	LEU	72	17.786	10.591	48.409	1.00	27.96	CPS5
ATOM	4298	CB	LEU	72	18.204	11.478	47.231	1.00	26.31	CPS5
ATOM	4299	CG	LEU	72	19.285	12.532	47.448	1.00	26.21	CPS5
ATOM	4300	CD1	LEU	72	20.626	11.867	47.673	1.00	27.19	CPS5
ATOM	4301	CD2	LEU	72	19.338	13.446	46.213	1.00	25.53	CPS5
ATOM	4302	C	LEU	72	17.279	11.469	49.556	1.00	27.62	CPS5
ATOM	4303	O	LEU	72	16.203	12.070	49.470	1.00	27.05	CPS5
ATOM	4304	N	SER	73	18.076	11.545	50.616	1.00	26.31	CPS5
ATOM	4305	CA	SER	73	17.735	12.323	51.805	1.00	25.42	CPS5
ATOM	4306	CB	SER	73	17.889	11.441	53.051	1.00	26.75	CPS5
ATOM	4307	OG	SER	73	17.970	12.228	54.231	1.00	27.96	CPS5
ATOM	4308	C	SER	73	18.633	13.539	51.965	1.00	24.08	CPS5
ATOM	4309	O	SER	73	19.733	13.581	51.419	1.00	23.91	CPS5
ATOM	4310	N	PHE	74	18.165	14.525	52.721	1.00	23.49	CPS5
ATOM	4311	CA	PHE	74	18.975	15.707	52.995	1.00	23.97	CPS5
ATOM	4312	CB	PHE	74	18.246	16.657	53.955	1.00	24.68	CPS5
ATOM	4313	CG	PHE	74	17.124	17.430	53.319	1.00	25.48	CPS5
ATOM	4314	CD1	PHE	74	17.392	18.421	52.371	1.00	26.10	CPS5
ATOM	4315	CD2	PHE	74	15.801	17.176	53.672	1.00	26.28	CPS5
ATOM	4316	CE1	PHE	74	16.347	19.151	51.786	1.00	25.75	CPS5
ATOM	4317	CE2	PHE</							



[illegible]

ATOM	4332	CB	ASP	76	22.171	11.187	51.157	1.00	28.71	CPS5
ATOM	4333	CG	ASP	76	21.422	10.002	51.695	1.00	30.19	CPS5
ATOM	4334	OD1	ASP	76	21.971	9.327	52.593	1.00	30.44	CPS5
ATOM	4335	OD2	ASP	76	20.296	9.733	51.211	1.00	30.21	CPS5
ATOM	4336	C	ASP	76	23.787	13.007	51.552	1.00	29.00	CPS5
ATOM	4337	O	ASP	76	24.738	12.652	50.856	1.00	30.49	CPS5
ATOM	4338	N	ILE	77	23.472	14.284	51.743	1.00	28.00	CPS5
ATOM	4339	CA	ILE	77	24.207	15.354	51.080	1.00	27.42	CPS5
ATOM	4340	CB	ILE	77	23.251	16.214	50.213	1.00	25.93	CPS5
ATOM	4341	CG2	ILE	77	24.067	17.152	49.328	1.00	26.70	CPS5
ATOM	4342	CG1	ILE	77	22.345	15.310	49.370	1.00	24.69	CPS5
ATOM	4343	CD1	ILE	77	21.036	15.971	48.941	1.00	25.15	CPS5
ATOM	4344	C	ILE	77	24.910	16.287	52.046	1.00	28.47	CPS5
ATOM	4345	O	ILE	77	24.287	16.853	52.943	1.00	29.75	CPS5
ATOM	4346	N	GLU	78	26.206	16.472	51.864	1.00	27.86	CPS5
ATOM	4347	CA	GLU	78	26.920	17.367	52.751	1.00	31.23	CPS5
ATOM	4348	CB	GLU	78	27.892	16.591	53.638	1.00	32.64	CPS5
ATOM	4349	CG	GLU	78	28.558	17.466	54.681	1.00	34.90	CPS5
ATOM	4350	CD	GLU	78	29.270	16.647	55.734	1.00	37.57	CPS5
ATOM	4351	OE1	GLU	78	30.334	16.072	55.425	1.00	38.97	CPS5
ATOM	4352	OE2	GLU	78	28.753	16.568	56.866	1.00	38.56	CPS5
ATOM	4353	C	GLU	78	27.676	18.468	52.042	1.00	31.73	CPS5
ATOM	4354	O	GLU	78	28.415	18.224	51.090	1.00	32.74	CPS5
ATOM	4355	N	ILE	79	27.481	19.691	52.508	1.00	32.96	CPS5
ATOM	4356	CA	ILE	79	28.177	20.821	51.932	1.00	35.99	CPS5
ATOM	4357	CB	ILE	79	27.265	22.044	51.818	1.00	36.51	CPS5
ATOM	4358	CG2	ILE	79	28.066	23.252	51.363	1.00	35.93	CPS5
ATOM	4359	CG1	ILE	79	26.129	21.738	50.842	1.00	37.54	CPS5
ATOM	4360	CD1	ILE	79	25.122	22.836	50.754	1.00	42.06	CPS5
ATOM	4361	C	ILE	79	29.342	21.145	52.842	1.00	38.38	CPS5
ATOM	4362	O	ILE	79	29.166	21.432	54.026	1.00	37.01	CPS5
ATOM	4363	N	ARG	80	30.543	21.075	52.290	1.00	42.32	CPS5
ATOM	4364	CA	ARG	80	31.729	21.371	53.070	1.00	46.50	CPS5
ATOM	4365	CB	ARG	80	32.690	20.180	53.091	1.00	46.70	CPS5
ATOM	4366	CG	ARG	80	32.116	18.913	53.670	1.00	48.52	CPS5
ATOM	4367	CD	ARG	80	33.151	17.798	53.687	1.00	49.02	CPS5
ATOM	4368	NE	ARG	80	32.519	16.508	53.945	1.00	50.86	CPS5
ATOM	4369	CZ	ARG	80	33.159	15.345	53.970	1.00	50.68	CPS5
ATOM	4370	NH1	ARG	80	34.465	15.303	53.757	1.00	50.94	CPS5
ATOM	4371	NH2	ARG	80	32.485	14.221	54.185	1.00	51.63	CPS5
ATOM	4372	C	ARG	80	32.444	22.545	52.459	1.00	48.41	CPS5
ATOM	4373	O	ARG	80	31.955	23.189	51.529	1.00	48.48	CPS5
ATOM	4374	N	LYS	81	33.616	22.820	53.003	1.00	51.83	CPS5
ATOM	4375	CA	LYS	81	34.448	23.892	52.507	1.00	54.26	CPS5
ATOM	4376	CB	LYS	81	34.388	25.099	53.445	1.00	55.70	CPS5
ATOM	4377	CG	LYS	81	32.994	25.704	53.578	1.00	58.10	CPS5
ATOM	4378	CD	LYS	81	33.014	26.958	54.439	1.00	59.69	CPS5
ATOM	4379	CE	LYS	81	31.606	27.467	54.730	1.00	61.09	CPS5
ATOM	4380	NZ	LYS	81	30.801	26.502	55.540	1.00	61.28	CPS5
ATOM	4381	C	LYS	81	35.847	23.307	52.459	1.00	54.90	CPS5
ATOM	4382	O	LYS	81	36.305	22.695	53.427	1.00	54.56	CPS5
ATOM	4383	N	ASP	82	36.504	23.452	51.314	1.00	55.76	CPS5
ATOM	4384	CA	ASP	82	37.855	22.940	51.151	1.00	56.67	CPS5
ATOM	4385	CB	ASP	82	38.281	23.026	49.683	1.00	56.75	CPS5
ATOM	4386	CG	ASP	82	37.874	24.337	49.031	1.00	56.88	CPS5
ATOM	4387	OD1	ASP	82	37.980	25.399	49.687	1.00	55.92	CPS5
ATOM	4388	OD2	ASP	82	37.457	24.301	47.853	1.00	57.36	CPS5

ATOM	4389	C	ASP	82	38.810	23.753	52.015	1.00	57.41	CPS5
ATOM	4390	O	ASP	82	38.377	24.523	52.874	1.00	56.93	CPS5
ATOM	4391	N	GLN	83	40.107	23.580	51.785	1.00	58.43	CPS5
ATOM	4392	CA	GLN	83	41.119	24.306	52.543	1.00	59.77	CPS5
ATOM	4393	CB	GLN	83	42.505	23.717	52.275	1.00	60.54	CPS5
ATOM	4394	CG	GLN	83	42.754	22.364	52.916	1.00	61.21	CPS5
ATOM	4395	CD	GLN	83	42.737	22.424	54.432	1.00	61.78	CPS5
ATOM	4396	OE1	GLN	83	41.674	22.447	55.054	1.00	62.24	CPS5
ATOM	4397	NE2	GLN	83	43.921	22.462	55.035	1.00	61.85	CPS5
ATOM	4398	C	GLN	83	41.117	25.793	52.189	1.00	60.23	CPS5
ATOM	4399	O	GLN	83	41.792	26.598	52.837	1.00	60.80	CPS5
ATOM	4400	N	ASN	84	40.359	26.153	51.157	1.00	59.89	CPS5
ATOM	4401	CA	ASN	84	40.268	27.543	50.730	1.00	59.63	CPS5
ATOM	4402	CB	ASN	84	40.373	27.636	49.207	1.00	60.60	CPS5
ATOM	4403	CG	ASN	84	41.707	27.140	48.685	1.00	61.37	CPS5
ATOM	4404	OD1	ASN	84	42.761	27.667	49.044	1.00	61.62	CPS5
ATOM	4405	ND2	ASN	84	41.669	26.120	47.834	1.00	61.98	CPS5
ATOM	4406	C	ASN	84	38.956	28.160	51.199	1.00	59.10	CPS5
ATOM	4407	O	ASN	84	38.731	29.361	51.037	1.00	59.66	CPS5
ATOM	4408	N	GLY	85	38.095	27.330	51.780	1.00	57.75	CPS5
ATOM	4409	CA	GLY	85	36.818	27.809	52.272	1.00	56.41	CPS5
ATOM	4410	C	GLY	85	35.731	27.794	51.213	1.00	55.75	CPS5
ATOM	4411	O	GLY	85	34.643	28.331	51.425	1.00	56.16	CPS5
ATOM	4412	N	LYS	86	36.022	27.180	50.070	1.00	54.26	CPS5
ATOM	4413	CA	LYS	86	35.058	27.107	48.978	1.00	52.12	CPS5
ATOM	4414	CB	LYS	86	35.775	26.812	47.657	1.00	53.72	CPS5
ATOM	4415	CG	LYS	86	34.948	27.105	46.406	1.00	55.30	CPS5
ATOM	4416	CD	LYS	86	34.812	28.604	46.171	1.00	56.46	CPS5
ATOM	4417	CE	LYS	86	34.012	28.910	44.905	1.00	56.79	CPS5
ATOM	4418	NZ	LYS	86	32.619	28.397	45.007	1.00	57.01	CPS5
ATOM	4419	C	LYS	86	34.057	25.999	49.279	1.00	49.78	CPS5
ATOM	4420	O	LYS	86	34.420	24.944	49.806	1.00	49.58	CPS5
ATOM	4421	N	PRO	87	32.777	26.222	48.952	1.00	47.09	CPS5
ATOM	4422	CD	PRO	87	32.162	27.432	48.380	1.00	46.07	CPS5
ATOM	4423	CA	PRO	87	31.764	25.198	49.214	1.00	44.34	CPS5
ATOM	4424	CB	PRO	87	30.469	25.995	49.177	1.00	44.60	CPS5
ATOM	4425	CG	PRO	87	30.745	26.967	48.074	1.00	45.82	CPS5
ATOM	4426	C	PRO	87	31.776	24.098	48.158	1.00	40.83	CPS5
ATOM	4427	O	PRO	87	31.837	24.382	46.961	1.00	40.94	CPS5
ATOM	4428	N	TYR	88	31.731	22.846	48.598	1.00	37.82	CPS5
ATOM	4429	CA	TYR	88	31.690	21.737	47.662	1.00	34.81	CPS5
ATOM	4430	CB	TYR	88	33.111	21.229	47.335	1.00	35.73	CPS5
ATOM										

ATOM	4446	C	ILE	89	29.873	17.362	47.863	1.00	32.51	CPS5
ATOM	4447	O	ILE	89	30.637	16.987	46.973	1.00	31.03	CPS5
ATOM	4448	N	ILE	90	29.462	16.582	48.858	1.00	33.80	CPS5
ATOM	4449	CA	ILE	90	29.837	15.180	48.960	1.00	35.56	CPS5
ATOM	4450	CB	ILE	90	30.776	14.928	50.144	1.00	37.43	CPS5
ATOM	4451	CG2	ILE	90	30.959	13.418	50.359	1.00	37.12	CPS5
ATOM	4452	CG1	ILE	90	32.116	15.608	49.875	1.00	38.91	CPS5
ATOM	4453	CD1	ILE	90	33.093	15.508	51.006	1.00	42.45	CPS5
ATOM	4454	C	ILE	90	28.564	14.363	49.156	1.00	36.47	CPS5
ATOM	4455	O	ILE	90	27.782	14.624	50.076	1.00	35.64	CPS5
ATOM	4456	N	CYS	91	28.348	13.400	48.269	1.00	36.91	CPS5
ATOM	4457	CA	CYS	91	27.189	12.520	48.340	1.00	40.22	CPS5
ATOM	4458	CB	CYS	91	26.132	12.945	47.328	1.00	37.91	CPS5
ATOM	4459	SG	CYS	91	24.623	11.970	47.401	1.00	39.23	CPS5
ATOM	4460	C	CYS	91	27.643	11.094	48.035	1.00	42.93	CPS5
ATOM	4461	O	CYS	91	27.983	10.771	46.895	1.00	42.83	CPS5
ATOM	4462	N	THR	92	27.648	10.245	49.056	1.00	46.74	CPS5
ATOM	4463	CA	THR	92	28.070	8.858	48.881	1.00	50.26	CPS5
ATOM	4464	CB	THR	92	28.080	8.106	50.238	1.00	51.61	CPS5
ATOM	4465	OG1	THR	92	28.496	6.748	50.035	1.00	52.93	CPS5
ATOM	4466	CG2	THR	92	26.693	8.130	50.876	1.00	52.67	CPS5
ATOM	4467	C	THR	92	27.175	8.110	47.890	1.00	51.62	CPS5
ATOM	4468	O	THR	92	27.656	7.285	47.108	1.00	51.98	CPS5
ATOM	4469	N	LYS	93	25.879	8.413	47.914	1.00	52.57	CPS5
ATOM	4470	CA	LYS	93	24.918	7.769	47.020	1.00	53.74	CPS5
ATOM	4471	CB	LYS	93	23.503	8.289	47.296	1.00	54.52	CPS5
ATOM	4472	CG	LYS	93	23.041	8.147	48.742	1.00	56.49	CPS5
ATOM	4473	CD	LYS	93	22.706	6.708	49.101	1.00	57.62	CPS5
ATOM	4474	CE	LYS	93	21.372	6.279	48.501	1.00	58.57	CPS5
ATOM	4475	NZ	LYS	93	20.218	7.009	49.109	1.00	59.31	CPS5
ATOM	4476	C	LYS	93	25.262	8.027	45.556	1.00	53.90	CPS5
ATOM	4477	O	LYS	93	24.681	7.419	44.656	1.00	54.01	CPS5
ATOM	4478	N	LEU	94	26.213	8.926	45.322	1.00	53.85	CPS5
ATOM	4479	CA	LEU	94	26.605	9.283	43.967	1.00	54.05	CPS5
ATOM	4480	CB	LEU	94	26.967	10.770	43.904	1.00	54.55	CPS5
ATOM	4481	CG	LEU	94	26.620	11.562	42.640	1.00	54.80	CPS5
ATOM	4482	CD1	LEU	94	27.225	12.951	42.751	1.00	54.69	CPS5
ATOM	4483	CD2	LEU	94	27.143	10.857	41.405	1.00	55.41	CPS5
ATOM	4484	C	LEU	94	27.780	8.466	43.452	1.00	54.05	CPS5
ATOM	4485	O	LEU	94	28.797	8.322	44.130	1.00	54.64	CPS5
ATOM	4486	N	SER	95	27.626	7.934	42.246	1.00	53.47	CPS5
ATOM	4487	CA	SER	95	28.673	7.155	41.603	1.00	53.51	CPS5
ATOM	4488	CB	SER	95						

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

ATOM	4503	O	ALA	97	32.593	13.382	41.216	1.00	40.58	CPS5
ATOM	4504	N	ALA	98	32.121	14.387	39.256	1.00	37.31	CPS5
ATOM	4505	CA	ALA	98	32.597	15.688	39.676	1.00	34.75	CPS5
ATOM	4506	CB	ALA	98	33.398	16.340	38.561	1.00	35.64	CPS5
ATOM	4507	C	ALA	98	31.308	16.463	39.941	1.00	32.51	CPS5
ATOM	4508	O	ALA	98	30.407	16.478	39.107	1.00	31.77	CPS5
ATOM	4509	N	VAL	99	31.204	17.061	41.119	1.00	29.38	CPS5
ATOM	4510	CA	VAL	99	30.017	17.823	41.476	1.00	26.77	CPS5
ATOM	4511	CB	VAL	99	29.409	17.320	42.808	1.00	26.38	CPS5
ATOM	4512	CG1	VAL	99	28.128	18.089	43.132	1.00	25.70	CPS5
ATOM	4513	CG2	VAL	99	29.110	15.821	42.708	1.00	26.03	CPS5
ATOM	4514	C	VAL	99	30.460	19.270	41.632	1.00	25.29	CPS5
ATOM	4515	O	VAL	99	31.518	19.541	42.192	1.00	24.54	CPS5
ATOM	4516	N	HIS	100	29.655	20.190	41.113	1.00	23.97	CPS5
ATOM	4517	CA	HIS	100	29.949	21.615	41.203	1.00	23.10	CPS5
ATOM	4518	CB	HIS	100	30.225	22.176	39.819	1.00	24.86	CPS5
ATOM	4519	CG	HIS	100	31.328	21.468	39.105	1.00	26.57	CPS5
ATOM	4520	CD2	HIS	100	31.297	20.480	38.181	1.00	27.57	CPS5
ATOM	4521	ND1	HIS	100	32.660	21.719	39.358	1.00	28.54	CPS5
ATOM	4522	CE1	HIS	100	33.403	20.915	38.618	1.00	28.60	CPS5
ATOM	4523	NE2	HIS	100	32.599	20.155	37.894	1.00	28.27	CPS5
ATOM	4524	C	HIS	100	28.728	22.293	41.791	1.00	22.08	CPS5
ATOM	4525	O	HIS	100	27.602	21.917	41.475	1.00	21.49	CPS5
ATOM	4526	N	VAL	101	28.944	23.288	42.640	1.00	20.70	CPS5
ATOM	4527	CA	VAL	101	27.823	23.980	43.254	1.00	20.32	CPS5
ATOM	4528	CB	VAL	101	27.503	23.372	44.672	1.00	21.79	CPS5
ATOM	4529	CG1	VAL	101	28.687	23.560	45.614	1.00	21.73	CPS5
ATOM	4530	CG2	VAL	101	26.253	24.021	45.281	1.00	20.57	CPS5
ATOM	4531	C	VAL	101	28.137	25.462	43.385	1.00	20.62	CPS5
ATOM	4532	O	VAL	101	29.299	25.863	43.370	1.00	20.26	CPS5
ATOM	4533	N	SER	102	27.091	26.281	43.448	1.00	18.85	CPS5
ATOM	4534	CA	SER	102	27.256	27.709	43.670	1.00	18.73	CPS5
ATOM	4535	CB	SER	102	27.292	28.509	42.363	1.00	19.66	CPS5
ATOM	4536	OG	SER	102	27.474	29.886	42.685	1.00	19.70	CPS5
ATOM	4537	C	SER	102	26.037	28.118	44.489	1.00	19.25	CPS5
ATOM	4538	O	SER	102	24.931	27.684	44.200	1.00	17.98	CPS5
ATOM	4539	N	ILE	103	26.246	28.928	45.520	1.00	19.07	CPS5
ATOM	4540	CA	ILE	103	25.153	29.374	46.377	1.00	20.39	CPS5
ATOM	4541	CB	ILE	103	25.347	28.876	47.833	1.00	22.16	CPS5
ATOM	4542	CG2	ILE	103	24.216	29.404	48.736	1.00	22.36	CPS5
ATOM	4543	CG1	ILE	103	25.363	27.350	47.865	1.00	21.89	CPS5
ATOM	4544	CD1	ILE	103	25.821	26.762	49.214	1.00	24.06	CPS5



[illegible]

ATOM	4617	CA	GLN	113	22.663	25.499	41.400	1.00	20.01	CPS5
ATOM	4618	CB	GLN	113	22.890	26.321	40.135	1.00	23.47	CPS5
ATOM	4619	CG	GLN	113	24.249	26.942	40.040	1.00	26.43	CPS5
ATOM	4620	CD	GLN	113	24.463	27.640	38.705	1.00	30.41	CPS5
ATOM	4621	OE1	GLN	113	25.506	28.234	38.467	1.00	29.83	CPS5
ATOM	4622	NE2	GLN	113	23.466	27.567	37.831	1.00	33.75	CPS5
ATOM	4623	C	GLN	113	23.735	24.439	41.518	1.00	19.96	CPS5
ATOM	4624	O	GLN	113	24.753	24.633	42.177	1.00	19.44	CPS5
ATOM	4625	N	VAL	114	23.504	23.312	40.869	1.00	19.35	CPS5
ATOM	4626	CA	VAL	114	24.462	22.221	40.924	1.00	19.11	CPS5
ATOM	4627	CB	VAL	114	23.960	21.111	41.897	1.00	18.72	CPS5
ATOM	4628	CG1	VAL	114	24.791	19.828	41.721	1.00	20.30	CPS5
ATOM	4629	CG2	VAL	114	24.043	21.603	43.344	1.00	20.16	CPS5
ATOM	4630	C	VAL	114	24.589	21.611	39.538	1.00	19.40	CPS5
ATOM	4631	O	VAL	114	23.618	21.590	38.781	1.00	19.86	CPS5
ATOM	4632	N	VAL	115	25.792	21.159	39.201	1.00	19.59	CPS5
ATOM	4633	CA	VAL	115	26.017	20.436	37.956	1.00	19.26	CPS5
ATOM	4634	CB	VAL	115	26.879	21.202	36.928	1.00	20.70	CPS5
ATOM	4635	CG1	VAL	115	27.182	20.280	35.725	1.00	19.97	CPS5
ATOM	4636	CG2	VAL	115	26.131	22.443	36.433	1.00	19.15	CPS5
ATOM	4637	C	VAL	115	26.780	19.172	38.359	1.00	22.16	CPS5
ATOM	4638	O	VAL	115	27.765	19.248	39.092	1.00	21.19	CPS5
ATOM	4639	N	ILE	116	26.291	18.018	37.920	1.00	23.19	CPS5
ATOM	4640	CA	ILE	116	26.965	16.749	38.201	1.00	25.23	CPS5
ATOM	4641	CB	ILE	116	25.983	15.681	38.761	1.00	24.21	CPS5
ATOM	4642	CG2	ILE	116	26.717	14.347	38.952	1.00	24.03	CPS5
ATOM	4643	CG1	ILE	116	25.401	16.139	40.106	1.00	24.21	CPS5
ATOM	4644	CD1	ILE	116	24.294	15.209	40.635	1.00	22.70	CPS5
ATOM	4645	C	ILE	116	27.521	16.243	36.866	1.00	26.72	CPS5
ATOM	4646	O	ILE	116	26.788	16.165	35.881	1.00	25.85	CPS5
ATOM	4647	N	GLU	117	28.809	15.914	36.835	1.00	30.40	CPS5
ATOM	4648	CA	GLU	117	29.447	15.401	35.615	1.00	35.53	CPS5
ATOM	4649	CB	GLU	117	30.792	16.064	35.352	1.00	36.89	CPS5
ATOM	4650	CG	GLU	117	30.816	17.554	35.274	1.00	39.07	CPS5
ATOM	4651	CD	GLU	117	32.168	18.036	34.808	1.00	39.75	CPS5
ATOM	4652	OE1	GLU	117	32.457	17.877	33.605	1.00	40.89	CPS5
ATOM	4653	OE2	GLU	117	32.948	18.547	35.641	1.00	40.65	CPS5
ATOM	4654	C	GLU	117	29.735	13.915	35.771	1.00	38.76	CPS5
ATOM	4655	O	GLU	117	30.317	13.501	36.782	1.00	38.92	CPS5
ATOM	4656	N	ALA	118	29.364	13.131	34.761	1.00	41.50	CPS5
ATOM	4657	CA	ALA	118	29.596	11.689	34.784	1.00	44.75	CPS5
ATOM	4658	CB	ALA	118	29.047	11.049	33.508	1.00	45.12	CPS5
ATOM	4659	C	ALA	118	31.095	11.422	34.899	1.00	46.14	CPS5
ATOM	4660	OT1	ALA	118	31.885	12.266	34.413	1.00	46.30	CPS5
ATOM	4661	OT2	ALA	118	31.460	10.367	35.466	1.00	48.44	CPS5
ATOM	4662	C	GLY	1	34.929	20.508	32.382	1.00	33.16	CPS6
ATOM	4663	O	GLY	1	35.455	21.500	31.885	1.00	34.15	CPS6
ATOM	4664	N	GLY	1	36.363	18.424	32.401	1.00	38.41	CPS6
ATOM	4665	CA	GLY	1	35.171	19.118	31.815	1.00	34.91	CPS6
ATOM	4666	N	ILE	2	34.133	20.587	33.435	1.00	30.97	CPS6
ATOM	4667	CA	ILE	2	33.824	21.875	34.039	1.00	28.64	CPS6
ATOM	4668	CB	ILE	2	32.405	21.855	34.627	1.00	27.89	CPS6
ATOM	4669	CG2	ILE	2	32.168	23.101	35.474	1.00	27.12	CPS6
ATOM	4670	CG1	ILE	2	31.386	21.726	33.490	1.00	28.03	CPS6
ATOM	4671	CD1	ILE	2	29.965	21.432	33.954	1.00	28.46	CPS6
ATOM	4672	C	ILE	2	34.810	22.262	35.134	1.00	28.03	CPS6
ATOM	4673	O	ILE	2	35.117	21.463	36.011	1.00	27.12	CPS6

ATOM	4674	N	TYR	3	35.305	23.492	35.080	1.00	26.59	CPS6
ATOM	4675	CA	TYR	3	36.234	23.970	36.101	1.00	26.25	CPS6
ATOM	4676	CB	TYR	3	37.102	25.091	35.540	1.00	27.53	CPS6
ATOM	4677	CG	TYR	3	38.027	25.703	36.570	1.00	31.25	CPS6
ATOM	4678	CD1	TYR	3	39.171	25.027	36.999	1.00	32.43	CPS6
ATOM	4679	CE1	TYR	3	40.006	25.568	37.978	1.00	35.68	CPS6
ATOM	4680	CD2	TYR	3	37.738	26.937	37.146	1.00	31.55	CPS6
ATOM	4681	CE2	TYR	3	38.563	27.489	38.126	1.00	35.40	CPS6
ATOM	4682	CZ	TYR	3	39.697	26.800	38.537	1.00	36.39	CPS6
ATOM	4683	OH	TYR	3	40.525	27.355	39.488	1.00	39.51	CPS6
ATOM	4684	C	TYR	3	35.451	24.482	37.316	1.00	25.81	CPS6
ATOM	4685	O	TYR	3	35.762	24.145	38.469	1.00	24.16	CPS6
ATOM	4686	N	GLY	4	34.437	25.301	37.058	1.00	22.42	CPS6
ATOM	4687	CA	GLY	4	33.630	25.823	38.147	1.00	22.32	CPS6
ATOM	4688	C	GLY	4	32.365	26.494	37.642	1.00	20.34	CPS6
ATOM	4689	O	GLY	4	32.280	26.799	36.461	1.00	19.69	CPS6
ATOM	4690	N	ILE	5	31.389	26.704	38.525	1.00	20.01	CPS6
ATOM	4691	CA	ILE	5	30.140	27.366	38.143	1.00	20.35	CPS6
ATOM	4692	CB	ILE	5	28.947	26.382	38.097	1.00	20.14	CPS6
ATOM	4693	CG2	ILE	5	29.291	25.224	37.159	1.00	19.26	CPS6
ATOM	4694	CG1	ILE	5	28.600	25.876	39.507	1.00	19.61	CPS6
ATOM	4695	CD1	ILE	5	27.418	24.871	39.535	1.00	21.63	CPS6
ATOM	4696	C	ILE	5	29.832	28.481	39.119	1.00	20.43	CPS6
ATOM	4697	O	ILE	5	30.337	28.505	40.242	1.00	20.18	CPS6
ATOM	4698	N	GLY	6	29.009	29.426	38.686	1.00	19.58	CPS6
ATOM	4699	CA	GLY	6	28.681	30.532	39.560	1.00	19.69	CPS6
ATOM	4700	C	GLY	6	27.279	31.023	39.287	1.00	19.25	CPS6
ATOM	4701	O	GLY	6	26.842	31.080	38.135	1.00	17.69	CPS6
ATOM	4702	N	LEU	7	26.581	31.374	40.358	1.00	19.31	CPS6
ATOM	4703	CA	LEU	7	25.214	31.865	40.262	1.00	20.65	CPS6
ATOM	4704	CB	LEU	7	24.249	30.808	40.811	1.00	20.48	CPS6
ATOM	4705	CG	LEU	7	22.781	31.222	40.967	1.00	21.08	CPS6
ATOM	4706	CD1	LEU	7	22.175	31.455	39.576	1.00	22.40	CPS6
ATOM	4707	CD2	LEU	7	22.017	30.132	41.724	1.00	21.05	CPS6
ATOM	4708	C	LEU	7	25.108	33.114	41.116	1.00	20.36	CPS6
ATOM	4709	O	LEU	7	25.687	33.180	42.193	1.00	21.58	CPS6
ATOM	4710	N	ASP	8	24.387	34.114	40.631	1.00	20.16	CPS6
ATOM	4711	CA	ASP	8	24.188	35.310	41.423	1.00	21.86	CPS6
ATOM	4712	CB	ASP	8	25.261	36.368	41.151	1.00	23.79	CPS6
ATOM	4713	CG	ASP	8	25.018	37.637	41.948	1.00	26.23	CPS6
ATOM	4714	OD1	ASP	8	24.287	38.523	41.462	1.00	26.66	CPS6
ATOM	4715	OD2	ASP	8	25.523	37.725	43.081	1.00	27.19	CPS6
ATOM	4716	C	ASP	8	22.					

ATOM	4731	C	THR	10	19.734	41.626	42.734	1.00	25.30	CPS6
ATOM	4732	O	THR	10	18.978	41.620	41.762	1.00	24.09	CPS6
ATOM	4733	N	GLU	11	19.475	42.290	43.857	1.00	24.60	CPS6
ATOM	4734	CA	GLU	11	18.278	43.112	44.025	1.00	25.85	CPS6
ATOM	4735	CB	GLU	11	18.012	43.306	45.525	1.00	26.85	CPS6
ATOM	4736	CG	GLU	11	16.635	43.843	45.872	1.00	30.57	CPS6
ATOM	4737	CD	GLU	11	16.506	44.224	47.342	1.00	33.54	CPS6
ATOM	4738	OE1	GLU	11	17.435	43.928	48.136	1.00	34.46	CPS6
ATOM	4739	OE2	GLU	11	15.469	44.821	47.701	1.00	34.21	CPS6
ATOM	4740	C	GLU	11	18.533	44.467	43.354	1.00	25.21	CPS6
ATOM	4741	O	GLU	11	19.499	45.150	43.694	1.00	26.16	CPS6
ATOM	4742	N	LEU	12	17.687	44.855	42.402	1.00	26.01	CPS6
ATOM	4743	CA	LEU	12	17.870	46.138	41.713	1.00	28.08	CPS6
ATOM	4744	CB	LEU	12	16.733	46.381	40.707	1.00	28.52	CPS6
ATOM	4745	CG	LEU	12	16.880	45.889	39.264	1.00	31.49	CPS6
ATOM	4746	CD1	LEU	12	17.467	44.495	39.234	1.00	30.71	CPS6
ATOM	4747	CD2	LEU	12	15.530	45.921	38.573	1.00	32.17	CPS6
ATOM	4748	C	LEU	12	17.926	47.301	42.708	1.00	29.26	CPS6
ATOM	4749	O	LEU	12	18.732	48.223	42.553	1.00	29.98	CPS6
ATOM	4750	N	ALA	13	17.067	47.258	43.725	1.00	29.78	CPS6
ATOM	4751	CA	ALA	13	17.027	48.315	44.733	1.00	30.29	CPS6
ATOM	4752	CB	ALA	13	15.901	48.042	45.741	1.00	31.01	CPS6
ATOM	4753	C	ALA	13	18.364	48.447	45.460	1.00	31.44	CPS6
ATOM	4754	O	ALA	13	18.774	49.551	45.825	1.00	31.56	CPS6
ATOM	4755	N	ARG	14	19.048	47.327	45.669	1.00	32.19	CPS6
ATOM	4756	CA	ARG	14	20.338	47.357	46.352	1.00	32.76	CPS6
ATOM	4757	CB	ARG	14	20.745	45.940	46.768	1.00	35.66	CPS6
ATOM	4758	CG	ARG	14	22.097	45.852	47.437	1.00	39.95	CPS6
ATOM	4759	CD	ARG	14	22.314	44.493	48.078	1.00	42.90	CPS6
ATOM	4760	NE	ARG	14	23.727	44.261	48.363	1.00	46.95	CPS6
ATOM	4761	CZ	ARG	14	24.577	43.675	47.524	1.00	48.91	CPS6
ATOM	4762	NH1	ARG	14	24.163	43.247	46.338	1.00	50.22	CPS6
ATOM	4763	NH2	ARG	14	25.850	43.523	47.868	1.00	50.46	CPS6
ATOM	4764	C	ARG	14	21.415	48.002	45.469	1.00	32.36	CPS6
ATOM	4765	O	ARG	14	22.268	48.747	45.961	1.00	31.82	CPS6
ATOM	4766	N	ILE	15	21.381	47.719	44.171	1.00	31.44	CPS6
ATOM	4767	CA	ILE	15	22.337	48.326	43.247	1.00	31.99	CPS6
ATOM	4768	CB	ILE	15	22.153	47.777	41.817	1.00	32.07	CPS6
ATOM	4769	CG2	ILE	15	22.911	48.638	40.813	1.00	31.65	CPS6
ATOM	4770	CG1	ILE	15	22.655	46.333	41.752	1.00	32.16	CPS6
ATOM	4771	CD1	ILE	15	24.156	46.184	42.013	1.00	33.75	CPS6
ATOM	4772	C	ILE	15	22.113	49.843	43.236	1.00	32.92	CPS6
ATOM	4773	O	ILE	15	23.062	50.627	43.265	1.00	32.09	CPS6
ATOM	4774	N	ALA	16	20.851	50.254	43.201	1.00	33.77	CPS6
ATOM	4775	CA	ALA	16	20.520	51.677	43.194	1.00	36.34	CPS6
ATOM	4776	CB	ALA	16	19.014	51.860	43.063	1.00	36.06	CPS6
ATOM	4777	C	ALA	16	21.030	52.356	44.467	1.00	38.13	CPS6
ATOM	4778	O	ALA	16	21.491	53.498	44.427	1.00	38.48	CPS6
ATOM	4779	N	SER	17	20.951	51.648	45.590	1.00	40.20	CPS6
ATOM	4780	CA	SER	17	21.415	52.175	46.871	1.00	43.01	CPS6
ATOM	4781	CB	SER	17	20.959	51.268	48.017	1.00	43.08	CPS6
ATOM	4782	OG	SER	17	19.549	51.302	48.157	1.00	45.35	CPS6
ATOM	4783	C	SER	17	22.934	52.320	46.919	1.00	44.34	CPS6
ATOM	4784	O	SER	17	23.456	53.311	47.432	1.00	44.28	CPS6
ATOM	4785	N	MET	18	23.644	51.323	46.402	1.00	45.43	CPS6
ATOM	4786	CA	MET	18	25.100	51.370	46.390	1.00	47.02	CPS6
ATOM	4787	CB	MET	18	25.678	50.035	45.917	1.00	48.11	CPS6





ATOM	4845	CG	PHE	25	28.331	51.481	42.211	1.00	31.39	CPS6
ATOM	4846	CD1	PHE	25	27.306	50.879	41.495	1.00	33.76	CPS6
ATOM	4847	CD2	PHE	25	29.069	50.709	43.102	1.00	32.67	CPS6
ATOM	4848	CE1	PHE	25	27.021	49.524	41.663	1.00	32.84	CPS6
ATOM	4849	CE2	PHE	25	28.794	49.354	43.277	1.00	32.53	CPS6
ATOM	4850	CZ	PHE	25	27.764	48.763	42.553	1.00	32.75	CPS6
ATOM	4851	C	PHE	25	29.943	52.489	39.887	1.00	30.17	CPS6
ATOM	4852	O	PHE	25	30.573	51.446	39.706	1.00	28.44	CPS6
ATOM	4853	N	ALA	26	29.236	53.074	38.923	1.00	29.20	CPS6
ATOM	4854	CA	ALA	26	29.158	52.484	37.592	1.00	28.94	CPS6
ATOM	4855	CB	ALA	26	28.244	53.319	36.697	1.00	29.36	CPS6
ATOM	4856	C	ALA	26	30.540	52.376	36.961	1.00	28.91	CPS6
ATOM	4857	O	ALA	26	30.857	51.378	36.325	1.00	26.93	CPS6
ATOM	4858	N	GLU	27	31.358	53.411	37.144	1.00	28.69	CPS6
ATOM	4859	CA	GLU	27	32.701	53.434	36.576	1.00	29.76	CPS6
ATOM	4860	CB	GLU	27	33.317	54.829	36.730	1.00	30.26	CPS6
ATOM	4861	CG	GLU	27	32.737	55.916	35.822	1.00	32.04	CPS6
ATOM	4862	CD	GLU	27	31.325	56.344	36.195	1.00	33.96	CPS6
ATOM	4863	OE1	GLU	27	30.902	56.135	37.353	1.00	32.41	CPS6
ATOM	4864	OE2	GLU	27	30.638	56.914	35.318	1.00	37.48	CPS6
ATOM	4865	C	GLU	27	33.622	52.399	37.224	1.00	29.59	CPS6
ATOM	4866	O	GLU	27	34.661	52.040	36.673	1.00	29.53	CPS6
ATOM	4867	N	ARG	28	33.243	51.927	38.402	1.00	30.48	CPS6
ATOM	4868	CA	ARG	28	34.040	50.934	39.107	1.00	32.10	CPS6
ATOM	4869	CB	ARG	28	33.782	51.051	40.611	1.00	35.59	CPS6
ATOM	4870	CG	ARG	28	34.480	50.013	41.467	1.00	40.15	CPS6
ATOM	4871	CD	ARG	28	34.042	50.172	42.911	1.00	44.70	CPS6
ATOM	4872	NE	ARG	28	33.719	48.891	43.529	1.00	48.06	CPS6
ATOM	4873	CZ	ARG	28	33.004	48.764	44.642	1.00	50.43	CPS6
ATOM	4874	NH1	ARG	28	32.535	49.845	45.258	1.00	51.09	CPS6
ATOM	4875	NH2	ARG	28	32.755	47.558	45.139	1.00	51.52	CPS6
ATOM	4876	C	ARG	28	33.677	49.526	38.621	1.00	30.71	CPS6
ATOM	4877	O	ARG	28	34.546	48.659	38.464	1.00	32.13	CPS6
ATOM	4878	N	ILE	29	32.391	49.316	38.364	1.00	28.03	CPS6
ATOM	4879	CA	ILE	29	31.891	48.016	37.922	1.00	26.37	CPS6
ATOM	4880	CB	ILE	29	30.387	47.854	38.270	1.00	25.85	CPS6
ATOM	4881	CG2	ILE	29	29.886	46.496	37.802	1.00	25.90	CPS6
ATOM	4882	CG1	ILE	29	30.164	48.051	39.776	1.00	27.54	CPS6
ATOM	4883	CD1	ILE	29	30.962	47.113	40.667	1.00	27.66	CPS6
ATOM	4884	C	ILE	29	32.030	47.746	36.421	1.00	25.65	CPS6
ATOM	4885	O	ILE	29	32.327	46.617	36.017	1.00	24.93	CPS6
ATOM	4886	N	LEU	30	31.820	48.784	35.609	1.00	23.77	CPS6
ATOM	4887									

*Washburn*

ATOM	4902	CA	ARG	32	34.976	51.310	28.818	1.00	29.54	CPS6
ATOM	4903	CB	ARG	32	36.290	51.626	28.091	1.00	32.98	CPS6
ATOM	4904	CG	ARG	32	36.198	52.721	27.040	1.00	38.34	CPS6
ATOM	4905	CD	ARG	32	37.595	53.116	26.557	1.00	42.64	CPS6
ATOM	4906	NE	ARG	32	38.282	53.987	27.513	1.00	45.62	CPS6
ATOM	4907	CZ	ARG	32	38.009	55.281	27.677	1.00	47.09	CPS6
ATOM	4908	NH1	ARG	32	37.065	55.865	26.946	1.00	48.54	CPS6
ATOM	4909	NH2	ARG	32	38.675	55.992	28.576	1.00	48.16	CPS6
ATOM	4910	C	ARG	32	33.879	50.928	27.815	1.00	28.32	CPS6
ATOM	4911	O	ARG	32	32.969	51.711	27.544	1.00	27.76	CPS6
ATOM	4912	N	SER	33	33.966	49.719	27.275	1.00	27.75	CPS6
ATOM	4913	CA	SER	33	32.988	49.238	26.303	1.00	28.81	CPS6
ATOM	4914	CB	SER	33	33.386	47.828	25.835	1.00	30.61	CPS6
ATOM	4915	OG	SER	33	32.421	47.266	24.963	1.00	33.62	CPS6
ATOM	4916	C	SER	33	31.586	49.211	26.926	1.00	28.93	CPS6
ATOM	4917	O	SER	33	30.599	49.614	26.302	1.00	28.74	CPS6
ATOM	4918	N	GLU	34	31.508	48.733	28.160	1.00	26.50	CPS6
ATOM	4919	CA	GLU	34	30.237	48.650	28.866	1.00	27.17	CPS6
ATOM	4920	CB	GLU	34	30.405	47.814	30.137	1.00	25.92	CPS6
ATOM	4921	CG	GLU	34	30.649	46.339	29.830	1.00	25.85	CPS6
ATOM	4922	CD	GLU	34	30.989	45.521	31.064	1.00	25.48	CPS6
ATOM	4923	OE1	GLU	34	30.771	44.290	31.035	1.00	24.91	CPS6
ATOM	4924	OE2	GLU	34	31.479	46.102	32.057	1.00	23.64	CPS6
ATOM	4925	C	GLU	34	29.688	50.029	29.193	1.00	27.92	CPS6
ATOM	4926	O	GLU	34	28.492	50.276	29.026	1.00	28.34	CPS6
ATOM	4927	N	LEU	35	30.556	50.929	29.648	1.00	27.84	CPS6
ATOM	4928	CA	LEU	35	30.137	52.286	29.977	1.00	30.69	CPS6
ATOM	4929	CB	LEU	35	31.310	53.081	30.557	1.00	30.33	CPS6
ATOM	4930	CG	LEU	35	31.719	52.712	31.981	1.00	30.63	CPS6
ATOM	4931	CD1	LEU	35	33.062	53.354	32.327	1.00	30.22	CPS6
ATOM	4932	CD2	LEU	35	30.631	53.170	32.943	1.00	30.10	CPS6
ATOM	4933	C	LEU	35	29.583	53.012	28.756	1.00	32.12	CPS6
ATOM	4934	O	LEU	35	28.669	53.826	28.880	1.00	32.67	CPS6
ATOM	4935	N	ASP	36	30.140	52.730	27.579	1.00	34.02	CPS6
ATOM	4936	CA	ASP	36	29.656	53.376	26.362	1.00	36.28	CPS6
ATOM	4937	CB	ASP	36	30.457	52.928	25.131	1.00	38.02	CPS6
ATOM	4938	CG	ASP	36	31.801	53.636	25.016	1.00	41.17	CPS6
ATOM	4939	OD1	ASP	36	31.924	54.767	25.538	1.00	42.30	CPS6
ATOM	4940	OD2	ASP	36	32.730	53.073	24.391	1.00	43.23	CPS6
ATOM	4941	C	ASP	36	28.177	53.071	26.152	1.00	37.04	CPS6
ATOM	4942	O	ASP	36	27.411	53.945	25.756	1.00	38.21	CPS6
ATOM	4943	N	GLN	37	27.772	51.836	26.427	1.00	36.14	CPS6
ATOM	4944	CA	GLN	37	26.376	51.449	26.261	1.00	37.10	CPS6
ATOM	4945	CB	GLN	37	26.253	49.928	26.271	1.00	39.04	CPS6
ATOM	4946	CG	GLN	37	27.296	49.234	25.424	1.00	43.60	CPS6
ATOM	4947	CD	GLN	37	27.084	47.741	25.357	1.00	47.47	CPS6
ATOM	4948	OE1	GLN	37	26.134	47.268	24.726	1.00	50.58	CPS6
ATOM	4949	NE2	GLN	37	27.960	46.983	26.016	1.00	47.62	CPS6
ATOM	4950	C	GLN	37	25.535	52.042	27.389	1.00	36.39	CPS6
ATOM	4951	O	GLN	37	24.466	52.607	27.159	1.00	36.41	CPS6
ATOM	4952	N	TYR	38	26.045	51.909	28.608	1.00	35.09	CPS6
ATOM	4953	CA	TYR	38	25.395	52.405	29.813	1.00	35.03	CPS6
ATOM	4954	CB	TYR	38	26.346	52.199	31.000	1.00	33.56	CPS6
ATOM	4955	CG	TYR	38	25.868	52.724	32.330	1.00	32.55	CPS6
ATOM	4956	CD1	TYR	38	26.296	53.958	32.810	1.00	32.33	CPS6
ATOM	4957	CE1	TYR	38	25.882	54.427	34.057	1.00	33.78	CPS6
ATOM	4958	CD2	TYR	38	25.008	51.969	33.127	1.00	31.82	CPS6

ATOM	4959	CE2	TYR	38	24.590	52.423	34.367	1.00	32.17	CPS6
ATOM	4960	CZ	TYR	38	25.029	53.652	34.829	1.00	33.51	CPS6
ATOM	4961	OH	TYR	38	24.611	54.099	36.060	1.00	34.37	CPS6
ATOM	4962	C	TYR	38	24.978	53.872	29.714	1.00	36.19	CPS6
ATOM	4963	O	TYR	38	23.825	54.213	29.974	1.00	35.32	CPS6
ATOM	4964	N	TYR	39	25.917	54.733	29.335	1.00	37.73	CPS6
ATOM	4965	CA	TYR	39	25.649	56.168	29.229	1.00	39.75	CPS6
ATOM	4966	CB	TYR	39	26.922	56.925	28.838	1.00	39.88	CPS6
ATOM	4967	CG	TYR	39	28.029	56.896	29.873	1.00	40.44	CPS6
ATOM	4968	CD1	TYR	39	27.742	56.963	31.239	1.00	39.77	CPS6
ATOM	4969	CE1	TYR	39	28.762	56.991	32.188	1.00	39.44	CPS6
ATOM	4970	CD2	TYR	39	29.370	56.855	29.481	1.00	40.21	CPS6
ATOM	4971	CE2	TYR	39	30.399	56.884	30.420	1.00	39.93	CPS6
ATOM	4972	CZ	TYR	39	30.089	56.954	31.773	1.00	40.43	CPS6
ATOM	4973	OH	TYR	39	31.109	57.010	32.702	1.00	40.54	CPS6
ATOM	4974	C	TYR	39	24.538	56.546	28.254	1.00	41.06	CPS6
ATOM	4975	O	TYR	39	23.957	57.627	28.357	1.00	42.29	CPS6
ATOM	4976	N	GLU	40	24.239	55.668	27.307	1.00	42.33	CPS6
ATOM	4977	CA	GLU	40	23.199	55.965	26.331	1.00	44.33	CPS6
ATOM	4978	CB	GLU	40	23.541	55.323	24.986	1.00	46.05	CPS6
ATOM	4979	CG	GLU	40	24.916	55.689	24.466	1.00	50.15	CPS6
ATOM	4980	CD	GLU	40	25.203	55.088	23.105	1.00	52.92	CPS6
ATOM	4981	OE1	GLU	40	25.040	53.857	22.948	1.00	55.32	CPS6
ATOM	4982	OE2	GLU	40	25.599	55.848	22.191	1.00	54.91	CPS6
ATOM	4983	C	GLU	40	21.827	55.488	26.780	1.00	44.19	CPS6
ATOM	4984	O	GLU	40	20.854	55.629	26.041	1.00	44.77	CPS6
ATOM	4985	N	LEU	41	21.743	54.941	27.991	1.00	42.63	CPS6
ATOM	4986	CA	LEU	41	20.474	54.427	28.499	1.00	42.23	CPS6
ATOM	4987	CB	LEU	41	20.696	53.114	29.259	1.00	41.12	CPS6
ATOM	4988	CG	LEU	41	21.294	51.934	28.486	1.00	40.93	CPS6
ATOM	4989	CD1	LEU	41	21.524	50.777	29.446	1.00	39.97	CPS6
ATOM	4990	CD2	LEU	41	20.362	51.514	27.360	1.00	40.04	CPS6
ATOM	4991	C	LEU	41	19.736	55.392	29.410	1.00	41.84	CPS6
ATOM	4992	O	LEU	41	20.317	56.335	29.934	1.00	41.86	CPS6
ATOM	4993	N	SER	42	18.447	55.129	29.597	1.00	42.32	CPS6
ATOM	4994	CA	SER	42	17.602	55.937	30.465	1.00	43.65	CPS6
ATOM	4995	CB	SER	42	16.134	55.578	30.252	1.00	43.85	CPS6
ATOM	4996	OG	SER	42	15.871	54.269	30.726	1.00	44.29	CPS6
ATOM	4997	C	SER	42	17.983	55.620	31.902	1.00	43.88	CPS6
ATOM	4998	O	SER	42	18.661	54.626	32.157	1.00	44.22	CPS6
ATOM	4999	N	GLU	43	17.540	56.447	32.843	1.00	43.94	CPS6
ATOM	5000	CA	GLU	43	17.860	56.216	34.248	1.00	44.69	CPS6
ATOM	5001	CB	GLU	43	17.195	57.266	35.147	1.00	47.52	CPS6
ATOM	5002	CG	GLU	43	17.466	57.033	36.632	1.00	51.04	CPS6
ATOM	5003	CD	GLU	43	16.733	58.002	37.546	1.00	53.92	CPS6
ATOM	5004	OE1	GLU	43	15.480	57.965	37.596	1.00	55.09	CPS6
ATOM	5005	OE2	GLU	43	17.418	58.802	38.221	1.00	55.13	CPS6
ATOM	5006	C	GLU	43	17.411	54.828	34.687	1.00	43.76	CPS6
ATOM	5007	O	GLU	43	18.123	54.143	35.419	1.00	43.62	CPS6
ATOM	5008	N	LYS	44	16.227	54.419	34.244	1.00	42.65	CPS6
ATOM	5009	CA	LYS	44	15.699	53.110	34.601	1.00	42.18	CPS6
ATOM	5010	CB	LYS	44	14.244	52.980	34.151	1.00	43.86	CPS6
ATOM	5011	CG	LYS	44	13.612	51.643	34.508	1.00	45.75	CPS6
ATOM	5012	CD	LYS	44	12.155	51.590	34.086	1.00	47.40	CPS6
ATOM	5013	CE	LYS	44	11.521	50.267	34.474	1.00	48.83	CPS6
ATOM	5014	NZ	LYS	44	10.076	50.213	34.107	1.00	50.91	CPS6
ATOM	5015	C	LYS	44	16.521	51.994	33.966	1.00	40.95	CPS6

ATOM	5016	O	LYS	44	16.952	51.064	34.645	1.00	40.09	CPS6
ATOM	5017	N	ARG	45	16.722	52.091	32.656	1.00	39.93	CPS6
ATOM	5018	CA	ARG	45	17.490	51.095	31.923	1.00	38.26	CPS6
ATOM	5019	CB	ARG	45	17.518	51.437	30.434	1.00	40.94	CPS6
ATOM	5020	CG	ARG	45	16.178	51.285	29.736	1.00	45.37	CPS6
ATOM	5021	CD	ARG	45	15.796	49.825	29.572	1.00	48.47	CPS6
ATOM	5022	NE	ARG	45	16.746	49.092	28.732	1.00	52.03	CPS6
ATOM	5023	CZ	ARG	45	17.047	49.411	27.475	1.00	54.07	CPS6
ATOM	5024	NH1	ARG	45	16.480	50.459	26.888	1.00	55.15	CPS6
ATOM	5025	NH2	ARG	45	17.917	48.672	26.796	1.00	55.63	CPS6
ATOM	5026	C	ARG	45	18.915	50.992	32.441	1.00	35.74	CPS6
ATOM	5027	O	ARG	45	19.524	49.926	32.374	1.00	33.44	CPS6
ATOM	5028	N	LYS	46	19.456	52.098	32.945	1.00	33.77	CPS6
ATOM	5029	CA	LYS	46	20.814	52.075	33.466	1.00	32.86	CPS6
ATOM	5030	CB	LYS	46	21.311	53.489	33.787	1.00	33.65	CPS6
ATOM	5031	CG	LYS	46	21.636	54.270	32.529	1.00	35.15	CPS6
ATOM	5032	CD	LYS	46	22.700	55.318	32.752	1.00	38.55	CPS6
ATOM	5033	CE	LYS	46	22.185	56.492	33.528	1.00	38.97	CPS6
ATOM	5034	NZ	LYS	46	22.923	57.716	33.075	1.00	40.88	CPS6
ATOM	5035	C	LYS	46	20.904	51.196	34.693	1.00	31.44	CPS6
ATOM	5036	O	LYS	46	21.841	50.415	34.832	1.00	30.69	CPS6
ATOM	5037	N	ASN	47	19.927	51.310	35.585	1.00	30.34	CPS6
ATOM	5038	CA	ASN	47	19.935	50.486	36.788	1.00	29.82	CPS6
ATOM	5039	CB	ASN	47	18.779	50.880	37.713	1.00	30.59	CPS6
ATOM	5040	CG	ASN	47	18.683	49.983	38.935	1.00	32.30	CPS6
ATOM	5041	OD1	ASN	47	19.510	50.057	39.851	1.00	33.45	CPS6
ATOM	5042	ND2	ASN	47	17.675	49.119	38.950	1.00	34.07	CPS6
ATOM	5043	C	ASN	47	19.821	49.003	36.401	1.00	28.64	CPS6
ATOM	5044	O	ASN	47	20.503	48.154	36.970	1.00	28.65	CPS6
ATOM	5045	N	GLU	48	18.972	48.700	35.424	1.00	28.08	CPS6
ATOM	5046	CA	GLU	48	18.796	47.319	34.969	1.00	28.15	CPS6
ATOM	5047	CB	GLU	48	17.680	47.234	33.927	1.00	31.68	CPS6
ATOM	5048	CG	GLU	48	16.301	47.618	34.448	1.00	36.94	CPS6
ATOM	5049	CD	GLU	48	15.246	47.631	33.352	1.00	40.49	CPS6
ATOM	5050	OE1	GLU	48	14.076	47.950	33.661	1.00	42.57	CPS6
ATOM	5051	OE2	GLU	48	15.585	47.325	32.185	1.00	40.94	CPS6
ATOM	5052	C	GLU	48	20.085	46.783	34.344	1.00	27.02	CPS6
ATOM	5053	O	GLU	48	20.489	45.646	34.598	1.00	25.06	CPS6
ATOM	5054	N	PHE	49	20.714	47.613	33.515	1.00	25.48	CPS6
ATOM	5055	CA	PHE	49	21.949	47.243	32.830	1.00	26.00	CPS6
ATOM	5056	CB	PHE	49	22.351	48.358	31.858	1.00	26.69	CPS6
ATOM	5057	CG	PHE	49	23.585	48.058	31.057	1.00	27.23	CPS6
ATOM										

1000 2000 3000 4000 5000 6000 7000 8000 9000 10000  
 11000 12000 13000 14000 15000 16000 17000 18000 19000 20000  
 21000 22000 23000 24000 25000 26000 27000 28000 29000 30000  
 31000 32000 33000 34000 35000 36000 37000 38000 39000 40000  
 41000 42000 43000 44000 45000 46000 47000 48000 49000 50000  
 51000 52000 53000 54000 55000 56000 57000 58000 59000 60000  
 61000 62000 63000 64000 65000 66000 67000 68000 69000 70000  
 71000 72000 73000 74000 75000 76000 77000 78000 79000 80000  
 81000 82000 83000 84000 85000 86000 87000 88000 89000 90000  
 91000 92000 93000 94000 95000 96000 97000 98000 99000 100000

ATOM	5073	N	ALA	51	22.844	46.364	37.089	1.00	21.05	CPS6
ATOM	5074	CA	ALA	51	22.524	45.218	37.940	1.00	21.01	CPS6
ATOM	5075	CB	ALA	51	21.038	45.271	38.346	1.00	20.12	CPS6
ATOM	5076	C	ALA	51	22.829	43.894	37.223	1.00	20.25	CPS6
ATOM	5077	O	ALA	51	23.351	42.955	37.825	1.00	20.85	CPS6
ATOM	5078	N	GLY	52	22.493	43.830	35.943	1.00	21.02	CPS6
ATOM	5079	CA	GLY	52	22.742	42.624	35.164	1.00	20.99	CPS6
ATOM	5080	C	GLY	52	24.232	42.376	34.989	1.00	22.24	CPS6
ATOM	5081	O	GLY	52	24.688	41.232	35.044	1.00	21.77	CPS6
ATOM	5082	N	ARG	53	24.992	43.444	34.764	1.00	22.45	CPS6
ATOM	5083	CA	ARG	53	26.442	43.317	34.600	1.00	22.02	CPS6
ATOM	5084	CB	ARG	53	27.051	44.624	34.093	1.00	23.58	CPS6
ATOM	5085	CG	ARG	53	26.831	44.875	32.628	1.00	26.56	CPS6
ATOM	5086	CD	ARG	53	27.406	43.749	31.834	1.00	28.57	CPS6
ATOM	5087	NE	ARG	53	27.764	44.164	30.483	1.00	32.59	CPS6
ATOM	5088	CZ	ARG	53	26.903	44.301	29.481	1.00	32.51	CPS6
ATOM	5089	NH1	ARG	53	25.606	44.053	29.676	1.00	29.51	CPS6
ATOM	5090	NH2	ARG	53	27.352	44.666	28.277	1.00	29.31	CPS6
ATOM	5091	C	ARG	53	27.081	42.951	35.926	1.00	22.03	CPS6
ATOM	5092	O	ARG	53	28.014	42.159	35.983	1.00	22.12	CPS6
ATOM	5093	N	PHE	54	26.576	43.541	37.000	1.00	20.72	CPS6
ATOM	5094	CA	PHE	54	27.089	43.253	38.322	1.00	21.84	CPS6
ATOM	5095	CB	PHE	54	26.391	44.144	39.347	1.00	23.57	CPS6
ATOM	5096	CG	PHE	54	26.843	43.925	40.756	1.00	24.76	CPS6
ATOM	5097	CD1	PHE	54	26.202	42.996	41.571	1.00	26.78	CPS6
ATOM	5098	CD2	PHE	54	27.896	44.666	41.282	1.00	26.87	CPS6
ATOM	5099	CE1	PHE	54	26.603	42.815	42.886	1.00	27.91	CPS6
ATOM	5100	CE2	PHE	54	28.302	44.491	42.592	1.00	26.99	CPS6
ATOM	5101	CZ	PHE	54	27.656	43.567	43.397	1.00	27.41	CPS6
ATOM	5102	C	PHE	54	26.865	41.777	38.647	1.00	21.21	CPS6
ATOM	5103	O	PHE	54	27.768	41.097	39.123	1.00	20.78	CPS6
ATOM	5104	N	ALA	55	25.665	41.277	38.381	1.00	20.89	CPS6
ATOM	5105	CA	ALA	55	25.374	39.872	38.669	1.00	20.22	CPS6
ATOM	5106	CB	ALA	55	23.892	39.574	38.441	1.00	19.35	CPS6
ATOM	5107	C	ALA	55	26.224	38.955	37.805	1.00	18.66	CPS6
ATOM	5108	O	ALA	55	26.716	37.923	38.278	1.00	19.74	CPS6
ATOM	5109	N	ALA	56	26.395	39.314	36.538	1.00	18.06	CPS6
ATOM	5110	CA	ALA	56	27.195	38.488	35.639	1.00	18.21	CPS6
ATOM	5111	CB	ALA	56	27.134	39.041	34.198	1.00	18.23	CPS6
ATOM	5112	C	ALA	56	28.648	38.387	36.101	1.00	18.83	CPS6
ATOM	5113	O	ALA	56	29.259	37.307	36.057	1.00	17.66	CPS6
ATOM	5114	N	LYS	57	29.207	39.508	36.549	1.00	19.03	CPS6
ATOM	5115	CA	LYS	57	30.592	39.513	37.012	1.00	18.37	CPS6
ATOM	5116	CB	LYS	57	31.101	40.958	37.085	1.00	19.18	CPS6
ATOM	5117	CG	LYS	57	31.179	41.574	35.689	1.00	19.49	CPS6
ATOM	5118	CD	LYS	57	31.775	42.975	35.676	1.00	23.00	CPS6
ATOM	5119	CE	LYS	57	31.663	43.579	34.285	1.00	20.60	CPS6
ATOM	5120	NZ	LYS	57	32.580	44.729	34.103	1.00	21.27	CPS6
ATOM	5121	C	LYS	57	30.745	38.785	38.344	1.00	19.47	CPS6
ATOM	5122	O	LYS	57	31.739	38.084	38.557	1.00	20.88	CPS6
ATOM	5123	N	GLU	58	29.773	38.942	39.245	1.00	19.43	CPS6
ATOM	5124	CA	GLU	58	29.821	38.212	40.512	1.00	21.77	CPS6
ATOM	5125	CB	GLU	58	28.640	38.591	41.419	1.00	22.85	CPS6
ATOM	5126	CG	GLU	58	28.746	39.965	42.066	1.00	27.74	CPS6
ATOM	5127	CD	GLU	58	29.884	40.060	43.079	1.00	30.88	CPS6
ATOM	5128	OE1	GLU	58	30.148	41.173	43.580	1.00	34.74	CPS6
ATOM	5129	OE2	GLU	58	30.517	39.028	43.378	1.00	34.50	CPS6

Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
Population	1,000,000	1,050,000	1,100,000	1,150,000	1,200,000	1,250,000	1,300,000	1,350,000	1,400,000	1,450,000	1,500,000	1,550,000	1,600,000	1,650,000	1,700,000	1,750,000	1,800,000	1,850,000	1,900,000	1,950,000	2,000,000	2,050,000	2,100,000	2,150,000	2,200,000	2,250,000	2,300,000	2,350,000	2,400,000	2,450,000	2,500,000	2,550,000	2,600,000	2,650,000	2,700,000	2,750,000	2,800,000	2,850,000	2,900,000	2,950,000	3,000,000	3,050,000	3,100,000	3,150,000	3,200,000	3,250,000	3,300,000	3,350,000	3,400,000	3,450,000	3,500,000	3,550,000	3,600,000	3,650,000	3,700,000	3,750,000	3,800,000	3,850,000	3,900,000	3,950,000	4,000,000	4,050,000	4,100,000	4,150,000	4,200,000	4,250,000	4,300,000	4,350,000	4,400,000	4,450,000	4,500,000	4,550,000	4,600,000	4,650,000	4,700,000	4,750,000	4,800,000	4,850,000	4,900,000	4,950,000	5,000,000	5,050,000	5,100,000	5,150,000	5,200,000	5,250,000	5,300,000	5,350,000	5,400,000	5,450,000	5,500,000	5,550,000	5,600,000	5,650,000	5,700,000	5,750,000	5,800,000	5,850,000	5,900,000	5,950,000	6,000,000	6,050,000	6,100,000	6,150,000	6,200,000	6,250,000	6,300,000	6,350,000	6,400,000	6,450,000	6,500,000	6,550,000	6,600,000	6,650,000	6,700,000	6,750,000	6,800,000	6,850,000	6,900,000	6,950,000	7,000,000	7,050,000	7,100,000	7,150,000	7,200,000	7,250,000	7,300,000	7,350,000	7,400,000	7,450,000	7,500,000	7,550,000	7,600,000	7,650,000	7,700,000	7,750,000	7,80																																																																

ATOM	5130	C	GLU	58	29.745	36.711	40.199	1.00	21.81	CPS6
ATOM	5131	O	GLU	58	30.494	35.900	40.767	1.00	21.58	CPS6
ATOM	5132	N	ALA	59	28.833	36.332	39.305	1.00	20.31	CPS6
ATOM	5133	CA	ALA	59	28.704	34.917	38.958	1.00	20.01	CPS6
ATOM	5134	CB	ALA	59	27.557	34.709	37.956	1.00	19.39	CPS6
ATOM	5135	C	ALA	59	30.015	34.398	38.370	1.00	20.62	CPS6
ATOM	5136	O	ALA	59	30.463	33.289	38.693	1.00	21.08	CPS6
ATOM	5137	N	PHE	60	30.625	35.192	37.497	1.00	18.52	CPS6
ATOM	5138	CA	PHE	60	31.886	34.784	36.891	1.00	20.21	CPS6
ATOM	5139	CB	PHE	60	32.359	35.819	35.863	1.00	19.79	CPS6
ATOM	5140	CG	PHE	60	33.690	35.482	35.248	1.00	21.99	CPS6
ATOM	5141	CD1	PHE	60	33.768	34.653	34.133	1.00	19.74	CPS6
ATOM	5142	CD2	PHE	60	34.874	35.925	35.842	1.00	22.16	CPS6
ATOM	5143	CE1	PHE	60	35.010	34.264	33.618	1.00	23.98	CPS6
ATOM	5144	CE2	PHE	60	36.117	35.542	35.339	1.00	23.86	CPS6
ATOM	5145	CZ	PHE	60	36.187	34.709	34.227	1.00	23.24	CPS6
ATOM	5146	C	PHE	60	32.970	34.614	37.961	1.00	21.37	CPS6
ATOM	5147	O	PHE	60	33.724	33.638	37.938	1.00	22.00	CPS6
ATOM	5148	N	SER	61	33.048	35.565	38.891	1.00	21.71	CPS6
ATOM	5149	CA	SER	61	34.065	35.516	39.945	1.00	23.80	CPS6
ATOM	5150	CB	SER	61	34.003	36.772	40.824	1.00	23.70	CPS6
ATOM	5151	OG	SER	61	32.938	36.694	41.753	1.00	25.60	CPS6
ATOM	5152	C	SER	61	33.912	34.284	40.824	1.00	24.14	CPS6
ATOM	5153	O	SER	61	34.897	33.786	41.386	1.00	25.44	CPS6
ATOM	5154	N	LYS	62	32.683	33.800	40.957	1.00	23.98	CPS6
ATOM	5155	CA	LYS	62	32.425	32.609	41.764	1.00	25.63	CPS6
ATOM	5156	CB	LYS	62	30.946	32.566	42.174	1.00	25.79	CPS6
ATOM	5157	CG	LYS	62	30.601	33.735	43.097	1.00	29.14	CPS6
ATOM	5158	CD	LYS	62	29.112	33.966	43.281	1.00	32.29	CPS6
ATOM	5159	CE	LYS	62	28.492	32.995	44.255	1.00	34.95	CPS6
ATOM	5160	NZ	LYS	62	27.224	33.584	44.793	1.00	38.32	CPS6
ATOM	5161	C	LYS	62	32.830	31.358	40.995	1.00	26.22	CPS6
ATOM	5162	O	LYS	62	33.397	30.424	41.568	1.00	25.89	CPS6
ATOM	5163	N	ALA	63	32.556	31.343	39.693	1.00	24.67	CPS6
ATOM	5164	CA	ALA	63	32.936	30.209	38.861	1.00	24.83	CPS6
ATOM	5165	CB	ALA	63	32.345	30.359	37.464	1.00	24.34	CPS6
ATOM	5166	C	ALA	63	34.459	30.174	38.780	1.00	26.66	CPS6
ATOM	5167	O	ALA	63	35.064	29.105	38.737	1.00	26.11	CPS6
ATOM	5168	N	PHE	64	35.071	31.354	38.762	1.00	26.12	CPS6
ATOM	5169	CA	PHE	64	36.526	31.467	38.692	1.00	28.50	CPS6
ATOM	5170	CB	PHE	64	36.919	32.925	38.445	1.00	28.06	CPS6
ATOM	5171	CG	PHE	64	38.341	33.104	37.992	1.00	29.52	CPS6
ATOM	5172	CD1	PHE	64	38.760	32.606	36.765	1.00	29.61	CPS6
ATOM	5173	CD2	PHE	64	39.251	33.787	38.787	1.00	29.01	CPS6
ATOM	5174	CE1	PHE	64	40.072	32.787	36.329	1.00	32.11	CPS6
ATOM	5175	CE2	PHE	64	40.565	33.973	38.362	1.00	30.85	CPS6
ATOM	5176	CZ	PHE	64	40.975	33.473	37.130	1.00	31.27	CPS6
ATOM	5177	C	PHE	64	37.176	30.953	39.981	1.00	29.90	CPS6
ATOM	5178	O	PHE	64	38.376	30.661	40.003	1.00	30.91	CPS6
ATOM	5179	N	GLY	65	36.377	30.858	41.043	1.00	31.52	CPS6
ATOM	5180	CA	GLY	65	36.845	30.349	42.322	1.00	34.23	CPS6
ATOM	5181	C	GLY	65	37.435	31.337	43.315	1.00	36.45	CPS6
ATOM	5182	O	GLY	65	37.726	30.968	44.456	1.00	37.62	CPS6
ATOM	5183	N	THR	66	37.593	32.592	42.902	1.00	36.65	CPS6
ATOM	5184	CA	THR	66	38.195	33.616	43.755	1.00	36.52	CPS6
ATOM	5185	CB	THR	66	39.272	34.385	42.978	1.00	36.52	CPS6
ATOM	5186	OG1	THR	66	38.648	35.112	41.908	1.00	36.34	CPS6

ATOM	5187	CG2	THR	66	40.297	33.429	42.389	1.00	36.79	CPS6
ATOM	5188	C	THR	66	37.243	34.666	44.329	1.00	36.19	CPS6
ATOM	5189	O	THR	66	37.475	35.193	45.419	1.00	35.77	CPS6
ATOM	5190	N	GLY	67	36.175	34.973	43.599	1.00	35.09	CPS6
ATOM	5191	CA	GLY	67	35.266	36.011	44.046	1.00	33.07	CPS6
ATOM	5192	C	GLY	67	35.944	37.308	43.634	1.00	32.90	CPS6
ATOM	5193	O	GLY	67	37.083	37.269	43.168	1.00	32.07	CPS6
ATOM	5194	N	ILE	68	35.264	38.446	43.766	1.00	32.48	CPS6
ATOM	5195	CA	ILE	68	35.878	39.721	43.397	1.00	32.14	CPS6
ATOM	5196	CB	ILE	68	34.821	40.823	43.170	1.00	31.75	CPS6
ATOM	5197	CG2	ILE	68	35.509	42.167	42.928	1.00	32.21	CPS6
ATOM	5198	CG1	ILE	68	33.941	40.463	41.967	1.00	30.11	CPS6
ATOM	5199	CD1	ILE	68	34.697	40.354	40.642	1.00	30.32	CPS6
ATOM	5200	C	ILE	68	36.796	40.150	44.536	1.00	33.67	CPS6
ATOM	5201	O	ILE	68	36.370	40.206	45.692	1.00	33.24	CPS6
ATOM	5202	N	GLY	69	38.050	40.443	44.207	1.00	34.42	CPS6
ATOM	5203	CA	GLY	69	39.002	40.845	45.226	1.00	37.25	CPS6
ATOM	5204	C	GLY	69	40.431	40.946	44.719	1.00	38.28	CPS6
ATOM	5205	O	GLY	69	40.669	41.302	43.567	1.00	38.30	CPS6
ATOM	5206	N	ALA	70	41.386	40.609	45.579	1.00	38.96	CPS6
ATOM	5207	CA	ALA	70	42.800	40.684	45.233	1.00	39.69	CPS6
ATOM	5208	CB	ALA	70	43.644	40.198	46.415	1.00	40.64	CPS6
ATOM	5209	C	ALA	70	43.208	39.939	43.965	1.00	39.83	CPS6
ATOM	5210	O	ALA	70	44.175	40.322	43.311	1.00	40.54	CPS6
ATOM	5211	N	GLN	71	42.481	38.885	43.605	1.00	39.94	CPS6
ATOM	5212	CA	GLN	71	42.834	38.115	42.411	1.00	39.34	CPS6
ATOM	5213	CB	GLN	71	42.773	36.614	42.709	1.00	41.56	CPS6
ATOM	5214	CG	GLN	71	43.429	36.181	44.006	1.00	43.98	CPS6
ATOM	5215	CD	GLN	71	43.299	34.684	44.233	1.00	45.96	CPS6
ATOM	5216	OE1	GLN	71	43.901	33.880	43.515	1.00	48.14	CPS6
ATOM	5217	NE2	GLN	71	42.502	34.302	45.224	1.00	46.92	CPS6
ATOM	5218	C	GLN	71	41.972	38.381	41.176	1.00	37.54	CPS6
ATOM	5219	O	GLN	71	42.286	37.886	40.096	1.00	37.40	CPS6
ATOM	5220	N	LEU	72	40.898	39.154	41.326	1.00	35.40	CPS6
ATOM	5221	CA	LEU	72	39.998	39.428	40.204	1.00	33.24	CPS6
ATOM	5222	CB	LEU	72	39.029	38.257	40.026	1.00	31.49	CPS6
ATOM	5223	CG	LEU	72	38.647	37.600	38.692	1.00	32.42	CPS6
ATOM	5224	CD1	LEU	72	37.168	37.243	38.788	1.00	28.80	CPS6
ATOM	5225	CD2	LEU	72	38.919	38.478	37.487	1.00	30.34	CPS6
ATOM	5226	C	LEU	72	39.174	40.680	40.483	1.00	31.78	CPS6
ATOM	5227	O	LEU	72	38.496	40.758	41.502	1.00	32.54	CPS6
ATOM	5228	N	SER	73	39.217	41.652	39.583	1.00	30.85	CPS6
ATOM	5229	CA	SER	73	38.428	42.866	39.784	1.00	29.39	CPS6
ATOM	5230	CB	SER	73	39.289	44.113	39.615	1.00	30.61	CPS6
ATOM	5231	OG	SER	73	39.523	44.366	38.246	1.00	30.25	CPS6
ATOM	5232	C	SER	73	37.309	42.898	38.752	1.00	27.96	CPS6
ATOM	5233	O	SER	73	37.333	42.147	37.775	1.00	27.49	CPS6
ATOM	5234	N	PHE	74	36.322	43.760	38.975	1.00	26.79	CPS6
ATOM	5235	CA	PHE	74	35.213	43.888	38.034	1.00	26.21	CPS6
ATOM	5236	CB	PHE	74	34.219	44.938	38.534	1.00	25.48	CPS6
ATOM	5237	CG	PHE	74	33.366	44.472	39.676	1.00	26.75	CPS6
ATOM	5238	CD1	PHE	74	32.329	43.568	39.460	1.00	27.07	CPS6
ATOM	5239	CD2	PHE	74	33.582	44.949	40.967	1.00	27.57	CPS6
ATOM	5240	CE1	PHE	74	31.511	43.148	40.515	1.00	27.84	CPS6
ATOM	5241	CE2	PHE	74	32.770	44.534	42.030	1.00	28.92	CPS6
ATOM	5242	CZ	PHE	74	31.732	43.634	41.801	1.00	27.85	CPS6
ATOM	5243	C	PHE	74	35.731	44.301	36.659	1.00	26.17	CPS6



ATOM	5244	O	PHE	74	35.186	43.903	35.638	1.00	25.99	CPS6
ATOM	5245	N	GLN	75	36.793	45.103	36.638	1.00	25.96	CPS6
ATOM	5246	CA	GLN	75	37.365	45.583	35.384	1.00	27.32	CPS6
ATOM	5247	CB	GLN	75	38.374	46.703	35.665	1.00	27.52	CPS6
ATOM	5248	CG	GLN	75	37.754	47.960	36.271	1.00	30.15	CPS6
ATOM	5249	CD	GLN	75	36.770	48.648	35.339	1.00	30.80	CPS6
ATOM	5250	OE1	GLN	75	37.052	48.857	34.159	1.00	31.37	CPS6
ATOM	5251	NE2	GLN	75	35.618	49.019	35.871	1.00	34.02	CPS6
ATOM	5252	C	GLN	75	38.024	44.498	34.530	1.00	26.97	CPS6
ATOM	5253	O	GLN	75	38.199	44.679	33.329	1.00	26.86	CPS6
ATOM	5254	N	ASP	76	38.382	43.377	35.150	1.00	27.98	CPS6
ATOM	5255	CA	ASP	76	39.004	42.258	34.437	1.00	27.78	CPS6
ATOM	5256	CB	ASP	76	39.644	41.271	35.421	1.00	29.90	CPS6
ATOM	5257	CG	ASP	76	40.883	41.813	36.091	1.00	31.18	CPS6
ATOM	5258	OD1	ASP	76	41.690	42.457	35.397	1.00	35.07	CPS6
ATOM	5259	OD2	ASP	76	41.059	41.570	37.307	1.00	32.81	CPS6
ATOM	5260	C	ASP	76	37.969	41.474	33.633	1.00	27.27	CPS6
ATOM	5261	O	ASP	76	38.314	40.671	32.764	1.00	26.16	CPS6
ATOM	5262	N	ILE	77	36.696	41.705	33.930	1.00	26.25	CPS6
ATOM	5263	CA	ILE	77	35.616	40.966	33.272	1.00	25.67	CPS6
ATOM	5264	CB	ILE	77	34.682	40.360	34.335	1.00	25.40	CPS6
ATOM	5265	CG2	ILE	77	33.688	39.404	33.681	1.00	24.95	CPS6
ATOM	5266	CG1	ILE	77	35.511	39.639	35.400	1.00	23.36	CPS6
ATOM	5267	CD1	ILE	77	34.798	39.549	36.758	1.00	23.84	CPS6
ATOM	5268	C	ILE	77	34.785	41.871	32.372	1.00	25.23	CPS6
ATOM	5269	O	ILE	77	34.326	42.916	32.809	1.00	26.66	CPS6
ATOM	5270	N	GLU	78	34.579	41.473	31.123	1.00	24.36	CPS6
ATOM	5271	CA	GLU	78	33.794	42.296	30.217	1.00	23.95	CPS6
ATOM	5272	CB	GLU	78	34.689	42.928	29.151	1.00	23.23	CPS6
ATOM	5273	CG	GLU	78	33.936	43.867	28.231	1.00	25.47	CPS6
ATOM	5274	CD	GLU	78	34.858	44.740	27.406	1.00	28.41	CPS6
ATOM	5275	OE1	GLU	78	35.313	44.287	26.331	1.00	28.29	CPS6
ATOM	5276	OE2	GLU	78	35.133	45.880	27.844	1.00	29.93	CPS6
ATOM	5277	C	GLU	78	32.698	41.501	29.523	1.00	23.31	CPS6
ATOM	5278	O	GLU	78	32.951	40.411	29.013	1.00	23.66	CPS6
ATOM	5279	N	ILE	79	31.481	42.045	29.519	1.00	23.40	CPS6
ATOM	5280	CA	ILE	79	30.376	41.377	28.843	1.00	22.82	CPS6
ATOM	5281	CB	ILE	79	29.074	41.348	29.696	1.00	22.78	CPS6
ATOM	5282	CG2	ILE	79	27.899	40.913	28.834	1.00	23.83	CPS6
ATOM	5283	CG1	ILE	79	29.214	40.370	30.871	1.00	23.62	CPS6
ATOM	5284	CD1	ILE	79	29.978	40.908	32.041	1.00	26.29	CPS6
ATOM	5285	C	ILE	79	30.081	42.125	27.551	1.00	22.89	CPS6
ATOM	5286	O	ILE	79	29.992	43.352	27.547	1.00	21.79	CPS6
ATOM	5287	N	ARG	80	29.969	41.383	26.456	1.00	22.11	CPS6
ATOM	5288	CA	ARG	80	29.625	41.957	25.152	1.00	24.89	CPS6
ATOM	5289	CB	ARG	80	30.781	41.821	24.147	1.00	28.30	CPS6
ATOM	5290	CG	ARG	80	32.171	41.662	24.758	1.00	34.49	CPS6
ATOM	5291	CD	ARG	80	33.065	42.894	24.630	1.00	37.92	CPS6
ATOM	5292	NE	ARG	80	33.175	43.397	23.267	1.00	39.97	CPS6
ATOM	5293	CZ	ARG	80	34.078	44.291	22.857	1.00	39.55	CPS6
ATOM	5294	NH1	ARG	80	34.981	44.787	23.697	1.00	38.56	CPS6
ATOM	5295	NH2	ARG	80	34.050	44.724	21.604	1.00	37.96	CPS6
ATOM	5296	C	ARG	80	28.445	41.119	24.657	1.00	24.70	CPS6
ATOM	5297	O	ARG	80	28.130	40.095	25.249	1.00	22.24	CPS6
ATOM	5298	N	LYS	81	27.776	41.551	23.592	1.00	26.22	CPS6
ATOM	5299	CA	LYS	81	26.664	40.770	23.055	1.00	28.06	CPS6
ATOM	5300	CB	LYS	81	25.346	41.547	23.140	1.00	30.47	CPS6



ATOM	5358	CD2	TYR	88	29.600	37.666	23.132	1.00	25.11	CPS6
ATOM	5359	CE2	TYR	88	30.105	38.601	22.234	1.00	25.50	CPS6
ATOM	5360	CZ	TYR	88	31.459	38.887	22.235	1.00	26.13	CPS6
ATOM	5361	OH	TYR	88	31.947	39.824	21.351	1.00	28.03	CPS6
ATOM	5362	C	TYR	88	30.382	37.287	27.062	1.00	21.33	CPS6
ATOM	5363	O	TYR	88	30.415	38.512	27.009	1.00	22.02	CPS6
ATOM	5364	N	ILE	89	31.238	36.571	27.769	1.00	22.15	CPS6
ATOM	5365	CA	ILE	89	32.263	37.187	28.581	1.00	22.97	CPS6
ATOM	5366	CB	ILE	89	32.244	36.555	30.001	1.00	22.83	CPS6
ATOM	5367	CG2	ILE	89	33.564	36.820	30.736	1.00	22.49	CPS6
ATOM	5368	CG1	ILE	89	31.036	37.080	30.779	1.00	23.07	CPS6
ATOM	5369	CD1	ILE	89	30.876	36.460	32.168	1.00	23.21	CPS6
ATOM	5370	C	ILE	89	33.670	37.026	28.027	1.00	24.96	CPS6
ATOM	5371	O	ILE	89	33.990	35.997	27.435	1.00	24.10	CPS6
ATOM	5372	N	ILE	90	34.489	38.064	28.193	1.00	24.59	CPS6
ATOM	5373	CA	ILE	90	35.898	37.956	27.833	1.00	25.62	CPS6
ATOM	5374	CB	ILE	90	36.305	38.796	26.589	1.00	26.38	CPS6
ATOM	5375	CG2	ILE	90	35.630	38.229	25.360	1.00	26.74	CPS6
ATOM	5376	CG1	ILE	90	35.984	40.273	26.787	1.00	27.06	CPS6
ATOM	5377	CD1	ILE	90	36.410	41.147	25.584	1.00	30.06	CPS6
ATOM	5378	C	ILE	90	36.657	38.407	29.079	1.00	26.15	CPS6
ATOM	5379	O	ILE	90	36.241	39.337	29.783	1.00	25.40	CPS6
ATOM	5380	N	CYS	91	37.742	37.702	29.376	1.00	26.82	CPS6
ATOM	5381	CA	CYS	91	38.574	37.975	30.543	1.00	28.62	CPS6
ATOM	5382	CB	CYS	91	38.041	37.191	31.749	1.00	27.71	CPS6
ATOM	5383	SG	CYS	91	39.031	37.333	33.261	1.00	30.47	CPS6
ATOM	5384	C	CYS	91	39.998	37.516	30.194	1.00	29.98	CPS6
ATOM	5385	O	CYS	91	40.213	36.361	29.839	1.00	29.65	CPS6
ATOM	5386	N	THR	92	40.966	38.419	30.291	1.00	32.42	CPS6
ATOM	5387	CA	THR	92	42.344	38.078	29.948	1.00	34.14	CPS6
ATOM	5388	CB	THR	92	43.264	39.303	30.103	1.00	36.33	CPS6
ATOM	5389	OG1	THR	92	43.150	39.810	31.439	1.00	38.35	CPS6
ATOM	5390	CG2	THR	92	42.872	40.393	29.104	1.00	35.90	CPS6
ATOM	5391	C	THR	92	42.931	36.932	30.761	1.00	35.10	CPS6
ATOM	5392	O	THR	92	43.960	36.359	30.380	1.00	36.58	CPS6
ATOM	5393	N	LYS	93	42.291	36.582	31.870	1.00	33.97	CPS6
ATOM	5394	CA	LYS	93	42.808	35.503	32.698	1.00	34.28	CPS6
ATOM	5395	CB	LYS	93	42.231	35.596	34.105	1.00	35.19	CPS6
ATOM	5396	CG	LYS	93	42.654	36.867	34.827	1.00	38.98	CPS6
ATOM	5397	CD	LYS	93	42.107	36.924	36.240	1.00	40.89	CPS6
ATOM	5398	CE	LYS	93	42.416	38.263	36.898	1.00	41.92	CPS6
ATOM	5399	NZ	LYS	93	43.879	38.529	36.966	1.00	43.76	CPS6
ATOM	5400	C	LYS	93	42.575	34.111	32.126	1.00	33.08	CPS6
ATOM	5401	O	LYS	93	43.143	33.137	32.613	1.00	33.58	CPS6
ATOM	5402	N	LEU	94	41.743	34.005	31.098	1.00	31.56	CPS6
ATOM	5403	CA	LEU	94	41.489	32.702	30.487	1.00	29.96	CPS6
ATOM	5404	CB	LEU	94	40.553	31.853	31.363	1.00	31.34	CPS6
ATOM	5405	CG	LEU	94	39.321	32.481	32.035	1.00	33.01	CPS6
ATOM	5406	CD1	LEU	94	38.520	33.306	31.062	1.00	32.91	CPS6
ATOM	5407	CD2	LEU	94	38.465	31.368	32.625	1.00	35.31	CPS6
ATOM	5408	C	LEU	94	40.917	32.822	29.091	1.00	28.50	CPS6
ATOM	5409	O	LEU	94	40.531	33.909	28.654	1.00	28.02	CPS6
ATOM	5410	N	SER	95	40.861	31.692	28.398	1.00	27.95	CPS6
ATOM	5411	CA	SER	95	40.341	31.636	27.040	1.00	27.87	CPS6
ATOM	5412	CB	SER	95	40.579	30.261	26.426	1.00	28.47	CPS6
ATOM	5413	OG	SER	95	39.846	30.141	25.218	1.00	30.54	CPS6
ATOM	5414	C	SER	95	38.849	31.905	27.011	1.00	26.60	CPS6

ATOM	5415	O	SER	95	38.098	31.331	27.793	1.00	25.68	CPS6
ATOM	5416	N	PRO	96	38.401	32.762	26.082	1.00	25.92	CPS6
ATOM	5417	CD	PRO	96	39.206	33.567	25.144	1.00	25.77	CPS6
ATOM	5418	CA	PRO	96	36.978	33.085	25.978	1.00	25.00	CPS6
ATOM	5419	CB	PRO	96	36.947	34.199	24.922	1.00	25.69	CPS6
ATOM	5420	CG	PRO	96	38.197	33.949	24.093	1.00	25.08	CPS6
ATOM	5421	C	PRO	96	36.129	31.873	25.602	1.00	25.28	CPS6
ATOM	5422	O	PRO	96	34.942	31.810	25.922	1.00	23.78	CPS6
ATOM	5423	N	ALA	97	36.741	30.902	24.934	1.00	24.13	CPS6
ATOM	5424	CA	ALA	97	36.023	29.701	24.534	1.00	24.78	CPS6
ATOM	5425	CB	ALA	97	36.873	28.890	23.569	1.00	25.54	CPS6
ATOM	5426	C	ALA	97	35.650	28.846	25.746	1.00	24.39	CPS6
ATOM	5427	O	ALA	97	34.783	27.980	25.657	1.00	25.77	CPS6
ATOM	5428	N	ALA	98	36.300	29.093	26.879	1.00	23.13	CPS6
ATOM	5429	CA	ALA	98	36.033	28.320	28.094	1.00	23.12	CPS6
ATOM	5430	CB	ALA	98	37.285	28.277	28.947	1.00	23.94	CPS6
ATOM	5431	C	ALA	98	34.875	28.867	28.937	1.00	23.29	CPS6
ATOM	5432	O	ALA	98	34.418	28.217	29.883	1.00	23.78	CPS6
ATOM	5433	N	VAL	99	34.398	30.055	28.593	1.00	22.50	CPS6
ATOM	5434	CA	VAL	99	33.353	30.693	29.386	1.00	22.03	CPS6
ATOM	5435	CB	VAL	99	33.776	32.130	29.747	1.00	22.74	CPS6
ATOM	5436	CG1	VAL	99	32.850	32.710	30.799	1.00	22.51	CPS6
ATOM	5437	CG2	VAL	99	35.207	32.132	30.250	1.00	24.89	CPS6
ATOM	5438	C	VAL	99	31.978	30.757	28.739	1.00	20.85	CPS6
ATOM	5439	O	VAL	99	31.850	30.969	27.534	1.00	20.38	CPS6
ATOM	5440	N	HIS	100	30.950	30.580	29.568	1.00	20.29	CPS6
ATOM	5441	CA	HIS	100	29.563	30.652	29.132	1.00	18.65	CPS6
ATOM	5442	CB	HIS	100	28.988	29.251	29.029	1.00	20.06	CPS6
ATOM	5443	CG	HIS	100	29.786	28.360	28.139	1.00	23.66	CPS6
ATOM	5444	CD2	HIS	100	30.802	27.509	28.412	1.00	26.19	CPS6
ATOM	5445	ND1	HIS	100	29.626	28.343	26.772	1.00	25.30	CPS6
ATOM	5446	CE1	HIS	100	30.511	27.518	26.239	1.00	26.78	CPS6
ATOM	5447	NE2	HIS	100	31.237	27.000	27.214	1.00	27.25	CPS6
ATOM	5448	C	HIS	100	28.806	31.440	30.186	1.00	18.48	CPS6
ATOM	5449	O	HIS	100	29.071	31.297	31.378	1.00	17.96	CPS6
ATOM	5450	N	VAL	101	27.852	32.261	29.753	1.00	17.67	CPS6
ATOM	5451	CA	VAL	101	27.092	33.060	30.697	1.00	17.87	CPS6
ATOM	5452	CB	VAL	101	27.749	34.455	30.846	1.00	19.43	CPS6
ATOM	5453	CG1	VAL	101	27.766	35.151	29.492	1.00	19.75	CPS6
ATOM	5454	CG2	VAL	101	26.984	35.314	31.860	1.00	19.30	CPS6
ATOM	5455	C	VAL	101	25.650	33.255	30.229	1.00	17.14	CPS6
ATOM	5456	O	VAL	101	25.356	33.139	29.046	1.00	16.92	CPS6
ATOM	5457	N	SER	102	24.752	33.522	31.173	1.00	17.82	CPS6
ATOM	5458	CA	SER	102	23.365	33.821	30.837	1.00	18.24	CPS6
ATOM	5459	CB	SER	102	22.450	32.592	30.926	1.00	18.94	CPS6
ATOM	5460	OG	SER	102	21.131	32.955	30.513	1.00	19.02	CPS6
ATOM	5461	C	SER	102	22.932	34.853	31.855	1.00	17.95	CPS6
ATOM	5462	O	SER	102	23.335	34.792	33.025	1.00	16.39	CPS6
ATOM	5463	N	ILE	103	22.112	35.802	31.414	1.00	16.51	CPS6
ATOM	5464	CA	ILE	103	21.630	36.864	32.291	1.00	17.17	CPS6
ATOM	5465	CB	ILE	103	22.243	38.240	31.884	1.00	17.60	CPS6
ATOM	5466	CG2	ILE	103	21.761	39.341	32.845	1.00	19.81	CPS6
ATOM	5467	CG1	ILE	103	23.769	38.152	31.899	1.00	19.89	CPS6
ATOM	5468	CD1	ILE	103	24.483	39.402	31.357	1.00	19.80	CPS6
ATOM	5469	C	ILE	103	20.112	36.933	32.131	1.00	17.69	CPS6
ATOM	5470	O	ILE	103	19.595	36.760	31.021	1.00	17.52	CPS6
ATOM	5471	N	THR	104	19.414	37.173	33.237	1.00	18.18	CPS6

ATOM	5472	CA	THR	104	17.954	37.283	33.226	1.00	18.92	CPS6
ATOM	5473	CB	THR	104	17.285	35.948	33.660	1.00	20.47	CPS6
ATOM	5474	OG1	THR	104	15.864	36.026	33.456	1.00	20.23	CPS6
ATOM	5475	CG2	THR	104	17.578	35.648	35.130	1.00	17.86	CPS6
ATOM	5476	C	THR	104	17.523	38.429	34.159	1.00	20.41	CPS6
ATOM	5477	O	THR	104	18.306	38.901	34.990	1.00	19.19	CPS6
ATOM	5478	N	HIS	105	16.280	38.880	34.001	1.00	21.31	CPS6
ATOM	5479	CA	HIS	105	15.751	39.984	34.799	1.00	22.86	CPS6
ATOM	5480	CB	HIS	105	15.802	41.299	33.998	1.00	26.24	CPS6
ATOM	5481	CG	HIS	105	17.175	41.721	33.578	1.00	30.59	CPS6
ATOM	5482	CD2	HIS	105	17.889	41.444	32.461	1.00	32.14	CPS6
ATOM	5483	ND1	HIS	105	17.974	42.534	34.355	1.00	33.04	CPS6
ATOM	5484	CE1	HIS	105	19.122	42.739	33.733	1.00	33.19	CPS6
ATOM	5485	NE2	HIS	105	19.097	42.089	32.582	1.00	32.49	CPS6
ATOM	5486	C	HIS	105	14.278	39.762	35.129	1.00	23.27	CPS6
ATOM	5487	O	HIS	105	13.575	39.039	34.417	1.00	21.93	CPS6
ATOM	5488	N	THR	106	13.837	40.393	36.212	1.00	23.40	CPS6
ATOM	5489	CA	THR	106	12.430	40.421	36.605	1.00	25.56	CPS6
ATOM	5490	CB	THR	106	12.067	39.537	37.816	1.00	27.06	CPS6
ATOM	5491	OG1	THR	106	12.664	40.059	39.015	1.00	26.80	CPS6
ATOM	5492	CG2	THR	106	12.496	38.102	37.567	1.00	25.79	CPS6
ATOM	5493	C	THR	106	12.266	41.879	37.013	1.00	27.51	CPS6
ATOM	5494	O	THR	106	13.230	42.651	36.964	1.00	26.39	CPS6
ATOM	5495	N	LYS	107	11.069	42.272	37.423	1.00	28.29	CPS6
ATOM	5496	CA	LYS	107	10.880	43.662	37.810	1.00	29.88	CPS6
ATOM	5497	CB	LYS	107	9.440	43.899	38.268	1.00	32.33	CPS6
ATOM	5498	CG	LYS	107	9.155	45.357	38.599	1.00	36.25	CPS6
ATOM	5499	CD	LYS	107	7.745	45.549	39.147	1.00	39.84	CPS6
ATOM	5500	CE	LYS	107	7.473	47.024	39.442	1.00	41.42	CPS6
ATOM	5501	NZ	LYS	107	6.102	47.246	39.995	1.00	45.05	CPS6
ATOM	5502	C	LYS	107	11.839	44.132	38.905	1.00	29.50	CPS6
ATOM	5503	O	LYS	107	12.367	45.243	38.823	1.00	29.28	CPS6
ATOM	5504	N	GLU	108	12.081	43.289	39.912	1.00	27.21	CPS6
ATOM	5505	CA	GLU	108	12.945	43.667	41.033	1.00	26.33	CPS6
ATOM	5506	CB	GLU	108	12.239	43.363	42.358	1.00	30.27	CPS6
ATOM	5507	CG	GLU	108	10.841	43.953	42.480	1.00	36.27	CPS6
ATOM	5508	CD	GLU	108	10.259	43.782	43.874	1.00	41.02	CPS6
ATOM	5509	OE1	GLU	108	10.158	42.632	44.354	1.00	44.74	CPS6
ATOM	5510	OE2	GLU	108	9.897	44.803	44.497	1.00	45.09	CPS6
ATOM	5511	C	GLU	108	14.333	43.033	41.108	1.00	25.31	CPS6
ATOM	5512	O	GLU	108	15.145	43.437	41.936	1.00	22.62	CPS6
ATOM	5513	N	TYR	109	14.609	42.043	40.266	1.00	22.54	CPS6
ATOM	5514	CA	TYR	109	15.900	41.368	40.333	1.00	22.99	CPS6
ATOM	5515	CB	TYR	109	15.728	39.954	40.909	1.00	22.64	CPS6
ATOM	5516	CG	TYR	109	15.175	39.906	42.310	1.00	24.37	CPS6
ATOM	5517	CD1	TYR	109	15.988	40.167	43.411	1.00	24.51	CPS6
ATOM	5518	CE1	TYR	109	15.465	40.190	44.701	1.00	26.40	CPS6
ATOM	5519	CD2	TYR	109	13.821	39.661	42.531	1.00	24.67	CPS6
ATOM	5520	CE2	TYR	109	13.286	39.683	43.809	1.00	24.88	CPS6
ATOM	5521	CZ	TYR	109	14.106	39.946	44.884	1.00	26.56	CPS6
ATOM	5522	OH	TYR	109	13.576	39.968	46.144	1.00	29.07	CPS6
ATOM	5523	C	TYR	109	16.609	41.211	39.008	1.00	21.70	CPS6
ATOM	5524	O	TYR	109	15.993	41.280	37.945	1.00	22.54	CPS6
ATOM	5525	N	ALA	110	17.926	41.012	39.103	1.00	21.84	CPS6
ATOM	5526	CA	ALA	110	18.770	40.702	37.950	1.00	20.16	CPS6
ATOM	5527	CB	ALA	110	19.785	41.803	37.666	1.00	21.73	CPS6
ATOM	5528	C	ALA	110	19.492	39.445	38.443	1.00	20.44	CPS6



ATOM	5586	CZ	ARG	118	39.095	20.849	35.744	1.00	51.80	CPS6
ATOM	5587	NH1	ARG	118	40.113	21.575	35.304	1.00	53.03	CPS6
ATOM	5588	NH2	ARG	118	38.692	20.977	37.003	1.00	51.56	CPS6
ATOM	5589	C	ARG	118	38.895	22.789	30.250	1.00	40.50	CPS6
ATOM	5590	O	ARG	118	38.365	21.750	29.862	1.00	41.56	CPS6
ATOM	5591	N	LEU	119	39.615	23.562	29.445	1.00	42.65	CPS6
ATOM	5592	CA	LEU	119	39.833	23.176	28.055	1.00	44.91	CPS6
ATOM	5593	CB	LEU	119	40.106	24.414	27.196	1.00	45.15	CPS6
ATOM	5594	CG	LEU	119	38.970	25.432	27.070	1.00	45.37	CPS6
ATOM	5595	CD1	LEU	119	39.442	26.618	26.246	1.00	44.17	CPS6
ATOM	5596	CD2	LEU	119	37.752	24.776	26.427	1.00	45.02	CPS6
ATOM	5597	C	LEU	119	40.991	22.193	27.918	1.00	46.41	CPS6
ATOM	5598	OT1	LEU	119	41.823	22.138	28.848	1.00	47.25	CPS6
ATOM	5599	OT2	LEU	119	41.055	21.501	26.874	1.00	47.76	CPS6
ATOM	5600	O	HOH	1	74.183	58.190	-19.320	1.00	16.24	AT
ATOM	5601	O	HOH	2	50.451	28.498	2.245	1.00	16.26	AT
ATOM	5602	O	HOH	3	72.513	43.845	5.247	1.00	16.95	AT
ATOM	5603	O	HOH	4	59.768	49.591	13.381	1.00	18.99	AT
ATOM	5604	O	HOH	5	9.919	40.963	40.359	1.00	17.22	AT
ATOM	5605	O	HOH	6	57.301	49.721	15.536	1.00	18.51	AT
ATOM	5606	O	HOH	7	72.254	36.424	22.184	1.00	19.44	AT
ATOM	5607	O	HOH	8	15.486	40.288	48.189	1.00	19.00	AT
ATOM	5608	O	HOH	9	22.359	26.422	33.132	1.00	28.69	AT
ATOM	5609	O	HOH	10	62.648	41.000	12.765	1.00	26.69	AT
ATOM	5610	O	HOH	11	27.253	11.532	60.836	1.00	33.03	AT
ATOM	5611	O	HOH	12	4.545	29.482	16.753	1.00	34.49	AT
ATOM	5612	O	HOH	13	14.678	33.346	17.568	1.00	28.16	AT
ATOM	5613	O	HOH	14	2.443	17.966	21.642	1.00	31.50	AT
ATOM	5614	O	HOH	15	13.387	44.897	46.109	1.00	36.84	AT
ATOM	5615	O	HOH	16	64.048	43.971	9.189	1.00	27.36	AT
ATOM	5616	O	HOH	17	17.153	29.081	61.693	1.00	38.80	AT
ATOM	5617	O	HOH	18	15.565	11.097	37.041	1.00	32.04	AT
ATOM	5618	O	HOH	19	66.736	39.802	9.758	1.00	31.88	AT
ATOM	5619	O	HOH	20	68.806	35.163	19.609	1.00	43.12	AT
ATOM	5620	O	HOH	21	28.442	30.448	25.270	1.00	35.30	AT
ATOM	5621	O	HOH	22	20.356	37.769	28.103	1.00	40.41	AT
ATOM	5622	O	HOH	23	27.784	56.284	42.007	1.00	39.44	AT
ATOM	5623	O	HOH	24	9.819	21.853	51.711	1.00	48.93	AT
ATOM	5624	O	HOH	25	18.794	48.571	49.608	1.00	38.44	AT
ATOM	5625	O	HOH	26	50.953	43.970	28.198	1.00	29.58	AT
ATOM	5626	O	HOH	27	22.120	28.021	18.001	1.00	41.70	AT
ATOM	5627	O	HOH	28	18.224	7.825	50.971	1.00	37.65	AT
ATOM	5628	O	HOH	29	45.010	40.785	1.909	1.00	35.18	AT
ATOM	5629	O	HOH	30	64.211	31.229	23.988	1.00	42.82	AT
ATOM	5630	O	HOH	31	55.673	59.846	2.934	1.00	40.75	AT
ATOM	5631	O	HOH	32	12.144	16.656	71.990	1.00	45.41	AT
ATOM	5632	O	HOH	33	26.174	28.070	35.889	1.00	33.23	AT
ATOM	5633	O	HOH	34	23.423	24.108	37.385	1.00	33.85	AT
ATOM	5634	O	HOH	35	72.206	58.375	9.452	1.00	45.41	AT
ATOM	5635	O	HOH	36	4.583	28.820	43.211	1.00	37.91	AT
ATOM	5636	O	HOH	37	54.428	31.469	26.691	1.00	40.61	AT
ATOM	5637	O	HOH	38	5.129	39.360	42.159	1.00	34.31	AT
ATOM	5638	O	HOH	39	61.288	9.543	3.422	1.00	45.78	AT
ATOM	5639	O	HOH	40	41.144	21.554	50.056	1.00	46.77	AT
ATOM	5640	O	HOH	41	45.899	31.375	23.218	1.00	36.69	AT
ATOM	5641	O	HOH	42	46.684	40.019	4.072	1.00	40.88	AT
ATOM	5642	O	HOH	43	32.060	30.436	24.972	1.00	38.00	AT

ATOM	5643	O	HOH	44	27.193	55.260	39.276	1.00	39.83	AT
ATOM	5644	O	HOH	45	74.083	12.016	10.419	1.00	37.57	AT
ATOM	5645	O	HOH	46	7.161	11.806	20.918	1.00	37.74	AT
ATOM	5646	O	HOH	47	37.597	37.224	10.717	1.00	44.06	AT
ATOM	5647	O	HOH	48	26.713	40.428	46.123	1.00	47.01	AT
ATOM	5648	O	HOH	49	73.327	31.524	18.039	1.00	39.95	AT
ATOM	5649	O	HOH	50	6.885	35.701	48.910	1.00	38.11	AT
ATOM	5650	O	HOH	51	12.147	30.555	62.867	1.00	45.67	AT
ATOM	5651	O	HOH	52	45.035	35.126	28.209	1.00	45.09	AT
ATOM	5652	O	HOH	53	45.816	30.463	0.531	1.00	37.06	AT
ATOM	5653	O	HOH	54	37.959	49.546	12.787	1.00	41.97	AT
ATOM	5654	O	HOH	55	29.307	59.252	40.586	1.00	54.29	AT
ATOM	5655	O	HOH	56	33.064	30.245	14.482	1.00	53.18	AT
ATOM	5656	O	HOH	57	5.959	29.404	40.923	1.00	42.88	AT
ATOM	5657	O	HOH	58	72.015	56.594	2.111	1.00	41.98	AT
ATOM	5658	O	HOH	59	34.149	9.199	46.267	1.00	42.25	AT
ATOM	5659	O	HOH	60	56.871	24.901	5.890	1.00	43.48	AT
ATOM	5660	O	HOH	61	53.366	27.278	27.533	1.00	46.43	AT
ATOM	5661	O	HOH	62	51.684	37.046	30.830	1.00	46.25	AT
ATOM	5662	O	HOH	63	52.569	48.531	8.124	1.00	42.45	AT
ATOM	5663	O	HOH	64	19.990	15.518	32.236	1.00	48.76	AT
ATOM	5664	O	HOH	65	64.540	44.979	26.386	1.00	42.49	AT
ATOM	5665	O	HOH	66	30.220	13.054	46.228	1.00	52.13	AT
ATOM	5666	O	HOH	67	54.239	52.985	1.438	1.00	45.12	AT
ATOM	5667	O	HOH	68	20.023	54.748	37.127	1.00	39.76	AT
ATOM	5668	O	HOH	69	8.456	21.336	37.515	1.00	48.76	AT
ATOM	5669	O	HOH	70	35.909	45.522	2.599	1.00	46.39	AT
ATOM	5670	O	HOH	71	53.886	30.997	19.731	1.00	43.92	AT
ATOM	5671	O	HOH	72	10.033	24.488	66.210	1.00	53.66	AT
ATOM	5672	O	HOH	73	58.903	57.250	13.037	1.00	41.23	AT
ATOM	5673	O	HOH	74	62.777	15.875	1.984	1.00	41.20	AT
ATOM	5674	O	HOH	75	42.217	40.323	33.742	1.00	43.11	AT
ATOM	5675	O	HOH	76	20.956	40.692	29.179	1.00	49.81	AT
ATOM	5676	O	HOH	77	46.166	43.977	11.730	1.00	36.26	AT
ATOM	5677	O	HOH	78	66.744	59.058	16.145	1.00	56.18	AT
ATOM	5678	O	HOH	79	45.851	25.881	4.391	1.00	55.88	AT
ATOM	5679	O	HOH	80	75.174	49.183	6.063	1.00	47.74	AT
ATOM	5680	O	HOH	81	29.310	41.802	17.220	1.00	55.92	AT
ATOM	5681	O	HOH	82	1.927	35.649	42.778	1.00	51.25	AT
ATOM	5682	O	HOH	83	-1.663	38.805	38.155	1.00	39.95	AT
ATOM	5683	O	HOH	84	14.052	11.606	52.410	1.00	45.64	AT
ATOM	5684	O	HOH	85	12.374	37.222	15.756	1.00	49.24	AT
ATOM	5685	O	HOH	86	31.903	41.930	45.468	1.00	45.19	AT
ATOM	5686	O	HOH	87	33.483	20.380	56.292	1.00	53.83	AT
ATOM	5687	O	HOH	88	74.639	45.461	5.020	1.00	41.59	AT
ATOM	5688	O	HOH	89	37.028	19.108	53.278	1.00	43.77	AT
ATOM	5689	O	HOH	90	38.593	49.011	6.342	1.00	51.49	AT
ATOM	5690	O	HOH	91	52.402	56.617	3.593	1.00	53.57	AT
ATOM	5691	O	HOH	92	5.772	28.675	61.930	1.00	44.14	AT
ATOM	5692	O	HOH	93	32.173	36.302	19.628	1.00	45.70	AT
ATOM	5693	O	HOH	94	52.026	42.123	29.953	1.00	47.73	AT
ATOM	5694	O	HOH	95	47.042	40.027	29.849	1.00	57.66	AT
ATOM	5695	O	HOH	96	62.041	43.614	30.370	1.00	49.31	AT
ATOM	5696	O	HOH	97	61.630	30.997	18.476	1.00	53.79	AT
ATOM	5697	O	HOH	98	11.168	13.661	45.409	1.00	45.46	AT
ATOM	5698	O	HOH	99	28.738	15.678	20.064	1.00	63.95	AT
ATOM	5699	O	HOH	100	37.162	57.858	42.839	1.00	49.29	AT





[illegible]

ATOM	5757	O	HOH	158	63.447	33.873	17.572	1.00	29.71	AT
ATOM	5758	O	HOH	159	11.724	13.599	66.211	1.00	27.82	AT
ATOM	5759	O	HOH	160	60.558	22.006	10.718	1.00	28.85	AT
ATOM	5760	O	HOH	161	46.499	54.700	19.899	1.00	29.19	AT
ATOM	5761	O	HOH	162	63.410	57.441	-12.830	1.00	29.14	AT
ATOM	5762	O	HOH	163	16.531	13.383	27.915	1.00	29.15	AT
ATOM	5763	O	HOH	164	57.094	58.123	-5.057	1.00	30.67	AT
ATOM	5764	O	HOH	165	55.029	24.601	-1.884	1.00	27.07	AT
ATOM	5765	O	HOH	166	13.338	35.151	24.133	1.00	28.54	AT
ATOM	5766	O	HOH	167	35.398	47.783	6.493	1.00	28.26	AT
ATOM	5767	O	HOH	168	70.174	56.885	-10.515	1.00	31.78	AT
ATOM	5768	O	HOH	169	25.901	44.946	25.667	1.00	31.94	AT
ATOM	5769	O	HOH	170	50.393	53.846	23.119	1.00	28.26	AT
ATOM	5770	O	HOH	171	62.156	25.716	13.450	1.00	31.00	AT
ATOM	5771	O	HOH	172	42.474	44.185	26.823	1.00	31.95	AT
ATOM	5772	O	HOH	173	77.820	49.020	-5.810	1.00	32.32	AT
ATOM	5773	O	HOH	174	67.420	39.148	-19.340	1.00	29.68	AT
ATOM	5774	O	HOH	175	48.791	40.644	-3.702	1.00	28.90	AT
ATOM	5775	O	HOH	176	33.117	16.234	43.002	1.00	31.48	AT
ATOM	5776	O	HOH	177	15.122	24.092	63.819	1.00	30.47	AT
ATOM	5777	O	HOH	178	64.991	30.299	-1.464	1.00	30.76	AT
ATOM	5778	O	HOH	179	15.212	16.862	21.098	1.00	32.61	AT
ATOM	5779	O	HOH	180	8.026	30.440	48.746	1.00	29.36	AT
ATOM	5780	O	HOH	181	15.063	29.611	60.193	1.00	29.52	AT
ATOM	5781	O	HOH	182	-4.236	31.973	27.775	1.00	33.07	AT
ATOM	5782	O	HOH	183	41.379	28.581	29.607	1.00	31.08	AT
ATOM	5783	O	HOH	184	30.685	20.525	44.633	1.00	30.33	AT
ATOM	5784	O	HOH	185	25.786	35.845	47.678	1.00	31.51	AT
ATOM	5785	O	HOH	186	33.235	47.941	17.895	1.00	29.68	AT
ATOM	5786	O	HOH	187	64.882	30.921	17.515	1.00	30.10	AT
ATOM	5787	O	HOH	188	5.685	13.963	30.264	1.00	32.30	AT
ATOM	5788	O	HOH	189	-4.735	20.413	39.978	1.00	33.19	AT
ATOM	5789	O	HOH	190	44.587	45.272	8.578	1.00	31.21	AT
ATOM	5790	O	HOH	191	57.838	12.743	11.965	1.00	31.57	AT
ATOM	5791	O	HOH	192	16.393	22.844	66.100	1.00	34.23	AT
ATOM	5792	O	HOH	193	4.372	22.943	37.792	1.00	32.96	AT
ATOM	5793	O	HOH	194	71.929	20.305	14.473	1.00	32.09	AT
ATOM	5794	O	HOH	195	28.925	15.553	59.281	1.00	30.49	AT
ATOM	5795	O	HOH	196	53.796	25.895	-4.052	1.00	33.01	AT
ATOM	5796	O	HOH	197	6.468	23.780	36.296	1.00	34.02	AT
ATOM	5797	O	HOH	198	53.710	44.972	-1.506	1.00	33.84	AT
ATOM	5798	O	HOH	199	19.319	42.034	48.498	1.00	31.81	AT
ATOM	5799	O	HOH	200	24.603	12.893	57.779	1.00	32.45	AT
ATOM	5800	O	HOH	201	82.186	45.693	-2.681	1.00	34.17	AT
ATOM	5801	O	HOH	202	11.264	18.716	60.799	1.00	36.53	AT
ATOM	5802	O	HOH	203	79.085	17.668	9.255	1.00	31.67	AT
ATOM	5803	O	HOH	204	59.866	52.931	11.834	1.00	30.91	AT
ATOM	5804	O	HOH	205	13.907	16.278	62.855	1.00	36.18	AT
ATOM	5805	O	HOH	206	16.412	14.129	56.660	1.00	32.42	AT
ATOM	5806	O	HOH	207	66.234	40.890	-9.847	1.00	31.86	AT
ATOM	5807	O	HOH	208	10.481	11.237	25.068	1.00	32.03	AT
ATOM	5808	O	HOH	209	5.289	19.707	30.585	1.00	33.17	AT
ATOM	5809	O	HOH	210	39.446	40.017	23.668	1.00	33.18	AT
ATOM	5810	O	HOH	211	54.509	23.461	6.035	1.00	35.31	AT
ATOM	5811	O	HOH	212	51.401	31.567	11.354	1.00	32.75	AT
ATOM	5812	O	HOH	213	28.205	23.736	55.152	1.00	30.83	AT
ATOM	5813	O	HOH	214	50.324	34.946	-7.659	1.00	34.98	AT

ATOM	5814	O	HOH	215	30.129	20.719	56.661	1.00	32.37	AT
ATOM	5815	O	HOH	216	58.457	50.516	-18.849	1.00	32.27	AT
ATOM	5816	O	HOH	217	44.476	34.908	24.562	1.00	35.00	AT
ATOM	5817	O	HOH	218	9.990	35.693	24.724	1.00	34.96	AT
ATOM	5818	O	HOH	219	11.096	35.811	32.093	1.00	34.27	AT
ATOM	5819	O	HOH	220	12.913	17.730	46.309	1.00	34.71	AT
ATOM	5820	O	HOH	221	65.231	44.053	-7.852	1.00	32.99	AT
ATOM	5821	O	HOH	222	38.789	35.275	9.625	1.00	34.60	AT
ATOM	5822	O	HOH	223	12.929	25.623	47.543	1.00	32.40	AT
ATOM	5823	O	HOH	224	74.529	33.737	18.589	1.00	33.85	AT
ATOM	5824	O	HOH	225	16.279	43.522	36.165	1.00	33.82	AT
ATOM	5825	O	HOH	226	13.480	14.423	55.667	1.00	35.36	AT
ATOM	5826	O	HOH	227	4.656	17.272	27.720	1.00	34.90	AT
ATOM	5827	O	HOH	228	55.566	43.939	-14.228	1.00	37.00	AT
ATOM	5828	O	HOH	229	18.454	21.396	68.984	1.00	35.96	AT
ATOM	5829	O	HOH	230	56.014	51.348	-16.697	1.00	37.91	AT
ATOM	5830	O	HOH	231	71.572	46.002	-9.177	1.00	36.91	AT
ATOM	5831	O	HOH	232	39.465	30.116	20.475	1.00	46.92	AT
ATOM	5832	O	HOH	233	40.113	37.155	25.795	1.00	31.64	AT
ATOM	5833	O	HOH	234	14.226	44.782	35.447	1.00	33.52	AT
ATOM	5834	O	HOH	235	20.027	45.208	30.512	1.00	33.92	AT
ATOM	5835	O	HOH	236	61.895	17.484	0.210	1.00	36.39	AT
ATOM	5836	O	HOH	237	26.769	18.525	65.425	1.00	33.45	AT
ATOM	5837	O	HOH	238	30.216	49.429	23.557	1.00	38.87	AT
ATOM	5838	O	HOH	239	12.005	18.680	49.514	1.00	35.80	AT
ATOM	5839	O	HOH	240	40.174	39.987	26.354	1.00	36.59	AT
ATOM	5840	O	HOH	241	19.654	14.821	28.728	1.00	35.91	AT
ATOM	5841	O	HOH	242	55.447	29.046	11.959	1.00	36.10	AT
ATOM	5842	O	HOH	243	67.323	29.753	-3.238	1.00	39.47	AT
ATOM	5843	O	HOH	244	84.687	32.541	17.389	1.00	39.50	AT
ATOM	5844	O	HOH	245	54.503	28.663	-6.976	1.00	36.28	AT
ATOM	5845	O	HOH	246	35.636	37.561	8.625	1.00	41.11	AT
ATOM	5846	O	HOH	247	10.020	25.331	46.396	1.00	38.25	AT
ATOM	5847	O	HOH	248	11.151	27.733	14.203	1.00	38.20	AT
ATOM	5848	O	HOH	249	10.978	20.075	53.913	1.00	37.44	AT
ATOM	5849	O	HOH	250	77.340	21.792	0.783	1.00	40.63	AT
ATOM	5850	O	HOH	251	63.681	23.994	15.360	1.00	37.38	AT
ATOM	5851	O	HOH	252	11.477	23.218	48.380	1.00	37.57	AT
ATOM	5852	O	HOH	253	24.484	40.133	44.556	1.00	37.00	AT
ATOM	5853	O	HOH	254	26.870	34.997	63.642	1.00	37.28	AT
ATOM	5854	O	HOH	255	38.821	41.107	28.862	1.00	37.55	AT
ATOM	5855	O	HOH	256	17.119	53.559	27.111	1.00	35.75	AT
ATOM	5856	O	HOH							

ATOM	5871	O	HOH	272	18.828	14.845	36.392	1.00	40.61	AT
ATOM	5872	O	HOH	273	77.377	18.239	12.575	1.00	39.42	AT
ATOM	5873	O	HOH	274	51.042	29.821	13.536	1.00	39.59	AT
ATOM	5874	O	HOH	275	64.107	14.629	14.266	1.00	39.71	AT
ATOM	5875	O	HOH	276	58.267	58.162	-7.799	1.00	39.43	AT
ATOM	5876	O	HOH	277	40.740	40.966	31.483	1.00	40.51	AT
ATOM	5877	O	HOH	278	15.055	10.589	55.645	1.00	39.15	AT
ATOM	5878	O	HOH	279	19.789	34.347	51.860	1.00	40.37	AT
ATOM	5879	O	HOH	280	11.976	38.727	31.710	1.00	37.91	AT
ATOM	5880	O	HOH	281	31.389	28.117	42.824	1.00	40.91	AT
ATOM	5881	O	HOH	282	70.878	25.270	-4.197	1.00	43.53	AT
ATOM	5882	O	HOH	283	75.431	41.776	4.726	1.00	40.67	AT
ATOM	5883	O	HOH	284	62.312	53.358	28.086	1.00	40.98	AT
ATOM	5884	O	HOH	285	62.124	59.105	9.640	1.00	39.55	AT
ATOM	5885	O	HOH	286	40.707	28.142	23.532	1.00	44.54	AT
ATOM	5886	O	HOH	287	33.311	41.660	3.153	1.00	41.98	AT
ATOM	5887	O	HOH	288	38.680	48.495	32.258	1.00	44.14	AT
ATOM	5888	O	HOH	289	32.712	38.251	44.880	1.00	40.32	AT
ATOM	5889	O	HOH	290	12.709	24.006	64.828	1.00	40.21	AT
ATOM	5890	O	HOH	291	48.861	28.304	14.453	1.00	42.61	AT
ATOM	5891	O	HOH	292	79.466	20.245	8.333	1.00	40.49	AT
ATOM	5892	O	HOH	293	50.553	45.041	-0.292	1.00	42.19	AT
ATOM	5893	O	HOH	294	42.897	26.326	5.722	1.00	41.10	AT
ATOM	5894	O	HOH	295	40.124	38.889	3.911	1.00	42.97	AT
ATOM	5895	O	HOH	296	-9.725	26.259	40.147	1.00	43.57	AT
ATOM	5896	O	HOH	297	24.463	39.296	47.536	1.00	39.76	AT
ATOM	5897	O	HOH	298	59.389	43.519	-22.049	1.00	45.90	AT
ATOM	5898	O	HOH	299	58.697	26.078	-8.432	1.00	42.64	AT
ATOM	5899	O	HOH	300	59.168	23.233	-8.586	1.00	43.13	AT
ATOM	5900	O	HOH	301	33.173	10.853	42.976	1.00	43.47	AT
ATOM	5901	O	HOH	302	38.135	51.041	21.685	1.00	40.23	AT
ATOM	5902	O	HOH	303	64.003	32.204	20.781	1.00	39.51	AT
ATOM	5903	O	HOH	304	18.175	36.881	18.239	1.00	42.51	AT
ATOM	5904	O	HOH	305	35.383	27.547	41.161	1.00	46.62	AT
ATOM	5905	O	HOH	306	-1.325	41.441	28.735	1.00	43.36	AT
ATOM	5906	O	HOH	307	18.409	47.629	30.260	1.00	46.92	AT
ATOM	5907	O	HOH	308	-0.365	41.851	31.323	1.00	43.06	AT
ATOM	5908	O	HOH	309	31.846	13.357	43.817	1.00	49.55	AT
ATOM	5909	O	HOH	310	51.910	47.621	-1.442	1.00	43.27	AT
ATOM	5910	O	HOH	311	29.562	44.918	17.110	1.00	52.42	AT
ATOM	5911	O	HOH	312	30.495	43.251	13.422	1.00	45.47	AT
ATOM	5912	O	HOH	313	11.474	10.744	42.423	1.00	51.55	AT
ATOM	5913	O	HOH	314</						

ATOM	5928	O	HOH	329	15.343	49.959	36.887	1.00	53.08	AT
ATOM	5929	O	HOH	330	77.778	42.870	3.924	1.00	55.32	AT
ATOM	5930	O	HOH	331	68.103	40.973	-5.266	1.00	57.57	AT
ATOM	5931	O	HOH	332	21.493	20.139	67.130	1.00	33.16	AT
ATOM	5932	O	HOH	333	81.269	24.355	14.982	1.00	33.69	AT
ATOM	5933	O	HOH	334	-5.903	30.538	26.686	1.00	40.35	AT
ATOM	5934	O	HOH	335	80.030	32.515	-0.810	1.00	39.92	AT
ATOM	5935	O	HOH	336	-7.205	27.318	42.127	1.00	37.50	AT
ATOM	5936	O	HOH	337	0.251	35.076	40.556	1.00	41.65	AT
ATOM	5937	O	HOH	338	67.263	58.975	-10.701	1.00	34.16	AT
ATOM	5938	O	HOH	339	78.930	41.885	0.871	1.00	36.88	AT
ATOM	5939	O	HOH	340	81.589	22.534	9.006	1.00	32.20	AT
ATOM	5940	O	HOH	341	-4.841	30.109	35.827	1.00	39.55	AT
ATOM	5941	O	HOH	342	24.216	28.828	53.120	1.00	48.54	AT
ATOM	5942	O	HOH	343	58.172	44.547	-15.457	1.00	37.88	AT
ATOM	5943	O	HOH	344	72.009	58.325	-12.680	1.00	44.56	AT
ATOM	5944	O	HOH	345	70.243	44.553	-16.741	1.00	37.48	AT
ATOM	5945	O	HOH	346	63.182	47.822	-22.683	1.00	47.83	AT
ATOM	5946	O	HOH	347	59.201	59.513	-12.511	1.00	48.60	AT
ATOM	5947	O	HOH	348	73.024	32.150	-1.717	1.00	35.73	AT
ATOM	5948	O	HOH	349	36.241	17.553	55.406	1.00	43.52	AT
ATOM	5949	O	HOH	351	14.204	56.480	33.327	1.00	44.23	AT
ATOM	5950	O	HOH	352	81.607	27.771	10.204	1.00	46.37	AT
ATOM	5951	O	HOH	353	72.230	29.150	-2.863	1.00	44.64	AT
ATOM	5952	O	HOH	354	63.965	35.398	-19.062	1.00	40.75	AT
ATOM	5953	O	HOH	355	83.662	27.262	2.560	1.00	52.07	AT
ATOM	5954	O	HOH	356	54.821	57.411	-7.143	1.00	47.42	AT
ATOM	5955	O	HOH	357	75.827	24.345	-2.592	1.00	38.53	AT
ATOM	5956	O	HOH	358	-3.100	29.989	33.712	1.00	35.26	AT
ATOM	5957	O	HOH	359	76.580	32.031	17.038	1.00	45.16	AT
ATOM	5958	O	HOH	360	61.004	63.374	-0.717	1.00	51.75	AT
ATOM	5959	O	HOH	361	57.555	42.914	-17.566	1.00	37.15	AT
ATOM	5960	O	HOH	362	46.758	41.005	-9.571	1.00	49.08	AT
ATOM	5961	O	HOH	363	65.046	41.921	10.931	1.00	43.73	AT
ATOM	5962	O	HOH	364	60.495	37.070	-20.999	1.00	39.43	AT
ATOM	5963	O	HOH	365	24.639	46.742	50.064	1.00	49.54	AT
ATOM	5964	O	HOH	366	65.360	59.537	-12.244	1.00	42.08	AT
ATOM	5965	O	HOH	367	81.253	38.379	6.191	1.00	44.60	AT
ATOM	5966	O	HOH	368	20.278	58.789	32.999	1.00	51.96	AT
ATOM	5967	O	HOH	369	35.754	25.608	43.846	1.00	41.69	AT
ATOM	5968	O	HOH	370	58.812	30.456	20.182	1.00	47.60	AT
ATOM	5969	O	HOH	371	62.070	60.522	-12.130	1.00	38.66	AT
ATOM	5970	O	HOH	372						



ATOM	6042	O	HOH	445	64.733	8.182	7.092	1.00	51.11	AT
ATOM	6043	O	HOH	446	47.452	47.307	25.789	1.00	50.83	AT
ATOM	6044	O	HOH	447	-5.597	17.191	22.022	1.00	62.54	AT
ATOM	6045	O	HOH	448	34.703	54.274	40.793	1.00	43.46	AT
ATOM	6046	O	HOH	449	7.584	42.423	41.797	1.00	50.29	AT
ATOM	6047	O	HOH	450	68.745	9.611	12.516	1.00	44.55	AT
ATOM	6048	O	HOH	451	10.345	30.448	14.624	1.00	52.09	AT
ATOM	6049	O	HOH	452	28.739	24.654	67.367	1.00	43.81	AT
ATOM	6050	O	HOH	453	59.859	15.451	-0.538	1.00	50.23	AT
ATOM	6051	O	HOH	454	9.715	22.615	40.260	1.00	55.68	AT
ATOM	6052	O	HOH	455	8.408	33.305	58.554	1.00	48.77	AT
ATOM	6053	O	HOH	456	82.808	20.346	7.688	1.00	64.19	AT
ATOM	6054	O	HOH	457	20.676	9.525	40.046	1.00	47.64	AT
ATOM	6055	O	HOH	458	12.300	21.911	45.521	1.00	55.95	AT
ATOM	6056	O	HOH	459	12.849	37.059	54.956	1.00	47.15	AT
ATOM	6057	O	HOH	460	18.947	37.315	56.296	1.00	55.87	AT
ATOM	6058	O	HOH	461	42.279	43.046	32.215	1.00	55.34	AT
ATOM	6059	O	HOH	462	58.113	60.078	-9.775	1.00	41.21	AT
ATOM	6060	O	HOH	463	-4.882	24.186	43.569	1.00	49.34	AT
ATOM	6061	O	HOH	464	2.275	30.894	44.638	1.00	49.59	AT
ATOM	6062	O	HOH	465	11.908	42.581	46.538	1.00	54.17	AT
ATOM	6063	O	HOH	466	25.196	30.973	68.678	1.00	54.36	AT
ATOM	6064	O	HOH	467	55.729	18.620	-3.586	1.00	51.13	AT
ATOM	6065	O	HOH	468	12.016	5.491	40.550	1.00	54.15	AT
ATOM	6066	O	HOH	469	56.711	29.214	27.406	1.00	63.41	AT
ATOM	6067	O	HOH	470	56.150	18.575	3.127	1.00	57.43	AT
ATOM	6068	O	HOH	471	18.186	11.646	26.302	1.00	54.34	AT
ATOM	6069	S1	DTT	1	74.181	38.187	-0.498	1.00	67.01	TT1
ATOM	6070	C1	DTT	1	72.670	38.130	-1.524	1.00	67.92	TT1
ATOM	6071	C2	DTT	1	72.656	36.968	-2.590	1.00	68.22	TT1
ATOM	6072	O2	DTT	1	71.393	37.023	-3.311	1.00	68.98	TT1
ATOM	6073	C3	DTT	1	73.769	37.036	-3.768	1.00	67.93	TT1
ATOM	6074	O3	DTT	1	73.674	35.873	-4.701	1.00	67.85	TT1
ATOM	6075	C4	DTT	1	75.213	37.003	-3.287	1.00	67.57	TT1
ATOM	6076	S4	DTT	1	75.541	38.418	-2.099	1.00	67.52	TT1
ATOM	6077	S1	DTT	2	54.935	53.026	7.820	1.00	53.56	TT2
ATOM	6078	C1	DTT	2	53.759	51.637	7.760	1.00	53.84	TT2
ATOM	6079	C2	DTT	2	52.738	51.710	6.562	1.00	54.90	TT2
ATOM	6080	O2	DTT	2	51.885	50.534	6.613	1.00	56.10	TT2
ATOM	6081	C3	DTT	2	51.681	52.940	6.568	1.00	54.93	TT2
ATOM	6082	O3	DTT	2	50.780	52.918	5.376	1.00	55.43	TT2
ATOM	6083	C4	DTT	2	52.313	54.325	6.524	1.00	54.51	TT2
ATOM	6084	S4	DTT	2	53.485	54				

ATOM	6099	C4	DTT	4	18.302	37.325	22.365	1.00	50.07	TT4
ATOM	6100	S4	DTT	4	19.750	36.164	22.087	1.00	49.50	TT4
ATOM	6101	S1	DTT	5	13.883	15.968	40.130	1.00	53.89	TT5
ATOM	6102	C1	DTT	5	12.694	17.323	39.827	1.00	54.86	TT5
ATOM	6103	C2	DTT	5	11.608	17.502	40.955	1.00	55.83	TT5
ATOM	6104	O2	DTT	5	10.754	18.625	40.590	1.00	57.35	TT5
ATOM	6105	C3	DTT	5	10.561	16.283	41.172	1.00	55.92	TT5
ATOM	6106	O3	DTT	5	9.597	16.559	42.278	1.00	56.47	TT5
ATOM	6107	C4	DTT	5	11.194	14.953	41.564	1.00	55.56	TT5
ATOM	6108	S4	DTT	5	12.443	14.418	40.274	1.00	55.31	TT5
ATOM	6109	C1	GOL	6	25.840	30.485	23.369	1.00	60.12	OL1
ATOM	6110	O1	GOL	6	24.418	30.344	23.510	1.00	58.37	OL1
ATOM	6111	C2	GOL	6	26.254	30.565	21.841	1.00	60.62	OL1
ATOM	6112	O2	GOL	6	26.921	31.825	21.610	1.00	61.53	OL1
ATOM	6113	C3	GOL	6	25.019	30.470	20.890	1.00	60.48	OL1
ATOM	6114	O3	GOL	6	25.353	30.640	19.507	1.00	60.02	OL1
ATOM	6115	C1	GOL	7	79.028	22.813	10.783	1.00	59.60	OL2
ATOM	6116	O1	GOL	7	78.201	22.510	11.912	1.00	61.71	OL2
ATOM	6117	C2	GOL	7	79.615	24.278	10.893	1.00	59.54	OL2
ATOM	6118	O2	GOL	7	81.057	24.201	10.902	1.00	59.72	OL2
ATOM	6119	C3	GOL	7	79.147	25.010	12.189	1.00	58.44	OL2
ATOM	6120	O3	GOL	7	79.958	26.145	12.514	1.00	56.91	OL2
ATOM	6121	NA+1	NA1	1	63.339	31.566	-2.590	1.00	26.24	ONS
ATOM	6122	NA+1	NA1	2	65.507	33.113	17.476	1.00	24.78	ONS
ATOM	6123	NA+1	NA1	3	52.138	43.339	-0.467	1.00	31.32	ONS
ATOM	6124	NA+1	NA1	4	11.564	27.003	46.250	1.00	28.57	ONS
ATOM	6125	NA+1	NA1	5	22.858	38.903	45.868	1.00	35.79	ONS
ATOM	6126	NA+1	NA1	6	12.049	37.399	33.606	1.00	30.07	ONS
ATOM	6127	NA+1	NA1	7	52.399	30.404	9.576	1.00	28.65	ONS
ATOM	6128	NA+1	NA1	8	61.322	58.273	-12.969	1.00	38.12	ONS
ATOM	6129	CL-1	CL1	9	74.315	48.004	-8.768	1.00	36.69	ONS
ATOM	6130	CL-1	CL1	10	10.448	28.591	48.519	1.00	26.89	ONS
ATOM	6131	CL-1	CL1	11	49.897	29.847	8.163	1.00	28.28	ONS
ATOM	6132	CL-1	CL1	12	68.370	32.685	17.763	1.00	30.08	ONS
ATOM	6133	CL-1	CL1	13	21.352	41.348	46.322	1.00	33.00	ONS
ATOM	6134	CL-1	CL1	14	21.514	34.817	28.080	1.00	20.85	ONS
ATOM	6135	CL-1	CL1	15	70.235	40.020	0.588	1.00	21.12	ONS
ATOM	6136	CL-1	CL1	16	55.303	48.583	9.136	1.00	22.36	ONS
ATOM	6137	CL-1	CL1	17	61.816	29.359	-3.630	1.00	27.78	ONS
ATOM	6138	CL-1	CL1	18	66.265	35.653	18.338	1.00	26.36	ONS
ATOM	6139	CL-1	CL1	19	9.405	38.244	34.766	1.00	27.56	ONS
ATOM	6140	CL-1	CL1	20	56.075	30.580				



Figure 2

	Atom Type	Res.		<u>X</u>	<u>Y</u>	<u>Z</u>	<u>OCC</u>	<u>B</u>	<u>MOL</u>
ATOM	1 C	GLY	1	3.531	2.676	31.918	1.00	23.54	ACPS
ATOM	2 O	GLY	1	2.877	3.712	32.042	1.00	24.07	ACPS
ATOM	3 N	GLY	1	3.058	2.705	29.459	1.00	25.97	ACPS
ATOM	4 CA	GLY	1	3.503	1.884	30.623	1.00	24.19	ACPS
ATOM	5 N	ILE	2	4.299	2.191	32.884	1.00	21.88	ACPS
ATOM	6 CA	ILE	2	4.396	2.857	34.180	1.00	20.22	ACPS
ATOM	7 CB	ILE	2	4.119	1.857	35.329	1.00	19.41	ACPS
ATOM	8 CG2	ILE	2	4.474	2.485	36.679	1.00	18.46	ACPS
ATOM	9 CG1	ILE	2	2.647	1.429	35.289	1.00	19.13	ACPS

ATOM	10	CD1	ILE	2	2.303	0.294	36.250	1.00	20.56	ACPS
ATOM	11	C	ILE	2	5.769	3.490	34.376	1.00	19.58	ACPS
ATOM	12	O	ILE	2	6.798	2.827	34.223	1.00	19.75	ACPS
ATOM	13	N	TYR	3	5.779	4.780	34.704	1.00	18.83	ACPS
ATOM	14	CA	TYR	3	7.024	5.493	34.942	1.00	18.94	ACPS
ATOM	15	CB	TYR	3	6.814	7.004	34.809	1.00	21.16	ACPS
ATOM	16	CG	TYR	3	8.059	7.808	35.103	1.00	23.30	ACPS
ATOM	17	CD1	TYR	3	9.164	7.761	34.246	1.00	24.81	ACPS
ATOM	18	CE1	TYR	3	10.326	8.486	34.525	1.00	25.94	ACPS
ATOM	19	CD2	TYR	3	8.145	8.601	36.246	1.00	24.18	ACPS
ATOM	20	CE2	TYR	3	9.297	9.329	36.534	1.00	25.63	ACPS
ATOM	21	CZ	TYR	3	10.384	9.267	35.672	1.00	26.92	ACPS
ATOM	22	OH	TYR	3	11.524	9.974	35.970	1.00	28.98	ACPS
ATOM	23	C	TYR	3	7.555	5.165	36.340	1.00	17.87	ACPS
ATOM	24	O	TYR	3	8.757	4.968	36.525	1.00	18.51	ACPS
ATOM	25	N	GLY	4	6.657	5.107	37.325	1.00	16.17	ACPS
ATOM	26	CA	GLY	4	7.088	4.789	38.678	1.00	13.94	ACPS
ATOM	27	C	GLY	4	5.937	4.643	39.657	1.00	13.19	ACPS
ATOM	28	O	GLY	4	4.819	5.094	39.387	1.00	13.25	ACPS
ATOM	29	N	ILE	5	6.217	4.001	40.794	1.00	12.43	ACPS
ATOM	30	CA	ILE	5	5.209	3.822	41.841	1.00	11.10	ACPS
ATOM	31	CB	ILE	5	4.718	2.326	41.963	1.00	11.22	ACPS
ATOM	32	CG2	ILE	5	4.330	1.793	40.572	1.00	12.21	ACPS
ATOM	33	CG1	ILE	5	5.785	1.441	42.619	1.00	11.21	ACPS
ATOM	34	CD1	ILE	5	5.338	-0.010	42.831	1.00	12.31	ACPS
ATOM	35	C	ILE	5	5.793	4.294	43.175	1.00	10.72	ACPS
ATOM	36	O	ILE	5	7.013	4.358	43.346	1.00	11.21	ACPS
ATOM	37	N	GLY	6	4.910	4.644	44.108	1.00	10.20	ACPS
ATOM	38	CA	GLY	6	5.347	5.102	45.414	1.00	9.68	ACPS
ATOM	39	C	GLY	6	4.348	4.762	46.503	1.00	10.17	ACPS
ATOM	40	O	GLY	6	3.139	4.776	46.261	1.00	9.96	ACPS
ATOM	41	N	LEU	7	4.859	4.459	47.697	1.00	9.09	ACPS
ATOM	42	CA	LEU	7	4.024	4.109	48.852	1.00	9.72	ACPS
ATOM	43	CB	LEU	7	4.058	2.588	49.078	1.00	10.10	ACPS
ATOM	44	CG	LEU	7	3.308	2.001	50.285	1.00	9.72	ACPS
ATOM	45	CD1	LEU	7	1.814	2.059	50.037	1.00	12.07	ACPS
ATOM	46	CD2	LEU	7	3.741	0.552	50.503	1.00	10.42	ACPS
ATOM	47	C	LEU	7	4.530	4.804	50.121	1.00	10.28	ACPS
ATOM	48	O	LEU	7	5.739	4.936	50.319	1.00	10.25	ACPS
ATOM	49	N	ASP	8	3.610	5.255	50.976	1.00	9.98	ACPS
ATOM	50	CA	ASP	8	4.024	5.871	52.230	1.00	9.91	ACPS
ATOM	51	CB	ASP	8	4.323	7.365	52.045	1.00	9.85	ACPS
ATOM	52	CG	ASP	8	5.223	7.887	53.128	1.00	11.38	ACPS
ATOM	53	OD1	ASP	8	4.723	8.465	54.110	1.00	12.14	ACPS
ATOM	54	OD2	ASP							

ATOM	67	CB	THR	10	2.428	9.871	57.089	1.00	10.26	ACPS
ATOM	68	OG1	THR	10	3.340	10.050	55.997	1.00	11.15	ACPS
ATOM	69	CG2	THR	10	2.527	11.081	58.021	1.00	11.35	ACPS
ATOM	70	C	THR	10	2.113	8.453	59.211	1.00	10.55	ACPS
ATOM	71	O	THR	10	0.936	8.111	59.336	1.00	10.38	ACPS
ATOM	72	N	GLU	11	2.897	8.773	60.246	1.00	10.75	ACPS
ATOM	73	CA	GLU	11	2.463	8.743	61.654	1.00	11.46	ACPS
ATOM	74	CB	GLU	11	3.708	8.583	62.544	1.00	11.49	ACPS
ATOM	75	CG	GLU	11	3.454	8.435	64.044	1.00	14.01	ACPS
ATOM	76	CD	GLU	11	3.151	7.005	64.449	1.00	16.01	ACPS
ATOM	77	OE1	GLU	11	3.674	6.084	63.791	1.00	17.38	ACPS
ATOM	78	OE2	GLU	11	2.417	6.807	65.435	1.00	18.05	ACPS
ATOM	79	C	GLU	11	1.697	10.012	62.065	1.00	11.12	ACPS
ATOM	80	O	GLU	11	2.255	11.106	62.037	1.00	11.41	ACPS
ATOM	81	N	LEU	12	0.430	9.865	62.447	1.00	11.46	ACPS
ATOM	82	CA	LEU	12	-0.383	11.026	62.848	1.00	12.27	ACPS
ATOM	83	CB	LEU	12	-1.785	10.582	63.305	1.00	12.68	ACPS
ATOM	84	CG	LEU	12	-2.751	10.062	62.234	1.00	13.69	ACPS
ATOM	85	CD1	LEU	12	-4.049	9.642	62.918	1.00	13.86	ACPS
ATOM	86	CD2	LEU	12	-3.039	11.140	61.183	1.00	14.80	ACPS
ATOM	87	C	LEU	12	0.265	11.839	63.963	1.00	12.67	ACPS
ATOM	88	O	LEU	12	0.270	13.066	63.915	1.00	12.56	ACPS
ATOM	89	N	LYS	13	0.826	11.158	64.958	1.00	13.19	ACPS
ATOM	90	CA	LYS	13	1.457	11.852	66.085	1.00	14.09	ACPS
ATOM	91	CB	LYS	13	1.878	10.851	67.165	1.00	15.99	ACPS
ATOM	92	CG	LYS	13	0.740	10.332	68.017	1.00	20.36	ACPS
ATOM	93	CD	LYS	13	1.290	9.557	69.197	1.00	23.47	ACPS
ATOM	94	CE	LYS	13	0.232	9.319	70.261	1.00	25.28	ACPS
ATOM	95	NZ	LYS	13	0.840	8.690	71.473	1.00	26.94	ACPS
ATOM	96	C	LYS	13	2.665	12.693	65.685	1.00	13.56	ACPS
ATOM	97	O	LYS	13	2.924	13.738	66.295	1.00	13.25	ACPS
ATOM	98	N	ARG	14	3.423	12.237	64.692	1.00	12.75	ACPS
ATOM	99	CA	ARG	14	4.579	13.009	64.233	1.00	13.17	ACPS
ATOM	100	CB	ARG	14	5.436	12.178	63.270	1.00	14.59	ACPS
ATOM	101	CG	ARG	14	6.598	12.936	62.661	1.00	17.45	ACPS
ATOM	102	CD	ARG	14	7.572	12.010	61.933	1.00	21.04	ACPS
ATOM	103	NE	ARG	14	8.623	12.770	61.254	1.00	23.74	ACPS
ATOM	104	CZ	ARG	14	8.689	12.966	59.939	1.00	25.19	ACPS
ATOM	105	NH1	ARG	14	7.768	12.450	59.134	1.00	25.79	ACPS
ATOM	106	NH2	ARG	14	9.671	13.701	59.425	1.00	25.80	ACPS
ATOM	107	C	ARG	14	4.100	14.296	63.547	1.00	13.10	ACPS
ATOM	108	O	ARG	14	4.636	15.377	63.798	1.00	13.21	ACPS
ATOM	109	N	ILE	15	3.099	14.181	62.678	1.00	11.73	ACPS
ATOM	110	CA	ILE	15	2.559	15.348	61.988	1.00	12.13	ACPS
ATOM	111	CB	ILE	15	1.468	14.924	60.965	1.00	12.16	ACPS
ATOM	112	CG2	ILE	15	0.822	16.150	60.320	1.00	13.81	ACPS
ATOM	113	CG1	ILE	15	2.095	14.050	59.875	1.00	13.13	ACPS
ATOM	114	CD1	ILE	15	3.191	14.736	59.050	1.00	15.37	ACPS
ATOM	115	C	ILE	15	1.981	16.356	62.996	1.00	12.43	ACPS
ATOM	116	O	ILE	15	2.165	17.571	62.845	1.00	13.17	ACPS
ATOM	117	N	ALA	16	1.292	15.859	64.019	1.00	12.31	ACPS
ATOM	118	CA	ALA	16	0.711	16.740	65.038	1.00	13.48	ACPS
ATOM	119	CB	ALA	16	-0.165	15.938	66.000	1.00	13.26	ACPS
ATOM	120	C	ALA	16	1.812	17.456	65.811	1.00	13.84	ACPS
ATOM	121	O	ALA	16	1.679	18.631	66.159	1.00	14.13	ACPS
ATOM	122	N	SER	17	2.902	16.752	66.089	1.00	13.89	ACPS
ATOM	123	CA	SER	17	4.013	17.356	66.809	1.00	14.78	ACPS

ATOM	124	CB	SER	17	5.041	16.291	67.199	1.00	14.52	ACPS
ATOM	125	OG	SER	17	6.151	16.878	67.861	1.00	15.33	ACPS
ATOM	126	C	SER	17	4.686	18.440	65.971	1.00	15.57	ACPS
ATOM	127	O	SER	17	4.981	19.528	66.478	1.00	16.23	ACPS
ATOM	128	N	MET	18	4.933	18.163	64.694	1.00	15.86	ACPS
ATOM	129	CA	MET	18	5.568	19.173	63.861	1.00	17.36	ACPS
ATOM	130	CB	MET	18	5.920	18.593	62.491	1.00	18.79	ACPS
ATOM	131	CG	MET	18	6.984	17.513	62.579	1.00	21.58	ACPS
ATOM	132	SD	MET	18	7.569	16.962	60.979	1.00	27.23	ACPS
ATOM	133	CE	MET	18	6.322	15.823	60.550	1.00	24.77	ACPS
ATOM	134	C	MET	18	4.679	20.408	63.724	1.00	18.05	ACPS
ATOM	135	O	MET	18	5.171	21.537	63.720	1.00	17.78	ACPS
ATOM	136	N	ALA	19	3.371	20.200	63.637	1.00	17.79	ACPS
ATOM	137	CA	ALA	19	2.439	21.320	63.519	1.00	19.33	ACPS
ATOM	138	CB	ALA	19	1.047	20.810	63.161	1.00	18.47	ACPS
ATOM	139	C	ALA	19	2.391	22.119	64.827	1.00	20.49	ACPS
ATOM	140	O	ALA	19	2.124	23.324	64.820	1.00	21.87	ACPS
ATOM	141	N	GLY	20	2.655	21.446	65.944	1.00	21.04	ACPS
ATOM	142	CA	GLY	20	2.635	22.112	67.234	1.00	22.79	ACPS
ATOM	143	C	GLY	20	3.916	22.879	67.506	1.00	24.03	ACPS
ATOM	144	O	GLY	20	3.920	23.834	68.283	1.00	25.21	ACPS
ATOM	145	N	ARG	21	5.007	22.463	66.875	1.00	24.92	ACPS
ATOM	146	CA	ARG	21	6.286	23.135	67.062	1.00	26.49	ACPS
ATOM	147	CB	ARG	21	7.420	22.117	67.058	1.00	27.00	ACPS
ATOM	148	CG	ARG	21	7.376	21.144	68.216	1.00	28.19	ACPS
ATOM	149	CD	ARG	21	8.764	20.607	68.471	1.00	29.42	ACPS
ATOM	150	NE	ARG	21	9.667	21.695	68.835	1.00	30.12	ACPS
ATOM	151	CZ	ARG	21	10.993	21.603	68.834	1.00	29.99	ACPS
ATOM	152	NH1	ARG	21	11.727	22.650	69.183	1.00	30.82	ACPS
ATOM	153	NH2	ARG	21	11.584	20.469	68.481	1.00	30.49	ACPS
ATOM	154	C	ARG	21	6.559	24.208	66.006	1.00	27.49	ACPS
ATOM	155	O	ARG	21	7.329	25.141	66.247	1.00	28.27	ACPS
ATOM	156	N	GLN	22	5.935	24.073	64.840	1.00	27.79	ACPS
ATOM	157	CA	GLN	22	6.103	25.039	63.757	1.00	28.18	ACPS
ATOM	158	CB	GLN	22	6.697	24.364	62.515	1.00	29.33	ACPS
ATOM	159	CG	GLN	22	8.186	24.075	62.625	1.00	30.67	ACPS
ATOM	160	CD	GLN	22	8.839	23.775	61.284	1.00	31.99	ACPS
ATOM	161	OE1	GLN	22	10.065	23.853	61.148	1.00	33.50	ACPS
ATOM	162	NE2	GLN	22	8.029	23.422	60.291	1.00	31.08	ACPS
ATOM	163	C	GLN	22	4.765	25.686	63.406	1.00	27.71	ACPS
ATOM	164	O	GLN	22	3.866	25.036	62.869	1.00	27.85	ACPS
ATOM	165	N	ALA	23	4.646	26.976	63.707	1.00	26.91	ACPS
ATOM	166	CA	ALA	23	3.420	27.721	63.453	1.00	25.59	ACPS
ATOM	167	CB	ALA	23	3.578	29.155	63.945	1.00	26.37	ACPS
ATOM	168	C	ALA	23	2.966	27.722	61.994	1.00	24.20	ACPS
ATOM	169	O	ALA	23	1.784	27.936	61.711	1.00	25.27	ACPS
ATOM	170	N	ARG	24	3.885	27.478	61.068	1.00	22.39	ACPS
ATOM	171	CA	ARG	24	3.519	27.481	59.655	1.00	20.64	ACPS
ATOM	172	CB	ARG	24	4.265	28.617	58.943	1.00	23.30	ACPS
ATOM	173	CG	ARG	24	4.063	29.987	59.612	1.00	26.19	ACPS
ATOM	174	CD	ARG	24	4.793	31.085	58.862	1.00	30.07	ACPS
ATOM	175	NE	ARG	24	4.710	32.403	59.493	1.00	32.13	ACPS
ATOM	176	CZ	ARG	24	5.594	32.879	60.363	1.00	32.86	ACPS
ATOM	177	NH1	ARG	24	6.644	32.150	60.720	1.00	33.10	ACPS
ATOM	178	NH2	ARG	24	5.435	34.097	60.867	1.00	34.22	ACPS
ATOM	179	C	ARG	24	3.784	26.144	58.956	1.00	19.11	ACPS
ATOM	180	O	ARG	24	3.982	26.094	57.744	1.00	17.80	ACPS

ATOM	181	N	PHE	25	3.765	25.057	59.720	1.00	16.89	ACPS
ATOM	182	CA	PHE	25	4.007	23.738	59.147	1.00	16.15	ACPS
ATOM	183	CB	PHE	25	3.958	22.664	60.246	1.00	16.22	ACPS
ATOM	184	CG	PHE	25	4.308	21.282	59.757	1.00	16.81	ACPS
ATOM	185	CD1	PHE	25	3.357	20.271	59.754	1.00	17.39	ACPS
ATOM	186	CD2	PHE	25	5.577	21.008	59.255	1.00	16.97	ACPS
ATOM	187	CE1	PHE	25	3.662	19.001	59.253	1.00	18.39	ACPS
ATOM	188	CE2	PHE	25	5.892	19.737	58.752	1.00	18.24	ACPS
ATOM	189	CZ	PHE	25	4.930	18.737	58.753	1.00	17.96	ACPS
ATOM	190	C	PHE	25	3.038	23.370	58.015	1.00	15.11	ACPS
ATOM	191	O	PHE	25	3.464	22.840	56.988	1.00	14.64	ACPS
ATOM	192	N	ALA	26	1.748	23.646	58.196	1.00	15.46	ACPS
ATOM	193	CA	ALA	26	0.762	23.332	57.162	1.00	15.40	ACPS
ATOM	194	CB	ALA	26	-0.658	23.670	57.642	1.00	16.24	ACPS
ATOM	195	C	ALA	26	1.075	24.093	55.881	1.00	15.52	ACPS
ATOM	196	O	ALA	26	0.941	23.551	54.787	1.00	14.18	ACPS
ATOM	197	N	GLU	27	1.512	25.345	56.011	1.00	14.73	ACPS
ATOM	198	CA	GLU	27	1.839	26.155	54.838	1.00	15.35	ACPS
ATOM	199	CB	GLU	27	2.041	27.619	55.236	1.00	16.37	ACPS
ATOM	200	CG	GLU	27	0.782	28.381	55.603	1.00	18.60	ACPS
ATOM	201	CD	GLU	27	0.176	27.956	56.927	1.00	19.31	ACPS
ATOM	202	OE1	GLU	27	0.899	27.430	57.796	1.00	19.16	ACPS
ATOM	203	OE2	GLU	27	-1.040	28.169	57.109	1.00	22.95	ACPS
ATOM	204	C	GLU	27	3.089	25.652	54.115	1.00	14.38	ACPS
ATOM	205	O	GLU	27	3.309	25.946	52.944	1.00	14.80	ACPS
ATOM	206	N	ARG	28	3.907	24.896	54.829	1.00	15.20	ACPS
ATOM	207	CA	ARG	28	5.119	24.330	54.268	1.00	16.00	ACPS
ATOM	208	CB	ARG	28	6.018	23.880	55.420	1.00	18.75	ACPS
ATOM	209	CG	ARG	28	7.335	23.289	55.015	1.00	22.72	ACPS
ATOM	210	CD	ARG	28	8.158	22.968	56.250	1.00	25.44	ACPS
ATOM	211	NE	ARG	28	9.461	22.432	55.890	1.00	28.04	ACPS
ATOM	212	CZ	ARG	28	10.382	22.070	56.775	1.00	28.40	ACPS
ATOM	213	NH1	ARG	28	11.542	21.594	56.356	1.00	29.55	ACPS
ATOM	214	NH2	ARG	28	10.135	22.184	58.074	1.00	28.44	ACPS
ATOM	215	C	ARG	28	4.768	23.129	53.380	1.00	15.03	ACPS
ATOM	216	O	ARG	28	5.345	22.925	52.311	1.00	15.61	ACPS
ATOM	217	N	ILE	29	3.792	22.350	53.824	1.00	14.41	ACPS
ATOM	218	CA	ILE	29	3.396	21.137	53.112	1.00	14.00	ACPS
ATOM	219	CB	ILE	29	2.883	20.066	54.121	1.00	13.17	ACPS
ATOM	220	CG2	ILE	29	2.586	18.765	53.401	1.00	13.59	ACPS
ATOM	221	CG1	ILE	29	3.900	19.834	55.245	1.00	13.14	ACPS
ATOM	222	CD1	ILE	29	5.307	19.516	54.785	1.00	12.95	ACPS
ATOM	223	C	ILE	29	2.313	21.299	52.034	1.00	13.32	ACPS
ATOM	224	O	ILE	29	2.370	20.650	50.993	1.00	13.97	ACPS
ATOM	225	N	LEU	30	1.350	22.181	52.275	1.00	12.58	ACPS
ATOM	226	CA	LEU	30	0.211	22.337	51.369	1.00	12.60	ACPS
ATOM	227	CB	LEU	30	-1.073	22.390	52.207	1.00	12.43	ACPS
ATOM	228	CG	LEU	30	-1.309	21.263	53.220	1.00	12.14	ACPS
ATOM	229	CD1	LEU	30	-2.536	21.595	54.057	1.00	13.80	ACPS
ATOM	230	CD2	LEU	30	-1.496	19.932	52.491	1.00	12.77	ACPS
ATOM	231	C	LEU	30	0.227	23.540	50.432	1.00	12.66	ACPS
ATOM	232	O	LEU	30	0.732	24.605	50.785	1.00	14.05	ACPS
ATOM	233	N	THR	31	-0.342	23.359	49.242	1.00	13.04	ACPS
ATOM	234	CA	THR	31	-0.456	24.450	48.265	1.00	13.14	ACPS
ATOM	235	CB	THR	31	-0.746	23.921	46.859	1.00	13.54	ACPS
ATOM	236	OG1	THR	31	-2.018	23.262	46.854	1.00	13.92	ACPS
ATOM	237	CG2	THR	31	0.313	22.937	46.429	1.00	14.69	ACPS



[illegible]

ATOM	295	CD1	TYR	38	-4.945	23.711	57.107	1.00	20.16	ACPS
ATOM	296	CE1	TYR	38	-4.180	23.677	58.276	1.00	21.07	ACPS
ATOM	297	CD2	TYR	38	-5.033	21.322	57.084	1.00	19.25	ACPS
ATOM	298	CE2	TYR	38	-4.275	21.276	58.246	1.00	20.56	ACPS
ATOM	299	CZ	TYR	38	-3.848	22.451	58.837	1.00	21.15	ACPS
ATOM	300	OH	TYR	38	-3.079	22.392	59.976	1.00	21.86	ACPS
ATOM	301	C	TYR	38	-8.191	23.441	56.270	1.00	22.57	ACPS
ATOM	302	O	TYR	38	-8.599	23.031	57.357	1.00	21.64	ACPS
ATOM	303	N	TYR	39	-8.201	24.727	55.933	1.00	23.00	ACPS
ATOM	304	CA	TYR	39	-8.669	25.750	56.854	1.00	23.93	ACPS
ATOM	305	CB	TYR	39	-8.540	27.139	56.212	1.00	24.42	ACPS
ATOM	306	CG	TYR	39	-7.117	27.588	55.948	1.00	25.39	ACPS
ATOM	307	CD1	TYR	39	-6.061	27.134	56.734	1.00	26.23	ACPS
ATOM	308	CE1	TYR	39	-4.763	27.590	56.525	1.00	27.45	ACPS
ATOM	309	CD2	TYR	39	-6.836	28.512	54.939	1.00	26.81	ACPS
ATOM	310	CE2	TYR	39	-5.540	28.979	54.726	1.00	26.80	ACPS
ATOM	311	CZ	TYR	39	-4.508	28.516	55.522	1.00	27.95	ACPS
ATOM	312	OH	TYR	39	-3.224	28.999	55.337	1.00	28.86	ACPS
ATOM	313	C	TYR	39	-10.095	25.568	57.369	1.00	24.48	ACPS
ATOM	314	O	TYR	39	-10.440	26.118	58.412	1.00	25.01	ACPS
ATOM	315	N	GLU	40	-10.916	24.802	56.656	1.00	24.88	ACPS
ATOM	316	CA	GLU	40	-12.307	24.591	57.067	1.00	26.05	ACPS
ATOM	317	CB	GLU	40	-13.180	24.249	55.854	1.00	27.82	ACPS
ATOM	318	CG	GLU	40	-13.036	25.174	54.661	1.00	30.61	ACPS
ATOM	319	CD	GLU	40	-14.017	24.833	53.551	1.00	31.77	ACPS
ATOM	320	OE1	GLU	40	-14.101	23.640	53.178	1.00	32.73	ACPS
ATOM	321	OE2	GLU	40	-14.697	25.756	53.050	1.00	33.34	ACPS
ATOM	322	C	GLU	40	-12.487	23.467	58.086	1.00	25.59	ACPS
ATOM	323	O	GLU	40	-13.581	23.280	58.618	1.00	26.05	ACPS
ATOM	324	N	LEU	41	-11.420	22.731	58.368	1.00	24.07	ACPS
ATOM	325	CA	LEU	41	-11.509	21.584	59.266	1.00	22.24	ACPS
ATOM	326	CB	LEU	41	-10.578	20.486	58.744	1.00	21.78	ACPS
ATOM	327	CG	LEU	41	-10.760	20.090	57.273	1.00	21.91	ACPS
ATOM	328	CD1	LEU	41	-9.666	19.107	56.881	1.00	21.70	ACPS
ATOM	329	CD2	LEU	41	-12.126	19.474	57.058	1.00	22.12	ACPS
ATOM	330	C	LEU	41	-11.230	21.813	60.748	1.00	21.46	ACPS
ATOM	331	O	LEU	41	-10.614	22.800	61.141	1.00	21.25	ACPS
ATOM	332	N	SER	42	-11.693	20.873	61.567	1.00	21.01	ACPS
ATOM	333	CA	SER	42	-11.476	20.926	63.009	1.00	20.67	ACPS
ATOM	334	CB	SER	42	-12.319	19.865	63.716	1.00	21.24	ACPS
ATOM	335	OG	SER	42	-11.874	18.558	63.388	1.00	20.80	ACPS
ATOM	336	C	SER	42	-10.008	20.617	63.245	1.00	20.69	ACPS
ATOM	337	O	SER	42	-9.309	20.184	62.328	1.00	19.86	ACPS
ATOM	338	N	GLU	43	-9.540	20.834	64.469	1.00	19.62	ACPS
ATOM	339	CA	GLU	43	-8.146	20.568	64.815	1.00	19.23	ACPS
ATOM	340	CB	GLU	43	-7.932	20.830	66.312	1.00	20.39	ACPS
ATOM	341	CG	GLU	43	-6.524	20.541	66.843	1.00	22.14	ACPS
ATOM	342	CD	GLU	43	-6.452	20.617	68.366	1.00	23.47	ACPS
ATOM	343	OE1	GLU	43	-6.731	21.698	68.922	1.00	23.93	ACPS
ATOM	344	OE2	GLU	43	-6.118	19.594	69.004	1.00	24.66	ACPS
ATOM	345	C	GLU	43	-7.789	19.120	64.473	1.00	18.65	ACPS
ATOM	346	O	GLU	43	-6.755	18.849	63.864	1.00	18.62	ACPS
ATOM	347	N	LYS	44	-8.653	18.190	64.853	1.00	17.32	ACPS
ATOM	348	CA	LYS	44	-8.403	16.777	64.591	1.00	17.24	ACPS
ATOM	349	CB	LYS	44	-9.441	15.931	65.326	1.00	16.54	ACPS
ATOM	350	CG	LYS	44	-9.404	14.452	64.984	1.00	17.99	ACPS
ATOM	351	CD	LYS	44	-10.561	13.732	65.664	1.00	19.56	ACPS







ATOM	466	CD	GLU	58	7.551	11.800	53.407	1.00	14.43	ACPS
ATOM	467	OE1	GLU	58	7.452	10.642	53.851	1.00	12.52	ACPS
ATOM	468	OE2	GLU	58	8.343	12.641	53.905	1.00	14.76	ACPS
ATOM	469	C	GLU	58	5.969	10.307	48.903	1.00	10.19	ACPS
ATOM	470	O	GLU	58	6.960	9.897	48.298	1.00	11.04	ACPS
ATOM	471	N	ALA	59	4.773	9.742	48.765	1.00	10.50	ACPS
ATOM	472	CA	ALA	59	4.596	8.622	47.844	1.00	10.19	ACPS
ATOM	473	CB	ALA	59	3.178	8.031	47.965	1.00	9.73	ACPS
ATOM	474	C	ALA	59	4.866	9.100	46.415	1.00	11.21	ACPS
ATOM	475	O	ALA	59	5.510	8.402	45.641	1.00	11.07	ACPS
ATOM	476	N	PHE	60	4.377	10.289	46.071	1.00	10.97	ACPS
ATOM	477	CA	PHE	60	4.614	10.824	44.735	1.00	11.41	ACPS
ATOM	478	CB	PHE	60	3.918	12.182	44.536	1.00	11.35	ACPS
ATOM	479	CG	PHE	60	4.213	12.810	43.191	1.00	11.93	ACPS
ATOM	480	CD1	PHE	60	3.492	12.439	42.057	1.00	11.51	ACPS
ATOM	481	CD2	PHE	60	5.284	13.684	43.047	1.00	11.60	ACPS
ATOM	482	CE1	PHE	60	3.841	12.926	40.793	1.00	12.57	ACPS
ATOM	483	CE2	PHE	60	5.641	14.174	41.794	1.00	12.35	ACPS
ATOM	484	CZ	PHE	60	4.921	13.794	40.671	1.00	11.51	ACPS
ATOM	485	C	PHE	60	6.109	11.014	44.481	1.00	10.91	ACPS
ATOM	486	O	PHE	60	6.599	10.703	43.390	1.00	11.17	ACPS
ATOM	487	N	SER	61	6.828	11.529	45.483	1.00	11.07	ACPS
ATOM	488	CA	SER	61	8.262	11.775	45.336	1.00	11.40	ACPS
ATOM	489	CB	SER	61	8.815	12.510	46.561	1.00	11.56	ACPS
ATOM	490	OG	SER	61	9.026	11.642	47.660	1.00	12.07	ACPS
ATOM	491	C	SER	61	9.039	10.487	45.094	1.00	12.17	ACPS
ATOM	492	O	SER	61	10.102	10.508	44.476	1.00	11.91	ACPS
ATOM	493	N	LYS	62	8.513	9.365	45.583	1.00	11.76	ACPS
ATOM	494	CA	LYS	62	9.165	8.081	45.361	1.00	11.72	ACPS
ATOM	495	CB	LYS	62	8.687	7.051	46.395	1.00	9.91	ACPS
ATOM	496	CG	LYS	62	9.172	7.377	47.836	1.00	10.07	ACPS
ATOM	497	CD	LYS	62	8.584	6.402	48.888	1.00	8.91	ACPS
ATOM	498	CE	LYS	62	8.901	6.838	50.320	1.00	10.72	ACPS
ATOM	499	NZ	LYS	62	8.292	5.910	51.344	1.00	10.83	ACPS
ATOM	500	C	LYS	62	8.875	7.603	43.935	1.00	11.87	ACPS
ATOM	501	O	LYS	62	9.758	7.062	43.264	1.00	12.36	ACPS
ATOM	502	N	ALA	63	7.642	7.815	43.472	1.00	12.11	ACPS
ATOM	503	CA	ALA	63	7.266	7.408	42.119	1.00	12.83	ACPS
ATOM	504	CB	ALA	63	5.751	7.567	41.914	1.00	11.67	ACPS
ATOM	505	C	ALA	63	8.033	8.259	41.105	1.00	13.18	ACPS
ATOM	506	O	ALA	63	8.402	7.774	40.037	1.00	13.32	ACPS
ATOM	507	N	PHE	64	8.262	9.523	41.457	1.00	13.48	ACPS
ATOM	508	CA	PHE	64	8.987	10.491	40.628	1.00		

ATOM	523	CA	THR	66	13.945	11.700	43.643	1.00	16.17	ACPS
ATOM	524	CB	THR	66	13.908	13.103	43.038	1.00	17.57	ACPS
ATOM	525	OG1	THR	66	12.622	13.685	43.290	1.00	16.98	ACPS
ATOM	526	CG2	THR	66	14.150	13.056	41.531	1.00	18.71	ACPS
ATOM	527	C	THR	66	13.770	11.912	45.140	1.00	15.80	ACPS
ATOM	528	O	THR	66	14.713	12.315	45.825	1.00	15.38	ACPS
ATOM	529	N	GLY	67	12.572	11.652	45.649	1.00	15.62	ACPS
ATOM	530	CA	GLY	67	12.319	11.918	47.052	1.00	15.38	ACPS
ATOM	531	C	GLY	67	12.088	13.421	47.173	1.00	15.61	ACPS
ATOM	532	O	GLY	67	12.160	14.137	46.170	1.00	15.25	ACPS
ATOM	533	N	ILE	68	11.801	13.906	48.380	1.00	15.09	ACPS
ATOM	534	CA	ILE	68	11.580	15.332	48.598	1.00	16.65	ACPS
ATOM	535	CB	ILE	68	10.578	15.590	49.762	1.00	15.30	ACPS
ATOM	536	CG2	ILE	68	10.508	17.089	50.063	1.00	16.62	ACPS
ATOM	537	CG1	ILE	68	9.182	15.049	49.413	1.00	14.84	ACPS
ATOM	538	CD1	ILE	68	8.484	15.785	48.269	1.00	15.16	ACPS
ATOM	539	C	ILE	68	12.927	15.967	48.945	1.00	17.33	ACPS
ATOM	540	O	ILE	68	13.610	15.520	49.862	1.00	18.29	ACPS
ATOM	541	N	GLY	69	13.305	17.002	48.202	1.00	18.32	ACPS
ATOM	542	CA	GLY	69	14.574	17.663	48.436	1.00	20.27	ACPS
ATOM	543	C	GLY	69	14.877	18.700	47.371	1.00	20.85	ACPS
ATOM	544	O	GLY	69	13.990	19.447	46.949	1.00	20.98	ACPS
ATOM	545	N	ALA	70	16.128	18.734	46.920	1.00	22.02	ACPS
ATOM	546	CA	ALA	70	16.564	19.710	45.922	1.00	22.94	ACPS
ATOM	547	CB	ALA	70	18.064	19.575	45.690	1.00	24.19	ACPS
ATOM	548	C	ALA	70	15.834	19.655	44.582	1.00	23.39	ACPS
ATOM	549	O	ALA	70	15.623	20.688	43.950	1.00	24.35	ACPS
ATOM	550	N	GLN	71	15.446	18.457	44.153	1.00	22.46	ACPS
ATOM	551	CA	GLN	71	14.765	18.289	42.871	1.00	21.53	ACPS
ATOM	552	CB	GLN	71	15.204	16.971	42.223	1.00	23.55	ACPS
ATOM	553	CG	GLN	71	16.683	16.924	41.843	1.00	26.32	ACPS
ATOM	554	CD	GLN	71	17.185	15.512	41.591	1.00	28.10	ACPS
ATOM	555	OE1	GLN	71	17.349	14.722	42.523	1.00	29.41	ACPS
ATOM	556	NE2	GLN	71	17.435	15.188	40.326	1.00	29.15	ACPS
ATOM	557	C	GLN	71	13.239	18.334	42.931	1.00	20.50	ACPS
ATOM	558	O	GLN	71	12.580	18.424	41.891	1.00	20.08	ACPS
ATOM	559	N	LEU	72	12.668	18.287	44.132	1.00	18.34	ACPS
ATOM	560	CA	LEU	72	11.210	18.292	44.261	1.00	16.54	ACPS
ATOM	561	CB	LEU	72	10.671	16.868	44.034	1.00	16.42	ACPS
ATOM	562	CG	LEU	72	9.146	16.682	44.035	1.00	15.69	ACPS
ATOM	563	CD1	LEU	72	8.539	17.358	42.815	1.00	16.49	ACPS
ATOM	564	CD2	LEU	72	8.811	15.186	44.032	1.00	16.39	ACPS
ATOM	565	C	LEU	72	10.752	18.786	45.632	1.00	15.95	ACPS
ATOM	566	O	LEU	72	11.177	18.260	46.654	1.00	16.86	ACPS
ATOM	567	N	SER	73	9.879	19.789	45.649	1.00	15.85	ACPS
ATOM	568	CA	SER	73	9.360	20.337	46.901	1.00	15.02	ACPS
ATOM	569	CB	SER	73	9.400	21.872	46.865	1.00	16.69	ACPS
ATOM	570	OG	SER	73	8.552	22.454	47.851	1.00	18.22	ACPS
ATOM	571	C	SER	73	7.920	19.896	47.122	1.00	13.98	ACPS
ATOM	572	O	SER	73	7.227	19.531	46.175	1.00	14.35	ACPS
ATOM	573	N	PHE	74	7.469	19.926	48.373	1.00	13.59	ACPS
ATOM	574	CA	PHE	74	6.083	19.584	48.674	1.00	12.78	ACPS
ATOM	575	CB	PHE	74	5.802	19.731	50.177	1.00	12.70	ACPS
ATOM	576	CG	PHE	74	6.274	18.566	51.010	1.00	13.35	ACPS
ATOM	577	CD1	PHE	74	5.663	17.320	50.894	1.00	14.16	ACPS
ATOM	578	CD2	PHE	74	7.308	18.723	51.928	1.00	15.36	ACPS
ATOM	579	CE1	PHE	74	6.071	16.246	51.679	1.00	13.54	ACPS





ATOM	694	CG	TYR	88	-6.922	14.047	40.032	1.00	14.02	ACPS
ATOM	695	CD1	TYR	88	-6.188	15.023	39.364	1.00	14.07	ACPS
ATOM	696	CE1	TYR	88	-6.787	16.222	38.963	1.00	14.84	ACPS
ATOM	697	CD2	TYR	88	-8.271	14.298	40.294	1.00	14.32	ACPS
ATOM	698	CE2	TYR	88	-8.877	15.480	39.898	1.00	15.51	ACPS
ATOM	699	CZ	TYR	88	-8.131	16.442	39.232	1.00	15.27	ACPS
ATOM	700	OH	TYR	88	-8.728	17.622	38.835	1.00	17.40	ACPS
ATOM	701	C	TYR	88	-4.571	13.748	42.029	1.00	11.78	ACPS
ATOM	702	O	TYR	88	-4.801	14.752	42.698	1.00	11.93	ACPS
ATOM	703	N	ILE	89	-3.385	13.521	41.487	1.00	11.68	ACPS
ATOM	704	CA	ILE	89	-2.302	14.482	41.647	1.00	12.44	ACPS
ATOM	705	CB	ILE	89	-1.037	13.765	42.199	1.00	11.85	ACPS
ATOM	706	CG2	ILE	89	0.239	14.579	41.910	1.00	11.95	ACPS
ATOM	707	CG1	ILE	89	-1.185	13.538	43.706	1.00	11.65	ACPS
ATOM	708	CD1	ILE	89	-0.021	12.751	44.320	1.00	12.93	ACPS
ATOM	709	C	ILE	89	-1.921	15.214	40.371	1.00	12.52	ACPS
ATOM	710	O	ILE	89	-2.000	14.662	39.271	1.00	13.59	ACPS
ATOM	711	N	ILE	90	-1.527	16.470	40.539	1.00	14.09	ACPS
ATOM	712	CA	ILE	90	-1.036	17.282	39.434	1.00	14.07	ACPS
ATOM	713	CB	ILE	90	-1.937	18.514	39.151	1.00	14.62	ACPS
ATOM	714	CG2	ILE	90	-1.254	19.433	38.127	1.00	15.25	ACPS
ATOM	715	CG1	ILE	90	-3.313	18.067	38.636	1.00	15.67	ACPS
ATOM	716	CD1	ILE	90	-3.289	17.301	37.330	1.00	16.06	ACPS
ATOM	717	C	ILE	90	0.357	17.780	39.855	1.00	14.28	ACPS
ATOM	718	O	ILE	90	0.514	18.342	40.940	1.00	13.87	ACPS
ATOM	719	N	CYS	91	1.362	17.520	39.016	1.00	15.25	ACPS
ATOM	720	CA	CYS	91	2.737	17.974	39.242	1.00	15.44	ACPS
ATOM	721	CB	CYS	91	3.677	16.806	39.561	1.00	15.30	ACPS
ATOM	722	SG	CYS	91	5.404	17.317	39.841	1.00	14.62	ACPS
ATOM	723	C	CYS	91	3.139	18.606	37.916	1.00	16.53	ACPS
ATOM	724	O	CYS	91	3.585	17.926	36.990	1.00	17.19	ACPS
ATOM	725	N	THR	92	2.958	19.912	37.830	1.00	17.43	ACPS
ATOM	726	CA	THR	92	3.255	20.640	36.609	1.00	19.27	ACPS
ATOM	727	CB	THR	92	2.946	22.137	36.804	1.00	20.38	ACPS
ATOM	728	OG1	THR	92	1.550	22.286	37.117	1.00	22.97	ACPS
ATOM	729	CG2	THR	92	3.257	22.920	35.542	1.00	21.13	ACPS
ATOM	730	C	THR	92	4.685	20.436	36.102	1.00	19.66	ACPS
ATOM	731	O	THR	92	4.909	20.405	34.885	1.00	19.81	ACPS
ATOM	732	N	LYS	93	5.641	20.269	37.021	1.00	19.24	ACPS
ATOM	733	CA	LYS	93	7.040	20.049	36.633	1.00	20.40	ACPS
ATOM	734	CB	LYS	93	7.950	19.936	37.869	1.00	21.00	ACPS
ATOM	735	CG	LYS	93	8.283	21.253	38.540	1.00	23.04	ACPS
ATOM	736	CD	LYS	93	9.271	21.044	39.674	1.00	23.13	ACPS

ATOM	751	CB	SER	95	3.268	15.736	32.112	1.00	26.52	ACPS
ATOM	752	OG	SER	95	2.573	14.752	32.861	1.00	27.95	ACPS
ATOM	753	C	SER	95	2.002	17.531	33.354	1.00	25.56	ACPS
ATOM	754	O	SER	95	1.760	17.599	34.561	1.00	24.02	ACPS
ATOM	755	N	PRO	96	1.090	17.874	32.432	1.00	26.00	ACPS
ATOM	756	CD	PRO	96	1.289	18.101	30.986	1.00	26.52	ACPS
ATOM	757	CA	PRO	96	-0.240	18.324	32.853	1.00	25.75	ACPS
ATOM	758	CB	PRO	96	-0.709	19.147	31.657	1.00	26.31	ACPS
ATOM	759	CG	PRO	96	-0.119	18.392	30.506	1.00	26.75	ACPS
ATOM	760	C	PRO	96	-1.201	17.179	33.176	1.00	25.06	ACPS
ATOM	761	O	PRO	96	-2.304	17.414	33.664	1.00	25.74	ACPS
ATOM	762	N	ALA	97	-0.773	15.950	32.907	1.00	24.25	ACPS
ATOM	763	CA	ALA	97	-1.599	14.769	33.142	1.00	23.20	ACPS
ATOM	764	CB	ALA	97	-0.967	13.555	32.479	1.00	24.01	ACPS
ATOM	765	C	ALA	97	-1.872	14.463	34.611	1.00	22.43	ACPS
ATOM	766	O	ALA	97	-1.072	14.786	35.490	1.00	22.83	ACPS
ATOM	767	N	ALA	98	-3.020	13.841	34.865	1.00	21.00	ACPS
ATOM	768	CA	ALA	98	-3.411	13.462	36.215	1.00	19.60	ACPS
ATOM	769	CB	ALA	98	-4.914	13.140	36.259	1.00	19.71	ACPS
ATOM	770	C	ALA	98	-2.597	12.232	36.601	1.00	18.50	ACPS
ATOM	771	O	ALA	98	-2.426	11.313	35.796	1.00	19.87	ACPS
ATOM	772	N	VAL	99	-2.084	12.231	37.826	1.00	15.98	ACPS
ATOM	773	CA	VAL	99	-1.299	11.120	38.346	1.00	14.14	ACPS
ATOM	774	CB	VAL	99	-0.042	11.661	39.041	1.00	15.01	ACPS
ATOM	775	CG1	VAL	99	0.630	10.575	39.854	1.00	15.26	ACPS
ATOM	776	CG2	VAL	99	0.909	12.221	37.990	1.00	14.69	ACPS
ATOM	777	C	VAL	99	-2.192	10.357	39.336	1.00	13.62	ACPS
ATOM	778	O	VAL	99	-2.935	10.971	40.098	1.00	14.19	ACPS
ATOM	779	N	HIS	100	-2.132	9.029	39.306	1.00	12.36	ACPS
ATOM	780	CA	HIS	100	-2.949	8.192	40.178	1.00	12.74	ACPS
ATOM	781	CB	HIS	100	-2.894	6.741	39.708	1.00	13.48	ACPS
ATOM	782	CG	HIS	100	-3.505	6.514	38.362	1.00	14.92	ACPS
ATOM	783	CD2	HIS	100	-2.938	6.353	37.143	1.00	15.96	ACPS
ATOM	784	ND1	HIS	100	-4.868	6.432	38.165	1.00	15.90	ACPS
ATOM	785	CE1	HIS	100	-5.113	6.232	36.883	1.00	17.29	ACPS
ATOM	786	NE2	HIS	100	-3.960	6.181	36.241	1.00	15.85	ACPS
ATOM	787	C	HIS	100	-2.513	8.233	41.630	1.00	12.24	ACPS
ATOM	788	O	HIS	100	-1.328	8.140	41.927	1.00	12.33	ACPS
ATOM	789	N	VAL	101	-3.487	8.363	42.525	1.00	11.72	ACPS
ATOM	790	CA	VAL	101	-3.217	8.365	43.958	1.00	11.15	ACPS
ATOM	791	CB	VAL	101	-2.899	9.811	44.477	1.00	11.69	ACPS
ATOM	792	CG1	VAL	101	-4.142	10.694	44.373	1.00	12.75	ACPS
ATOM	793	CG2	VAL	101	-2.391	9.758	45.924	1.00	12.34	ACPS
ATOM	794	C								

ATOM	808	C	ILE	103	-6.299	6.728	51.388	1.00	9.74	ACPS
ATOM	809	O	ILE	103	-7.447	6.432	51.041	1.00	9.47	ACPS
ATOM	810	N	THR	104	-5.751	6.334	52.541	1.00	9.43	ACPS
ATOM	811	CA	THR	104	-6.507	5.567	53.537	1.00	9.07	ACPS
ATOM	812	CB	THR	104	-6.323	4.034	53.329	1.00	9.49	ACPS
ATOM	813	OG1	THR	104	-7.164	3.312	54.246	1.00	10.14	ACPS
ATOM	814	CG2	THR	104	-4.878	3.617	53.528	1.00	8.69	ACPS
ATOM	815	C	THR	104	-6.067	5.976	54.949	1.00	9.89	ACPS
ATOM	816	O	THR	104	-4.896	6.283	55.174	1.00	9.73	ACPS
ATOM	817	N	HIS	105	-7.006	5.978	55.891	1.00	10.13	ACPS
ATOM	818	CA	HIS	105	-6.734	6.384	57.266	1.00	10.93	ACPS
ATOM	819	CB	HIS	105	-7.632	7.572	57.622	1.00	11.25	ACPS
ATOM	820	CG	HIS	105	-7.371	8.805	56.817	1.00	11.60	ACPS
ATOM	821	CD2	HIS	105	-7.921	9.254	55.663	1.00	13.08	ACPS
ATOM	822	ND1	HIS	105	-6.442	9.749	57.192	1.00	11.93	ACPS
ATOM	823	CE1	HIS	105	-6.427	10.729	56.305	1.00	11.86	ACPS
ATOM	824	NE2	HIS	105	-7.315	10.451	55.366	1.00	12.18	ACPS
ATOM	825	C	HIS	105	-6.986	5.299	58.314	1.00	11.03	ACPS
ATOM	826	O	HIS	105	-7.888	4.471	58.165	1.00	12.54	ACPS
ATOM	827	N	THR	106	-6.165	5.309	59.367	1.00	11.51	ACPS
ATOM	828	CA	THR	106	-6.349	4.411	60.509	1.00	11.59	ACPS
ATOM	829	CB	THR	106	-5.289	3.270	60.620	1.00	11.24	ACPS
ATOM	830	OG1	THR	106	-4.065	3.780	61.169	1.00	11.20	ACPS
ATOM	831	CG2	THR	106	-5.017	2.634	59.261	1.00	12.65	ACPS
ATOM	832	C	THR	106	-6.225	5.273	61.771	1.00	12.23	ACPS
ATOM	833	O	THR	106	-6.002	6.482	61.692	1.00	12.54	ACPS
ATOM	834	N	LYS	107	-6.364	4.634	62.929	1.00	12.39	ACPS
ATOM	835	CA	LYS	107	-6.269	5.295	64.229	1.00	12.12	ACPS
ATOM	836	CB	LYS	107	-6.473	4.242	65.326	1.00	12.29	ACPS
ATOM	837	CG	LYS	107	-5.379	3.146	65.280	1.00	13.31	ACPS
ATOM	838	CD	LYS	107	-5.653	1.939	66.203	1.00	14.42	ACPS
ATOM	839	CE	LYS	107	-4.660	0.799	65.876	1.00	15.82	ACPS
ATOM	840	NZ	LYS	107	-4.895	-0.473	66.648	1.00	18.55	ACPS
ATOM	841	C	LYS	107	-4.936	5.998	64.490	1.00	12.43	ACPS
ATOM	842	O	LYS	107	-4.874	6.970	65.263	1.00	14.30	ACPS
ATOM	843	N	GLU	108	-3.871	5.516	63.857	1.00	11.38	ACPS
ATOM	844	CA	GLU	108	-2.540	6.061	64.099	1.00	11.08	ACPS
ATOM	845	CB	GLU	108	-1.692	4.997	64.823	1.00	10.76	ACPS
ATOM	846	CG	GLU	108	-1.320	3.790	63.936	1.00	11.72	ACPS
ATOM	847	CD	GLU	108	-0.835	2.550	64.706	1.00	11.82	ACPS
ATOM	848	OE1	GLU	108	-0.047	2.673	65.664	1.00	12.16	ACPS
ATOM	849	OE2	GLU	108	-1.224	1.420	64.329	1.00	11.39	ACPS
ATOM	850	C	GLU	108	-1.788	6.517	62.858	1.00	10.37	ACPS



ATOM	865	CA	ALA	110	-2.475	8.207	57.162	1.00	10.18	ACPS
ATOM	866	CB	ALA	110	-2.489	9.726	57.072	1.00	9.95	ACPS
ATOM	867	C	ALA	110	-1.529	7.598	56.110	1.00	8.99	ACPS
ATOM	868	O	ALA	110	-0.322	7.843	56.143	1.00	10.23	ACPS
ATOM	869	N	ALA	111	-2.067	6.776	55.209	1.00	9.06	ACPS
ATOM	870	CA	ALA	111	-1.255	6.109	54.181	1.00	9.24	ACPS
ATOM	871	CB	ALA	111	-1.319	4.577	54.371	1.00	9.27	ACPS
ATOM	872	C	ALA	111	-1.710	6.462	52.773	1.00	9.10	ACPS
ATOM	873	O	ALA	111	-2.877	6.780	52.551	1.00	9.14	ACPS
ATOM	874	N	ALA	112	-0.782	6.399	51.822	1.00	9.52	ACPS
ATOM	875	CA	ALA	112	-1.107	6.713	50.434	1.00	9.40	ACPS
ATOM	876	CB	ALA	112	-0.973	8.219	50.190	1.00	10.40	ACPS
ATOM	877	C	ALA	112	-0.202	5.984	49.462	1.00	9.11	ACPS
ATOM	878	O	ALA	112	0.890	5.548	49.814	1.00	9.27	ACPS
ATOM	879	N	GLN	113	-0.680	5.843	48.233	1.00	10.03	ACPS
ATOM	880	CA	GLN	113	0.124	5.246	47.171	1.00	10.71	ACPS
ATOM	881	CB	GLN	113	-0.221	3.768	46.949	1.00	12.50	ACPS
ATOM	882	CG	GLN	113	-1.607	3.525	46.382	1.00	14.15	ACPS
ATOM	883	CD	GLN	113	-1.910	2.053	46.181	1.00	16.57	ACPS
ATOM	884	OE1	GLN	113	-2.978	1.699	45.686	1.00	17.95	ACPS
ATOM	885	NE2	GLN	113	-0.978	1.187	46.581	1.00	19.32	ACPS
ATOM	886	C	GLN	113	-0.088	6.047	45.884	1.00	10.42	ACPS
ATOM	887	O	GLN	113	-1.121	6.698	45.701	1.00	11.38	ACPS
ATOM	888	N	VAL	114	0.905	5.998	45.002	1.00	10.88	ACPS
ATOM	889	CA	VAL	114	0.872	6.727	43.742	1.00	11.50	ACPS
ATOM	890	CB	VAL	114	1.770	8.002	43.834	1.00	12.48	ACPS
ATOM	891	CG1	VAL	114	1.994	8.613	42.444	1.00	12.51	ACPS
ATOM	892	CG2	VAL	114	1.144	9.013	44.779	1.00	11.66	ACPS
ATOM	893	C	VAL	114	1.409	5.888	42.589	1.00	11.78	ACPS
ATOM	894	O	VAL	114	2.295	5.055	42.772	1.00	11.30	ACPS
ATOM	895	N	VAL	115	0.839	6.099	41.405	1.00	12.16	ACPS
ATOM	896	CA	VAL	115	1.322	5.454	40.195	1.00	12.60	ACPS
ATOM	897	CB	VAL	115	0.426	4.301	39.706	1.00	12.42	ACPS
ATOM	898	CG1	VAL	115	0.957	3.778	38.377	1.00	14.70	ACPS
ATOM	899	CG2	VAL	115	0.388	3.172	40.736	1.00	12.57	ACPS
ATOM	900	C	VAL	115	1.364	6.525	39.109	1.00	12.96	ACPS
ATOM	901	O	VAL	115	0.351	7.167	38.821	1.00	13.15	ACPS
ATOM	902	N	ILE	116	2.547	6.732	38.534	1.00	13.59	ACPS
ATOM	903	CA	ILE	116	2.736	7.708	37.454	1.00	15.01	ACPS
ATOM	904	CB	ILE	116	4.044	8.514	37.619	1.00	15.13	ACPS
ATOM	905	CG2	ILE	116	4.252	9.422	36.391	1.00	15.76	ACPS
ATOM	906	CG1	ILE	116	4.011	9.353	38.901	1.00	14.74	ACPS
ATOM	907	CD1	ILE	116	5.326	10.082	39.168	1.00	15.57	ACPS
ATOM	908	C</								

ATOM	922	C	ALA	118	3.841	8.208	30.244	1.00	28.57	ACPS
ATOM	923	OT1	ALA	118	2.598	8.169	30.110	1.00	29.57	ACPS
ATOM	924	OT2	ALA	118	4.563	9.133	29.800	1.00	30.29	ACPS
ATOM	925	O	HOH	1	8.184	16.571	66.146	1.00	24.49	WAT
ATOM	926	O	HOH	2	8.785	8.855	56.929	1.00	23.58	WAT
ATOM	927	O	HOH	3	-6.634	6.371	40.520	1.00	13.40	WAT
ATOM	928	O	HOH	4	6.850	6.588	56.334	1.00	12.56	WAT
ATOM	929	O	HOH	5	-8.045	6.689	43.987	1.00	13.42	WAT
ATOM	930	O	HOH	6	-5.322	9.243	59.567	1.00	14.25	WAT
ATOM	931	O	HOH	7	-8.408	6.897	46.767	1.00	10.54	WAT
ATOM	932	O	HOH	8	0.163	8.272	65.337	1.00	14.13	WAT
ATOM	933	O	HOH	9	-14.561	9.350	40.005	1.00	16.00	WAT
ATOM	934	O	HOH	10	5.984	9.787	56.562	1.00	12.10	WAT
ATOM	935	O	HOH	11	9.603	20.654	50.362	1.00	18.90	WAT
ATOM	936	O	HOH	12	9.199	12.001	56.416	1.00	20.43	WAT
ATOM	937	O	HOH	13	-5.501	13.397	53.431	1.00	13.06	WAT
ATOM	938	O	HOH	14	-2.767	25.961	44.622	1.00	17.37	WAT
ATOM	939	O	HOH	15	1.460	20.979	40.473	1.00	16.78	WAT
ATOM	940	O	HOH	16	-6.412	20.992	45.756	1.00	19.74	WAT
ATOM	941	O	HOH	17	-6.145	9.042	41.305	1.00	12.90	WAT
ATOM	942	O	HOH	18	-0.223	24.078	42.670	1.00	18.93	WAT
ATOM	943	O	HOH	19	-7.596	19.455	37.156	1.00	19.34	WAT
ATOM	944	O	HOH	20	-5.063	33.496	51.266	1.00	22.07	WAT
ATOM	945	O	HOH	21	-1.492	0.933	67.571	1.00	14.90	WAT
ATOM	946	O	HOH	22	10.843	7.091	38.836	1.00	23.19	WAT
ATOM	947	O	HOH	23	1.577	14.422	68.706	1.00	24.82	WAT
ATOM	948	O	HOH	24	-7.606	8.898	61.270	1.00	18.79	WAT
ATOM	949	O	HOH	25	0.081	9.327	35.513	1.00	22.45	WAT
ATOM	950	O	HOH	26	-6.295	18.339	48.365	1.00	15.49	WAT
ATOM	951	O	HOH	27	-0.673	19.887	66.759	1.00	21.01	WAT
ATOM	952	O	HOH	28	2.234	22.708	42.588	1.00	18.21	WAT
ATOM	953	O	HOH	29	5.866	5.790	62.516	1.00	18.49	WAT
ATOM	954	O	HOH	30	0.991	15.961	36.660	1.00	18.35	WAT
ATOM	955	O	HOH	31	-6.406	9.357	38.563	1.00	20.48	WAT
ATOM	956	O	HOH	32	-11.957	11.623	37.352	1.00	24.33	WAT
ATOM	957	O	HOH	33	-10.389	14.434	49.725	1.00	27.42	WAT
ATOM	958	O	HOH	34	-4.448	20.165	63.854	1.00	24.32	WAT
ATOM	959	O	HOH	35	1.450	2.725	43.903	1.00	20.38	WAT
ATOM	960	O	HOH	36	-9.847	19.977	43.739	1.00	23.75	WAT
ATOM	961	O	HOH	37	-4.274	35.006	45.404	1.00	20.66	WAT
ATOM	962	O	HOH	38	-0.833	22.659	40.326	1.00	19.80	WAT
ATOM	963	O	HOH	39	-10.345	18.568	67.239	1.00	20.80	WAT
ATOM	964	O	HOH	40	-8.477	13.551	55.975	1.00	26.24	WAT
ATOM	965	O	HOH							

ATOM	979	O	HOH	55	5.799	6.629	59.843	1.00	16.31	WAT
ATOM	980	O	HOH	56	2.012	25.703	66.142	1.00	35.32	WAT
ATOM	981	O	HOH	57	0.121	2.727	31.610	1.00	42.03	WAT
ATOM	982	O	HOH	58	1.534	10.328	32.415	1.00	41.42	WAT
ATOM	983	O	HOH	59	-16.524	4.165	56.298	1.00	21.92	WAT
ATOM	984	O	HOH	60	-13.305	16.632	64.615	1.00	23.56	WAT
ATOM	985	O	HOH	61	-12.177	16.550	67.442	1.00	20.64	WAT
ATOM	986	O	HOH	62	-14.009	9.985	52.284	1.00	25.38	WAT
ATOM	987	O	HOH	63	-9.900	9.225	59.680	1.00	23.49	WAT
ATOM	988	O	HOH	64	-6.771	33.311	45.569	1.00	21.83	WAT
ATOM	989	O	HOH	65	-2.713	20.087	61.546	1.00	24.39	WAT
ATOM	990	O	HOH	66	-7.980	17.897	68.615	1.00	22.87	WAT
ATOM	991	O	HOH	67	-13.405	7.809	38.191	1.00	26.90	WAT
ATOM	992	O	HOH	68	-4.952	28.402	44.638	1.00	33.63	WAT
ATOM	993	O	HOH	69	-2.685	3.686	68.288	1.00	31.25	WAT
ATOM	994	O	HOH	70	8.512	9.048	60.830	1.00	28.65	WAT
ATOM	995	O	HOH	71	-1.486	18.163	62.740	1.00	32.45	WAT
ATOM	996	O	HOH	72	5.603	18.678	70.084	1.00	26.38	WAT
ATOM	997	O	HOH	73	-7.547	29.689	51.621	1.00	29.41	WAT
ATOM	998	O	HOH	74	10.855	19.331	52.981	1.00	26.05	WAT
ATOM	999	O	HOH	75	-11.689	10.901	61.337	1.00	28.27	WAT
ATOM	1000	O	HOH	76	-0.166	23.981	38.303	1.00	33.92	WAT
ATOM	1001	O	HOH	77	-11.224	22.643	66.111	1.00	30.50	WAT
ATOM	1002	O	HOH	78	15.942	18.609	39.466	1.00	35.09	WAT
ATOM	1003	O	HOH	79	-9.721	15.254	57.360	1.00	23.81	WAT
ATOM	1004	O	HOH	80	-9.623	11.467	57.685	1.00	26.57	WAT
ATOM	1005	O	HOH	81	-10.600	4.395	59.079	1.00	26.62	WAT
ATOM	1006	O	HOH	82	-8.498	10.896	38.078	1.00	35.64	WAT
ATOM	1007	O	HOH	83	-2.753	18.652	65.536	1.00	26.51	WAT
ATOM	1008	O	HOH	84	9.568	24.455	43.921	1.00	31.56	WAT
ATOM	1009	O	HOH	85	19.835	12.684	45.040	1.00	35.96	WAT
ATOM	1010	O	HOH	86	13.338	21.812	46.003	1.00	39.76	WAT
ATOM	1011	O	HOH	87	11.096	20.032	59.974	1.00	34.99	WAT
ATOM	1012	O	HOH	88	3.720	23.855	40.646	1.00	31.59	WAT
ATOM	1013	O	HOH	89	-1.224	22.461	66.261	1.00	34.76	WAT
ATOM	1014	O	HOH	90	-7.691	9.770	63.766	1.00	31.45	WAT
ATOM	1015	O	HOH	91	17.406	11.773	44.998	1.00	29.99	WAT
ATOM	1016	O	HOH	92	-1.506	7.951	67.587	1.00	28.61	WAT
ATOM	1017	O	HOH	93	-3.462	10.383	67.429	1.00	32.97	WAT
ATOM	1018	O	HOH	94	-2.310	12.680	66.265	1.00	27.88	WAT
ATOM	1019	O	HOH	95	-4.299	16.505	66.744	1.00	34.32	WAT
ATOM	1020	O	HOH	96	0.990	24.911	62.972	1.00	31.02	WAT
ATOM	1021	O	HOH	97	-13.635	13.854	63.282	1.00		





Figure 3A




Figure 4




Figure 3C



Figure 3B







Figure 5


Figure 6

100  $\mu$ M ACPS



A


100  $\mu$ M ACPS, 200  $\mu$ M CoA



B

Figure 7

15% Non-reducing, denaturing gel of ACPS  
samples before and after analytical centrifugation



Lane # ACPS samples  
 2 pH 5.2  
 3 pH 5.2, heated 10 min at 100 deg in gel sample buffer  
 4 pH 6.4, after sedimentation equilibrium expt.  
 5 pH 6.4, after equilibrium expt, heated 10 min at 100deg in gel buffer  
 7 pH 7.4  
 8 pH 7.4, heated 10 min at 100 deg in gel buffer  
 9 pH 6.4  
 10 pH 6.4, heated 10 min at 100 deg in gel sample buffer

Lanes 2, 3, 7, 8, 9, 10: 20 uL of a freshly prepared 32 uM ACPS sample was added  
 Lanes 4, 5: 20 uL of the 100 uM ACPS pH 6.4 solution from the sedimentation equilibrium experiment was used

MIYGI GLDIT ELKRI ASMAG RQKRF AERIL  
TRSEL DQYYE LSEKR KNEFL AGRFA AKEAF  
SKAFG TGIGR QLSFQ DIEIR KDQNG KPYII  
CTKLS QAAVH VSITH TKEYA AAQVV IERLS  
S

Figure 8

